

CAUTION

Ammunition reloading can be dangerous if done improperly and should not be attempted by persons not willing and able to read and follow instructions exactly. Children should not be permitted to reload ammunition without strict parental supervision. Always wear safety glasses when reloading and shooting. Ammunition loaded with these tools and data should only be used in modern guns in good condition. We do not accept responsibility for ammunition loaded with these tools or data as we have no control over the manufacture and storage of components or the loading procedure and techniques. Primers and gun powders, like gasoline and matches, can be dangerous if improperly handled or misused.

IF YOU ARE USING LOAD DATA PROVIDED IN LEE RELOADING DIE SETS OR "MODERN RELOADING,"

we make the disk selection really easy. The charge disks are calibrated in cubic centimeters (cc's). Install the disk listed in the "Auto Disk" column in the load data. Be sure you select the load from the correct powder and bullet type and weight.

LEE "MODERN RELOADING"

POWDER TYPE	START GRAINS	VOLUME CC	AUTO DISK	LEE DIPPER	VELOCITY FPS	NEVER EXCEED	VELOCITY FPS	PRESS	UNITS	MIN OAL
-------------	--------------	-----------	-----------	------------	--------------	--------------	--------------	-------	-------	---------

LEE DIE INSTRUCTIONS

POWDER TYPE	START VOLUME GRAINS	Auto-Loader CC	Lee Dipper	NEVER EXCEED	Velocity FPS	Min OAL
-------------	---------------------	----------------	------------	--------------	--------------	---------

IF YOU ARE USING LOAD DATA FROM ANOTHER RELIABLE SOURCE, THE CHART BELOW LISTS THE APPROXIMATE CHARGE IN GRAINS FOR THE DISK SETTING (cc).

Find your powder type, move right until you find the charge that equals, but does not exceed your desired charge. Move upward to the disk setting row to determine the disk setting volume in cc's. If your desired charge is a max pressure load. You must weigh to verify. Additional powder types are available in "MODERN RELOADING"

GET MORE LOAD DATA IN "MODERN RELOADING" SECOND EDITION

BY RICHARD LEE
NEWLY REVISED EDITION
CONTAINING MORE THAN 36,000 LOADS
Everything about reloading along with the world's most comprehensive load data.
It's a reference book you'll keep forever. #90277



	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57	Disk Setting (cc)	
ACCURATE	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57		
A NITRO100	2.2	2.4	2.5	2.7	3.0	3.2	3.4	3.6	3.9	4.2	4.5	4.9	5.3	5.6	6.1	6.5	7.0	7.6	8.1	8.7	9.3	10.1	10.8	11.6	Approx. change in grains	
ACCUR #2	3.6	3.8	4.1	4.4	4.8	5.1	5.5	5.8	6.3	6.8	7.3	7.9	8.5	9.1	9.8	10.5	11.3	12.2	13.0	14.1	15.0	16.2	17.4	18.7		
ACCUR #5	4.8	5.1	5.5	5.9	6.4	6.9	7.4	7.9	8.5	9.2	9.8	10.6	11.4	12.2	13.2	14.1	15.3	16.4	17.5	18.9	20.2	21.8	23.4	25.2		
ACCUR #7	4.6	4.9	5.2	5.7	6.1	6.6	7.0	7.5	8.1	8.7	9.3	10.1	10.9	11.6	12.6	13.5	14.5	15.6	16.7	18.1	19.3	20.8	22.4	24.0		
ACCUR #9	4.6	4.9	5.2	5.6	6.1	6.5	7.0	7.5	8.1	8.7	9.3	10.1	10.8	11.6	12.5	13.4	14.5	15.5	16.6	18.0	19.2	20.7	22.2	23.9		
ACCUR 5744	4.0	4.3	4.5	4.9	5.3	5.7	6.1	6.5	7.1	7.6	8.1	8.8	9.4	10.1	10.9	11.7	12.6	13.6	14.5	15.7	16.8	18.1	19.4	20.9		
SOLO 1000	2.3	2.4	2.6	2.8	3.0	3.2	3.5	3.7	4.0	4.3	4.6	5.0	5.3	5.7	6.2	6.6	7.1	7.7	8.2	8.9	9.5	10.2	11.0	11.8		
WESTERN	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57		
R COMPETITION	2.3	2.5	2.7	2.9	3.1	3.4	3.6	3.8	4.1	4.5	4.8	5.2	5.6	5.9	6.4	6.9	7.4	8.0	8.5	9.2	9.9	10.6	11.4	12.3	Approx. change in grains	
RAM ZIP	3.7	3.9	4.2	4.5	4.9	5.3	5.6	6.0	6.5	7.0	7.5	8.1	8.7	9.3	10.0	10.8	11.6	12.5	13.4	14.5	15.4	16.7	17.9	19.2		
R SILHOUETTE	3.8	4.0	4.3	4.6	5.0	5.4	5.8	6.2	6.7	7.2	7.7	8.3	8.9	9.5	10.3	11.0	11.9	12.8	13.7	14.8	15.8	17.1	18.3	19.7		
R TRUE BLUE	4.4	4.7	5.0	5.4	5.8	6.3	6.7	7.2	7.8	8.3	8.9	9.7	10.4	11.1	12.0	12.9	13.9	14.9	15.9	17.3	18.4	19.9	21.4	23.0		
R ENFORCER	4.3	4.6	4.9	5.3	5.8	6.2	6.6	7.1	7.6	8.2	8.8	9.5	10.2	11.0	11.8	12.7	13.7	14.7	15.7	17.0	18.2	19.6	21.1	22.6		
ALLIANT	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57		
BULLSEYE	2.8	3.0	3.2	3.5	3.8	4.0	4.3	4.6	5.0	5.4	5.7	6.2	6.7	7.1	7.7	8.3	8.9	9.6	10.2	11.1	11.8	12.8	13.7	14.8	Approx. change in grains	
RED DOT	2.1	2.3	2.4	2.6	2.8	3.0	3.3	3.5	3.8	4.0	4.3	4.7	5.0	5.4	5.8	6.2	6.7	7.2	7.7	8.4	8.9	9.6	10.3	11.1		
POWER PISTOL	3.4	3.6	3.8	4.2	4.5	4.8	5.2	5.5	6.0	6.4	6.9	7.4	8.0	8.5	9.2	9.9	10.7	11.5	12.3	13.3	14.2	15.3	16.4	17.7		
ALNT E3	2.0	2.1	2.3	2.5	2.7	2.9	3.1	3.3	3.6	3.8	4.1	4.4	4.8	5.1	5.5	5.9	6.4	6.8	7.3	7.9	8.5	9.1	9.8	10.5		
GREEN DOT	2.4	2.5	2.7	2.9	3.2	3.4	3.6	3.9	4.2	4.5	4.8	5.2	5.6	6.0	6.5	7.0	7.5	8.1	8.6	9.3	10.0	10.8	11.6	12.4		
BLUE DOT	3.5	3.7	3.9	4.3	4.6	5.0	5.3	5.7	6.1	6.6	7.1	7.6	8.2	8.8	9.5	10.2	11.0	11.8	12.6	13.6	14.6	15.7	16.9	18.2		
AMER-SELECT	2.2	2.4	2.5	2.8	3.0	3.2	3.4	3.7	4.0	4.2	4.5	4.9	5.3	5.7	6.1	6.6	7.1	7.6	8.1	8.8	9.4	10.1	10.9	11.7		
UNIQUE	2.7	2.9	3.1	3.4	3.7	3.9	4.2	4.5	4.9	5.2	5.6	6.0	6.5	7.0	7.5	8.1	8.7	9.3	10.0	10.8	11.5	12.4	13.4	14.4		
HERCO	2.7	2.9	3.0	3.3	3.6	3.8	4.1	4.4	4.7	5.1	5.4	5.9	6.3	6.8	7.3	7.8	8.5	9.1	9.7	10.5	11.2	12.1	13.0	14.0		
HERC 2400	4.0	4.3	4.6	5.0	5.4	5.8	6.2	6.6	7.1	7.7	8.2	8.9	9.6	10.2	11.1	11.9	12.8	13.8	14.7	15.9	17.0	18.3	19.7	21.2		
ALLIANT STEEL	2.8	3.0	3.2	3.5	3.8	4.0	4.3	4.6	5.0	5.4	5.7	6.2	6.7	7.1	7.7	8.3	8.9	9.6	10.3	11.1	11.9	12.8	13.7	14.8		
ALNT 300 MP	4.5	4.8	5.1	5.5	6.0	6.4	6.9	7.3	7.9	8.5	9.1	9.9	10.6	11.4	12.3	13.2	14.2	15.3	16.3	17.7	18.9	20.4	21.9	23.5		
ALNT 410	3.7	4.0	4.2	4.6	5.0	5.4	5.7	6.1	6.6	7.1	7.6	8.2	8.8	9.5	10.2	11.0	11.8	12.7	13.6	14.7	15.7	16.9	18.2	19.5		
HODGDON	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57		
HS6	4.2	4.5	4.8	5.2	5.6	6.0	6.5	6.9	7.4	8.0	8.6	9.3	10.0	10.7	11.5	12.4	13.3	14.3	15.3	16.6	17.7	19.1	20.5	22.0	Approx. change in grains	
H110	4.6	4.9	5.2	5.6	6.1	6.6	7.0	7.5	8.1	8.7	9.3	10.1	10.8	11.6	12.5	13.4	14.5	15.6	16.6	18.0	19.2	20.7	22.3	24.0		
H4227	3.9	4.2	4.4	4.8	5.2	5.6	6.0	6.4	6.9	7.4	7.9	8.6	9.2	9.9	10.7	11.4	12.3	13.3	14.2	15.3	16.4	17.7	19.0	20.4		
H4198	4.0	4.3	4.5	4.9	5.3	5.7	6.1	6.5	7.1	7.6	8.1	8.8	9.5	10.1	10.9	11.7	12.7	13.6	14.5	15.7	16.8	18.1	19.5	20.9		
HP38	3.2	3.5	3.7	4.0	4.3	4.6	5.0	5.3	5.7	6.2	6.6	7.1	7.7	8.2	8.9	9.5	10.3	11.0	11.8	12.7	13.6	14.7	15.8	17.0		
CLAYS	2.1	2.2	2.3	2.5	2.7	2.9	3.1	3.4	3.6	3.9	4.2	4.5	4.9	5.2	5.6	6.0	6.5	7.0	7.5	8.1	8.6	9.3	10.0	10.7		
INTERNATIONAL	2.4	2.5	2.7	2.9	3.2	3.4	3.6	3.9	4.2	4.5	4.8	5.2	5.6	6.0	6.5	7.0	7.5	8.1	8.6	9.3	10.0	10.7	11.5	12.4		
UNIVERSAL	2.7	2.9	3.1	3.4	3.6	3.9	4.2	4.5	4.8	5.2	5.6	6.0	6.5	6.9	7.5	8.0	8.6	9.3	9.9	10.7	11.5	12.4	13.3	14.3		
CFE PISTOL	4.0	4.2	4.5	4.9	5.3	5.7	6.1	6.5	7.0	7.6	8.1	8.8	9.4	10.1	10.9	11.7	12.6	13.5	14.5	15.7	16.7	18.0	19.4	20.8		
TITEGROUP	3.5	3.8	4.0	4.4	4.7	5.1	5.4	5.8	6.3	6.7	7.2	7.8	8.4	9.0	9.7	10.4	11.2	12.0	12.9	13.9	14.9	16.0	17.2	18.5		
TITEWAD	2.3	2.5	2.6	2.8	3.1	3.3	3.5	3.8	4.1	4.4	4.7	5.1	5.5	5.8	6.3	6.8	7.3	7.8	8.4	9.1	9.7	10.5	11.2	12.1		
LONGSHOT	3.6	3.9	4.1	4.5	4.9	5.2	5.6	5.9	6.4	6.9	7.4	8.0	8.6	9.2	9.9	10.7	11.5	12.4	13.2	14.3	15.3	16.5	17.7	19.0		
H LIL GUN	4.4	4.7	5.0	5.5	5.9	6.3	6.8	7.2	7.8	8.4	9.0	9.7	10.5	11.2	12.1	13.0	14.0	15.0	16.1	17.4	18.6	20.1	21.5	23.2		
IMR	.30	.32	.34	.37	.40	.43	.46	.49	.53	.57	.61	.66	.71	.76	.82	.88	.95	1.02	1.09	1.18	1.26	1.36	1.46	1.57		
IMR TARGET	2.5	2.7	2.8	3.1	3.3	3.6	3.8	4.1	4.4	4.8	5.1	5.5	5.9	6.4	6.9	7.4	7.9	8.5	9.1	9.9	10.5	11.4	12.2	13.1		Approx. change in grains
IMR RED	2.1	2.2	2.4	2.6	2.8	3.0	3.2	3.4	3.7	4.0	4.3	4.6	5.0	5.3	5.8	6.2	6.7	7.2	7.7	8.3	8.9	9.6	10.3	11.0		
IMR BLUE	3.3	3.5	3.7	4.0	4.3	4.7	5.0	5.3	5.8	6.2	6.6	7.2	7.7	8.3	8.9	9.6	10.3	11.1	11.8	12.8	13.7	14.8	15.9	17.1		
IMR GREEN	2.1	2.2	2.4	2.6	2.8	3.0	3.2	3.4	3.7	3.9	4.2	4.6	4.9	5.3	5.7	6.1	6.6	7.1	7.5	8.2	8.7	9.4	10.1	10.9		
IMR 700X	2.2	2.4	2.5	2.8	3.0	3.2	3.4	3.6	3.9	4.2	4.5	4.9	5.3	5.7	6.1	6.6	7.1	7.6	8.1	8.8	9.4	10.1	10.9	11.7		
IMR 800X	2.8	3.0	3.2	3.5	3.7	4.0	4.3	4.6	4.9	5.3	5.7	6.2	6.6	7.1	7.7	8.2	8.9	9.5	10.2	11.0	11.8	12.7	13.6	14.7		
IMR PB	2.5	2.7	2.8	3.1	3.3	3.6	3.8	4.1	4.4	4.7	5.1	5.5	5.9	6.3	6.8	7.3	7.9	8.5	9.0	9.8	10.5	11.3	12.1	13.0		
SR4756	2.7	2.9	3.1	3.4	3.6	3.9	4.2	4.5	4.8	5.2	5.6	6.0	6.5	6.9</												