



**FIOCCHI**®



**2022** AMMUNITION





## HERITAGE. INNOVATION. PERFORMANCE.

If there is one word I can identify that best describes the current state of Fiocchi, it would be progress. All of us have had more than our share of challenges over the last year. Between the Covid-19 pandemic, the shift of political winds, supply chain disruptions, and the realization that life can change quite dramatically in a very short time, most of us understand that overcoming those challenges inevitably brings change. The key is turning change into opportunities for a better outcome tomorrow.

During these unprecedented times, Fiocchi has gone beyond merely reacting to the challenges buffeting the shooting sports and personal defense segments; Fiocchi has instead forged ahead with bold initiatives that shore up not only our business but also help to advance innovation and performance for the benefit of our consumers and the generations of shooting and hunting enthusiasts to follow.

Among those initiatives is the physical growth of our U.S. facilities. The expansion of our Ozark, Missouri, factory with a new corporate office and standing up a new, state-of-the-art production facility in Little Rock, Arkansas are two prime examples. These moves will broaden

Fiocchi's manufacturing and distribution capabilities and allow us to keep pace with the increased demand for quality ammunition and the projected growth trends in the shooting sports, personal defense, and hunting categories.


While we continue to apply our technological and innovation expertise to deliver the highest-quality ammunition possible, we are also using that expertise to deliver sustainable solutions to meet new challenges and expectations that are on the horizon. In short, Fiocchi is committed to an "enviroclean" approach to ammunition manufacturing and use. Lead-free Golden Waterfowl shotshells are only the beginning of our planned initiatives to lead the ammunition category in viable, Earth-friendly technology.

Through these changes and advancements, we equally commit to upholding Fiocchi's nearly century and a half heritage of blending Old-World craftsmanship with new technology to ensure our consumers can always depend on the Fiocchi brand to deliver reliable performance, shot after shot.

Propelling the "new" while adhering to the traditions and values that got us here...that's progress.



**ANTHONY ACITELLI**  
President, Fiocchi of America



In the 1950's, Fiocchi began importing ammunition into the United States. By the 1980's, demand had grown and the decision was made to build a new manufacturing facility in the U.S. to help better service U.S. consumers.

In 1983 a site in Ozark Missouri was chosen, right in the heart of America, and a facility was built on a former dairy farm. Since then we have continued to grow and expand, currently employing nearly 200 hardworking Americans to produce some of the highest quality shotshell and centerfire ammunition available. While the company still has roots in Italy and receive a portion of our products from our facility in Lecco, around 80% of Fiocchi brand products that are sold in the US market are loaded right here in Ozark or in our new facility near Little Rock Arkansas.

While we continue to grow, we remain true to both our Italian and American heritage and lineage and will continue to focus on quality craftsmanship, innovation, and unequaled customer service for many years to come.

### 4 NEW FOR 2021

### 6 GREEN INITIATIVE

### 7 SPORTS PARTNERSHIPS

### 8 RIFLE

- 9 Large Game
- 11 Varmint & Predators
- 12 Self-Defense
- 13 Match Target
- 15 Range Training
- 16 Rifle Ballistic Data

### 20 PISTOL AND REVOLVER

- 21 Self-Defense
- 23 Range & Target
- 25 Classic & Specialty
- 26 Pistol & Revolver Ballistic Data
- 27 Ammunition Reference Guide

### 34 COWBOY ACTION

- 35 Cowboy Ballistic Data

### 36 RIMFIRE

- 37 Rimfire Ballistic Data

### 38 SHOTSHELLS

- 39 Pheasant & Field
- 40 Waterfowl
- 41 Upland
- 42 Clay Target
- 45 Three-Gun Match
- 46 Slugs & Buckshot
- 47 Special Application

### 48 SPECIAL USE TABLES

- 49 Dram Equivalent Chart

### 50 FIOCCHI PRO STAFF



NEW FOR 2022

# BISMUTH

# GOLDEN TURKEY TSS

TUNGSTEN SUPER SHOT



## GOLDEN PHEASANT® BISMUTH

Flushing pheasants from cover and brush piles don't stand a chance with Fiocchi's new Golden Pheasant Bismuth. Our high velocity loads, dense patterns, and extended ranges will make difficult shots a thing of the past. Fiocchi uses high density 9.75g/cc bismuth in our precision loaded, sealed hulls that will provide you with the best performance in the field. Three-inch offerings in 12-gauge, 16-gauge, and 20-gauge deliver the knockdown performance you've come to expect from Fiocchi. Fiocchi Golden Pheasant Bismuth shotshells deliver devastating upland performance you can count on accompanied with the peace of mind of non-toxic shot!

## GOLDEN WATERFOWL® BISMUTH

With Fiocchi's, non-toxic Golden Waterfowl Bismuth, flaring waterfowl won't stand a chance. The high velocity paired with greater energy transfer, dense patterns and extended ranges makes you the deadliest wing shooter in the duck blind this season. Fiocchi uses high density 9.75g/cc bismuth in a precision loaded, moisture resistant, sealed hull that will provide you with the best performance shot after shot. No one else can deliver more lethality at an effective price from a trusted brand. Let Fiocchi Golden Waterfowl Bismuth take your wing shooting to a level of performance by crushing birds with fewer shots at the farthest reaches of your abilities.

## GOLDEN GOOSE® BISMUTH

Nothing is more exhilarating than busting a group of geese cupping up over your layout blind. With Fiocchi's Golden Goose Bismuth shotshell, one shot kills will keep you and your dog busy filling the freezer. We use high density 9.75g/cc bismuth in a moisture resistant, sealed hull that performs. High density and tight patterns allow hunters to deliver lethal results on the first shot crushing geese at extended ranges. The Golden Goose performance you've grown to love now with even better performance in a non-toxic offering. Put your trust in Fiocchi!

## GOLDEN TURKEY® TSS FALL 2022

Dense patterns, deep penetration, and long-range performance combine for the ultimate tungsten turkey hunting load. Fiocchi's Golden Turkey TSS brings performance head and neck above the rest. Three-inch offerings in 12-gauge, 20-gauge and 410 bore deliver hard-hitting knockdown power using the finest 18 g/cc tungsten shot and most consistent patterns on the market. The Fiocchi product development team evolved a true, high-grade load proven effective against the toughest of birds. Avid turkey hunters know the Fiocchi Golden Turkey TSS difference.





**ENVIRO  
SHIELD**

Fiocchi is committed to producing not only the finest ammunition products on the market but innovating for the future. Fiocchi's EnviroShield focuses on meeting the needs of the present without compromising our ability to meet the needs of the future. Our goal with EnviroShield is to produce zero-pollution products that provide performance, reliability and trust. We base our sustainability model on three tenants:

- Investing in sustainable solutions
- Building products designed to protect soil, air and water quality; and
- Building processes and innovations which benefit the well-being of our users and wildlife

Fiocchi is the premier leader in zero-pollution and sustainable ammunition solutions now and into the future. Our pledge is to build and manufacture sustainability without compromising future generations. These would include:

- Heavy metal & zinc free primers
- Lead-alternative projectiles; and
- Completely biodegradable shotgun components

In order to help you identify our pollution-free products, we will be displaying the EnviroShield logo seen above. Whether it be utilizing Fiocchi's proprietary zero-pollution primers or other biodegradable/ environmentally safe options, the logo identifies products designed to meet our sustainability goals.



**LEAD FREE PRIMERS**

Fiocchi is the leading manufacturer of lead free primers. By removing lead styphnate and utilizing our proprietary formula, you can trust that the 'unleaded' products used in our handgun, rifle, and shotgun ammunition is safe and exceeds the performance you've grown to trust in Fiocchi ammunition products.

**LEAD-FREE & NON-TOXIC SHOT**

Prioritized for EnviroShield products, our use of lead free projectiles in handgun, rifle and shotgun ammunition allows for higher performance with the benefits of increased environmentally-friendly options for hunters and shooters. Copper projectiles, steel, bismuth and tungsten shot are all viable options for our consumers offered within the EnviroShield family of products.

**BIODEGRADABLE COMPONENTS**

Proactively developing environmentally sound products reinforces our commitment to meeting increasing regulatory challenges and protecting the environment in which we hunt and shoot. Our newest innovation lies in our proprietary biodegradable wads for select shotgun products. Our new wads breakdown completely producing NO micro plastics, are denser than water and completely breakdown when exposed to naturally occurring bacteria. Whether hunting waterfowl and upland game or meeting the growing needs of environmental options on the clay shooting fields, Fiocchi shotshells displaying the EnviroShield logo take non-toxic to a new level.



Fiocchi is proud to partner with these excellent shooting sport organizations. Our commitment to the growth and promotion of clay shooting and these partners was significant in 2021. This same commitment will see continued growth in 2022 and into the future!

***Fiocchi is proud to support youth and adult competitive shooters within all disciplines of clay target shooting.***





# RIFLE

Five generations of experience, state of the art technology and a passion for the outdoors, Fiochi USA centerfire rifle ammunition has been able to achieve a very rare combination of quality, match-grade precision and devastating terminal performance. Whether you are high volume shooter or a world-class tack driver, we strive to match the passion and dedication to their craft by never compromising our quality standards, constantly improving our efficiency, and employing special loading practices to ensure out-of-box performance and accuracy with every shot. Providing the industry's widest selection of centerfire rifle ammunition is our unwavering dedication to our customer's shooting and outdoor obsessions.

We manufacture and assemble our ammunition with premium components honed to demanding tolerances right here in the USA. Our ammunition more than lives up to the original Fiochi name and heritage but with the added value of being tailor-made by American men and women to match any pursuit. Fiochi centerfire rifle ammunition is an emerging fixture of performance at shooting ranges and the hunting grounds of America and beyond.



## LARGE GAME


















STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>243 WINCHESTER</b>							
243HSB	95	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
243SCA	90	SCIROCCO	HYPERFORMANCE	200	20	10	
243SPD	100	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
<b>7MM MAGNUM</b>							
7RMA	139	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7RMB	175	INTERLOCK FIREBALL	FIELD DYNAMICS	200	20	10	
7RMHSA	154	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
7RMSCA	150	SCIROCCO	HYPERFORMANCE	200	20	10	
<b>270 WINCHESTER</b>							
270HSB	150	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
270SCA	130	SCIROCCO	HYPERFORMANCE	200	20	10	
270SPB	130	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
<b>7MM - 08 REM.</b>							
7MM08B	139	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
7MM08HSA	139	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
<b>308 WINCHESTER</b>							
308B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308D	165	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308HSA	150	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308HSC	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
308SCA	150	SCIROCCO	HYPERFORMANCE	200	20	10	










# LARGE GAME



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>25-06 REM</b>							
2506B	117	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
<b>6.5 CREEDMOOR</b> 24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
65CMB	129	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
65CMHSA	129	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
65CMSCA	130	SCIROCCO	HYPERFORMANCE	200	20	10	
<b>45-70 GOVERNMENT</b> 24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
4570B	300	HOLLOW POINT FLAT NOSE	FIELD DYNAMICS	200	20	10	
<b>30-06 SPRINGFIELD</b>							
3006B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006C	165	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006D	180	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
3006GKB	165	GAMEKING	HYPERFORMANCE	200	20	10	
3006HSC	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
3006SCA	165	SCIROCCO	HYPERFORMANCE	200	20	10	
<b>300 BLACKOUT</b>							
300BLKHA	125	SUPER SHOCK TIP	HYPERFORMANCE	500	25	20	
<b>300 WIN - MAG</b>							
300WMB	180	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
300WMHSA	180	SUPER SHOCK TIP	HYPERFORMANCE	200	20	10	
300WMSCA	180	SCIROCCO	HYPERFORMANCE	200	20	10	
<b>30-30 WIN</b>							
3030B	150	SOFT POINT	FIELD DYNAMICS	200	20	10	
3030C	170	SOFT POINT	FIELD DYNAMICS	200	20	10	

# VARMINT & PREDATORS



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>204 RUGER</b>							
204HVA	32	V-MAX	FIELD DYNAMICS	1000	50	20	
204HVB	40	V-MAX	FIELD DYNAMICS	1000	50	20	
<b>222 REMINGTON</b>							
222HVA	50	V-MAX	FIELD DYNAMICS	200	20	10	
<b>223 REMINGTON</b>							
223B50	55	POINTED SOFT POINT	FIELD DYNAMICS	500	50	10	
223FHVA	50	V-MAX	FIELD DYNAMICS	200	50	4	
223FHVB	40	V-MAX	FIELD DYNAMICS	200	50	4	
223HVA50	50	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVB50	40	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVC50	55	V-MAX	FIELD DYNAMICS	1000	50	20	
<b>22-250 REMINGTON</b>							
22250B	55	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
22250HVB	40	V-MAX	FIELD DYNAMICS	200	20	10	
22250HVD	55	V-MAX	FIELD DYNAMICS	200	20	10	



# SELF-DEFENSE

# MATCH TARGET



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>223 REMINGTON</b>							
223MKC	69	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
223MKD	77	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
223B50	55	POINTED SOFT POINT	FIELD DYNAMICS	500	50	10	
223HVA50	50	V-MAX	FIELD DYNAMICS	1000	50	20	
223HVC50	55	V-MAX	FIELD DYNAMICS	1000	50	20	
<b>300 BLACKOUT</b>							
300BLKHA	125	SUPER SHOCK TIP	HYPERSOUND	500	25	20	
<b>308 WINCHESTER</b>							
308MKB	168	SIERRA MATCH KING HPBT	HYPERSOUND	200	20	10	
308MKD	175	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
308HSA	150	SUPER SHOCK TIP	HYPERSOUND	200	20	10	
308B	150	POINTED SOFT POINT	FIELD DYNAMICS	200	20	10	
308SCA	150	SCIROCCO	HYPERSOUND	200	20	10	
<b>4.6X30 H&amp;K</b>							
46EXB	40	JACKETED SOFT POINT	DEFENSE DYNAMICS	1000	50	20	
<b>5.56 NATO</b>							
556M193F	55	FMJBT	RANGE DYNAMICS	420	420	1	
556M193L	55	FMJBT	RANGE DYNAMICS	1000	50	20	



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>223 REMINGTON</b>							
223MKC	69	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
223MKD	77	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
<b>6.5 CREEDMOOR</b> 24" TEST BARREL (INDUSTRY STANDARD LENGTH)							
65CMMKC	142	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
<b>308 WINCHESTER</b>							
308MKB	168	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
308MKD	175	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	
<b>300 WIN MAG</b>							
300WMMKE	190	SIERRA MATCHKING HPBT	HYPERSOUND	200	20	10	



# RANGE TRAINING



223 REM




300 BLK



308 WIN



30-06 SPRING









7.62X39MM



46X30 H&K



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>223 REMINGTON</b>							
223A	55	FMJBT	RANGE DYNAMICS	1000	50	20	
223C	62	FMJBT	RANGE DYNAMICS	1000	50	20	
223ARD	55	FMJBT	RANGE DYNAMICS	1000	200	5	
223ARD10	55	FMJBT	RANGE DYNAMICS	1000	100	10	
223FRANG	45	LEAD-FREE FRANGIBLE	RANGE DYNAMICS	1000	50	20	
<b>300 BLACKOUT</b>							
300BARD1	150	FMJBT	RANGE DYNAMICS	500	100	5	
300BLKA	125	FMJ	RANGE DYNAMICS	500	50	10	
300BLKC	150	FMJBT	RANGE DYNAMICS	500	50	10	
300BLKMB	220	SIERRA MATCHKING HPBT	RANGE DYNAMICS	500	25	20	
<b>308 WINCHESTER</b>							
308A	150	FMJBT	RANGE DYNAMICS	200	20	10	
308ARD	150	FMJBT	RANGE DYNAMICS	400	100	4	
308FA	150	FMJ	RANGE DYNAMICS	180	20	9	
<b>30-06 SPRINGFIELD</b>							
3006A	150	FMJBT	RANGE DYNAMICS	200	20	10	
<b>7.62X39MM</b>							
762SOVA	124	FMJ	RANGE DYNAMICS	1000	20	50	
<b>46X30 H&amp;K</b>							
46EXA	40	FMJ	RANGE DYNAMICS	1000	50	20	



## RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)					ENERGY FT/LBS (+/-5 FT/P)					BULLET PATH STD. RANGE - 0 AT 100 Y.					COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	

### 4.6X30 H&K-7.375" TEST BARREL (INDUSTRY STANDARD LENGTH)

46EXA	4.6 X 30 H&K	40	FMJ	RANGE DYNAMICS	1900	1569	1297	1104	988	908	320	218	149	108	86	73	-1.46	0	-14.28	-49.31	0.21
46EXB	4.6 X 30 H&K	40	JSP	DEFENSE DYNAMICS	1900	1569	1297	1104	988	908	320	218	149	108	86	73	-1.46	0	-14.28	-49.31	0.21

### 204 RUGER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

204HVA	204 RUGER	32	POLYMER TIP BT	FIELD DYNAMICS	4125	3559	3061	2616	2212	1846	1209	900	666	486	348	242	-0.5	0	-1.3	-6.3	0.21
204HVB	204 RUGER	40	POLYMER TIP BT	FIELD DYNAMICS	3700	3302	2939	2604	2293	2003	1216	968	767	602	467	356	-0.4	0	-1.7	-7.4	0.275

### 222 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

222HVA	222 REM	50	V-MAX	FIELD DYNAMICS	3200	2799	2432	2094	1784	1511	1137	870	657	487	354	253	-0.3	0	-3	-11.9	0.242
--------	---------	----	-------	----------------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	------	---	----	-------	-------

### 223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

223MKC*	223 REM	69	SIERRA MATCH KING HPBT	HYPERFORMANCE	2850	2553	2275	2014	1772	1553	1244	998	793	621	481	370	-0.65	0	-3.9	-14.5	0.301
223MKD*	223 REM	77	SIERRA MATCH KING HPBT	HYPERFORMANCE	2725	2480	2248	2029	1823	1632	1270	1052	864	704	568	456	-0.68	0	-4.2	-15.3	0.362
223HVA50	223 REM	50	V-MAX	FIELD DYNAMICS	3300	2889	2515	2170	1854	1571	1209	927	702	523	382	274	-0.48	0	-2.7	-11	0.242
223HVB50	223 REM	40	V-MAX	FIELD DYNAMICS	3650	3117	2646	2270	1836	1501	1183	863	622	438	299	200	-0.38	0	-2.1	-9.2	0.200
223HVC50	223 REM	55	V-MAX	FIELD DYNAMICS	3240	2855	2502	2175	1873	1602	1282	995	764	578	429	313	-0.46	0	-2.8	-11.2	0.255
223A	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243
223B50	223 REM	55	POINTED SOFT POINT	FIELD DYNAMICS	3230	2814	2436	2088	1770	1491	1274	967	725	532	383	271	-0.48	0	-2.9	-11.8	0.235
223C*	223 REM	62	FMJ BT	RANGE DYNAMICS	3000	2661	2346	2053	1782	1540	1239	974	757	580	437	326	-0.58	0	-3.5	-13.3	0.275
223FRANG*	223 REM	45	LEAD-FREE FRANGIBLE	RANGE DYNAMICS	3300	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

BARREL TWIST NOTES: 223C AND 223CC 1/10 OR FASTER, 223MKC 1/10 OR FASTER, 223MKD 1/8 OR FASTER, 1/10 OR FASTER, 223SFNT 1/9 OR FASTER

### RANGE DYNAMICS 223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

223ARD	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.1	-11.5	0.243
223ARD10	223 REM	55	FMJ BT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.1	-11.5	0.243

### FIELD BOX 223 REM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

223FHVA	223 REM	50	V-MAX	FIELD DYNAMICS	3300	2889	2515	2170	1851	1571	1209	927	702	523	382	274	-0.48	0	-2.7	-11	0.242
223FHVB	223 REM	40	V-MAX	FIELD DYNAMICS	3650	3117	2646	2270	1836	1501	1183	863	622	438	299	200	-0.38	0	-2.1	-9.2	0.200

### 5.56 NATO M193-20" TEST BARREL (USE ONLY IN FIREARMS DESIGNED TO SAFELY FIRE 5.56X45MM)

556M193F	5.56 NATO	55	FMJBT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243
556M193L	5.56 NATO	55	FMJBT	RANGE DYNAMICS	3240	2837	2468	2128	1817	1540	1282	983	744	553	403	290	-0.47	0	-2.9	-11.5	0.243

### 22-250 REM-24" TEST BARREL

22250B	22-250 REM	55	PSP	FIELD DYNAMICS	3650	3192	2781	2405	2059	1745	1627	1244	944	706	518	372	-0.4	0	-1.9	-8.4	0.265
22250HVB	22-250 REM	40	V-MAX	FIELD DYNAMICS	4100	3510	2994	2535	2120	1747	1493	1094	796	571	399	271	-0.4	0	-1.3	-6.6	0.200
22250HVD	22-250 REM	55	V-MAX	FIELD DYNAMICS	3550	3136	2760	2415	2094	1800	1539	1201	931	712	536	396	-1.5	0	-201	-8.7	.225

## RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)					ENERGY FT/LBS (+/-5 FT/P)					BULLET PATH STD. RANGE - 0 AT 100 Y.					COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	

### 243 WINCHESTER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

243HSB	243 WIN	95	SUPER SHOCK TIP	HYPERFORMANCE	2950	2688	2440	2206	1985	1778	1836	1524	1256	1027	831	667	-0.53	0	-3.3	-12.5	0.355
243SPD	243 WIN	100	POINTED SOFT POINT	FIELD DYNAMICS	3050	2814	2590	2378	2175	1982	2065	1758	1490	1255	1050	872	-0.5	0	-2.9	-11	0.405
243SCA	243 WIN	90	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3100	2869	2649	2440	2240	2050	1920	1644	1402	1189	1003	839	-0.31	0	-2.63	-10.23	0.419

### 25-06 REMINGTON-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

2506B	25-06 REM	117	POINTED SOFT POINT	FIELD DYNAMICS	2975	2735	2508	2291	2085	1891	2299	1943	1633	1364	1130	929	-0.53	0	-3.2	-11.9	0.391
-------	-----------	-----	--------------------	----------------	------	------	------	------	------	------	------	------	------	------	------	-----	-------	---	------	-------	-------

### 6.5 CREEDMOOR-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

65CMMKC	6.5 CM	142	SIERRA MATCH KING HPBT	HYPERFORMANCE	2675	2530	2389	2254	2122	1995	2256	2018	1800	1601	1420	1255	-0.62	0	-4	-14	0.611
65CMHSA	6.5 CM	129	SUPER SHOCK TIP	HYPERFORMANCE	2820	2632	2452	2279	2113	1954	2278	1984	1722	1487	1278	1093	-0.59	0	-3.5	-12.9	0.485
65CMB	6.5 CM	129	POINTED SOFT POINT	FIELD DYNAMICS	2820	2616	2420	2233	2055	1885	2278	1959	1678	1429	1209	1017	-0.59	0	-3.6	-13.1	0.445
65CMSCA	6.5 CM	130	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	2820	2660	2505	2356	2212	2073	2295	2042	1812	1603	1412	1240	-0.59	0	-3.4	-12.4	0.571

### 270 WINCHESTER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

270HSB	270 WIN	150	SUPER SHOCK TIP	HYPERFORMANCE	2860	2685	2516	2354	2197	2046	2724	2400	2108	1845	1608	1395	-0.57	0	-3.3	-12.2	0.525
270SPB	270 WIN	130	POINTED SOFT POINT	FIELD DYNAMICS	3010	2778	2559	2349	2150	1960	2615	2228	1890	1593	1334	1109	-0.52	0	-3	-11.4	0.409
270SCA	270 WIN	130	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3050	2837	2634	2440	2255	2077	2685	2323	2003	1719	1467	1245	-0.5	0	-2.8	-10.7	0.45

### 7MM-08 REMINGTON-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

7MM08B	7MM-08 REM	139	POINTED SOFT POINT	FIELD DYNAMICS	2800	2600	2409	2226	2050	1883	2420	2086	1791	1529	1297	1095	-0.55	0	-3.7	-13.3	0.453
7MM08HSA	7MM-08 REM	139	SUPER SHOCK TIP	HYPERFORMANCE	2800	2613	2434	2262	2097	1939	2420	2108	1829	1579	1357	1161	-0.06	0	-3.6	-13.1	.486

### 7MM REMINGTON MAGNUM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

7RMA	7MM REM. MAG.	139	POINTED SOFT POINT	FIELD DYNAMICS	3150	2933	2728	2531	2343	2162	3062	2656	2296	1977	1694	1443	-0.59	0	-2.6	-9.8	0.453
7RMHSA	7MM REM. MAG.	154	SUPER SHOCK TIP	HYPERFORMANCE	3100	2915	2737	2567	2403	2244	3286	2905	2562	2253	1974	1722	-0.55	0	-2.6	-9.8	0.525
7RMSCA	7MM REM. MAG.	150	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERFORMANCE	3100	2911	2731	2557	2390	2229	3201	2822	2483	2178	1902	1655	-0.58	0	-2.6	-9.9	0.515
7RMB	7MM REM. MAG.	175	INTERLOCK FIREBALL	FIELD DYNAMICS	2850	2652	2462	2280	2106	1939	3156	2732	2355	2020	1723	1461	-0.57	0	-3.5	-12.7	0.462



## RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)					ENERGY FT/LBS (+/-5 FT/P)					BULLET PATH STD. RANGE - 0 AT 100 YS.					COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	

### 300 AAC BLACKOUT-16" TEST BARREL (INDUSTRY STANDARD LENGTH)

300BLKC	300 AAC BLK	150	FMJ BT	RANGE DYNAMICS	1850	1678	1517	1374	1250	1148	1140	937	767	629	520	439	-1.5	0	-10.8	-36.8	0.398
300BLKHA	300 AAC BLK	125	SUPER SHOCK TIP	HYPERSFORMANCE	2200	1944	1708	1496	1312	1166	1343	1049	810	621	478	377	0.22	0	-7.7	-27.3	0.305
300BLKMB	300 AAC BLK	220	SIERRA MATCH KING HPBT	HYPERSFORMANCE	1020	985	955	928	904	881	508	474	446	421	399	380	3.52	0	-34.1	-106.3	0.608

### RANGE DYNAMICS 300 AAC BLACKOUT-16" (INDUSTRY STANDARD LENGTH)

300BARD1	300 AAC BLK	150	FMJ BT	RANGE DYNAMICS	1850	1678	1517	1374	1250	1148	1140	937	767	629	520	439	-1.5	0	-10.8	-36.8	0.398
----------	-------------	-----	--------	----------------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	------	---	-------	-------	-------

### 308 WINCHESTER

308MKB	308 WIN	168	SIERRA MATCH KING HPBT	HYPERSFORMANCE	2650	2460	2278	2104	1938	1780	2620	2257	1936	1651	1401	1182	-0.67	0	-4.3	-15.3	0.462
308MKD	308 WIN	175	SIERRA MATCH KING HPBT	HYPERSFORMANCE	2595	2420	2252	2090	1929	1778	2617	2275	1970	1692	1445	1229	-0.11	0	-4.4	-15.6	0.496
308HSA	308 WIN	150	SUPER SHOCK TIP	HYPERSFORMANCE	2860	2639	2429	2229	2037	1857	2724	2320	1965	1654	1383	1148	-0.22	0	-3.4	-12.7	0.415
308HSC	308 WIN	180	SUPER SHOCK TIP	HYPERSFORMANCE	2570	2390	2218	2053	1895	1745	2640	2283	1966	1684	1435	1217	-0.71	0	-4.6	-16.3	0.48
308A	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.23	0	-3.3	-12.53	0.398
308B	308 WIN	150	POINTED SOFT POINT	FIELD DYNAMICS	2820	2581	2355	2141	1937	1747	2649	2219	1848	1526	1250	1016	-0.2	0	-3.6	-13.6	0.38
308D	308 WIN	165	POINTED SOFT POINT	FIELD DYNAMICS	2700	2496	2302	2116	1939	1772	2671	2283	1941	1640	1378	1150	-0.65	0	-4.1	-14.7	0.435
308SCA	308 WIN	150	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERSFORMANCE	2875	2661	2457	2262	2076	1899	2753	2358	2011	1704	1435	1201	-0.67	0	-3.4	-12.6	0.43

### FIELD BOX 308 WINCHESTER-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

308FA	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.57	0	-3.4	-12.8	0.398
-------	---------	-----	--------	----------------	------	------	------	------	------	------	------	------	------	------	------	------	-------	---	------	-------	-------

### RANGE DYNAMICS 308 WIN-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

308ARD	308 WIN	150	FMJ BT	RANGE DYNAMICS	2890	2658	2439	2229	2030	1842	2782	2354	1981	1655	1373	1130	-0.57	0	-3.4	-12.8	0.398
--------	---------	-----	--------	----------------	------	------	------	------	------	------	------	------	------	------	------	------	-------	---	------	-------	-------

### 30-06 SPRINGFIELD-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

3006HSC	30-06 SPRING	180	SUPER SHOCK TIP	HYPERSFORMANCE	2675	2491	2315	2145	1983	1829	2860	2480	2141	1839	1572	1337	-0.65	0	-4.1	-14.8	0.48
3006GKB	30-06 SPRING	165	SIERRA GAME KING HPBT	HYPERSFORMANCE	2850	2599	2362	2137	1925	1726	2975	2475	2043	1673	1357	1062	-0.59	0	-3.7	-13.6	0.363
3006A	30-06 SPRING	150	FMJBT	RANGE DYNAMICS	3000	2763	2538	2324	2120	1927	2997	2542	2145	1798	1497	1237	-0.52	0	-3.1	-11.5	0.398
3006B	30-06 SPRING	150	POINTED SOFT POINT	FIELD DYNAMICS	2910	2667	2436	2217	2010	1815	2820	2368	1977	1638	1345	1097	-0.53	0	-3.4	-12.7	0.38
3006C	30-06 SPRING	165	POINTED SOFT POINT	FIELD DYNAMICS	2800	2576	2364	2161	1968	1787	2872	2432	2047	1710	1419	1169	-0.57	0	-3.8	-13.8	0.404
3006D	30-06 SPRING	180	POINTED SOFT POINT	FIELD DYNAMICS	2700	2504	2316	2137	1965	1802	2914	2506	2144	1824	1543	1298	-0.6	0	-4.1	-14.6	0.452
3006SCA	30-06 SPRING	165	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERSFORMANCE	2875	2679	2491	2311	2138	1973	3028	2629	2274	1957	1675	1427	-0.6	0	-3.4	-12.3	0.47

## RIFLE BALLISTIC DATA

STOCK #	ITEM TYPE	GR.	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)					ENERGY FT/LBS (+/-5 FT/P)					BULLET PATH STD. RANGE - 0 AT 100 Y.					COEFF.
					MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	MUZZLE	100 Y.	200 Y.	300 Y.	400 Y.	500 Y.	50 Y.	100 Y.	200 Y.	

### 300 WINCHESTER MAGNUM-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

300WMB	300 WIN. MAG	180	POINTED SOFT POINT	FIELD DYNAMICS	3000	2790	2591	2399	2216	2041	3597	3112	2682	2301	1963	1665	-0.53	0	-3	-11.2	0.452
300WMHSA	300 WIN. MAG	180	SUPER SHOCK TIP	HYPERSFORMANCE	3000	2802	2613	2432	2258	2091	3597	3138	2730	2364	2038	1748	-0.54	0	-2.9	-11	0.48
300WMMKE	300 WIN. MAG	190	SIERRA MATCHKING HPBT	HYPERSFORMANCE	2900	2726	2558	2396	2241	2091	3548	3134	2760	2423	2118	1844	-0.52	0	-3.2	-11.7	0.533
300WMSCA	300 WIN. MAG	180	SWIFT SCIROCCO II BOAT TAIL SPITZER	HYPERSFORMANCE	3020	2836	2660	2491	2328	2171	3645	3215	2829	2480	2166	1884	-0.54	0	-2.8	-10.6	0.52

### 7.62 X 39 SOVIET-20" TEST BARREL (INDUSTRY STANDARD LENGTH)

762SOVA	7.62 X 39	124	FMJ (.310)	RANGE DYNAMICS	2375	2070	1789	1538	1322	1155	1540	1170	874	646	478	364	-0.12	0	-6.7	-24.3	0.266
---------	-----------	-----	------------	----------------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-------	---	------	-------	-------

### 45-70 GOVERNMENT-24" TEST BARREL (INDUSTRY STANDARD LENGTH)

4570A	45-70 GOV.	405	LEAD ROUND NOSE FLAT POINT	COWBOY ACTION	1185	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-0.65	0	N/A	N/A	N/A
4570B	45-70 GOV.	300	HOLLOW POINT FLAT NOSE	FIELD DYNAMICS	1900	1530	1236	N/A	N/A	N/A	2405	1559	1018	N/A	N/A	N/A	-0.62	0	-13.6	N/A	0.185					





# PISTOL & REVOLVER

Whether defending your hearth and home, honing your skills at the shooting range, or responsibly carrying concealed, confidence in your abilities and ammunition performance are paramount. Focchi USA is proud to produce top-of-the-line pistol and revolver self-defense ammunition using only the finest components and loaded to our exacting standards. We manufacture our pistol and revolver ammunition with you and your safety in mind. Using only premium primers, brass cases and propellants, Focchi pistol and revolver ammunition performs when it matters most. While you may spend most of your time punching paper and steel, harness the confidence and threat stopping power of Focchi ammunition when it matters most.

We offer Focchi pistol and revolver ammunition in all major defense calibers, in standard and many +P loadings. No matter your chosen discipline, Focchi USA delivers a high-quality solution to all of your handgun ammunition needs.



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>25 AUTO</b>							
25XTP	35	XTPHP	HYPERFORMANCE	500	50	10	
<b>32 AUTO</b>							
32APHP	60	JHP	DEFENSE DYNAMICS	1000	50	20	
32XTP	60	XTPHP	HYPERFORMANCE	500	50	10	
<b>380 AUTO</b>							
380APHP	90	JHP	DEFENSE DYNAMICS	1000	50	20	
380XTP25	90	XTPHP	HYPERFORMANCE	500	25	20	
<b>9MM LUGER</b>							
9APBHP	124	JHP	DEFENSE DYNAMICS	1000	50	20	
9APDHP	147	JHP	DEFENSE DYNAMICS	1000	50	20	
9APHP	115	JHP	DEFENSE DYNAMICS	1000	50	20	
9XTP25	115	XTPHP	HYPERFORMANCE	500	25	20	
9XTPB25	147	XTPHP	HYPERFORMANCE	500	25	20	
9XTPC25	124	XTPHP	HYPERFORMANCE	500	25	20	
<b>38 SPECIAL</b>							
38XTPB25	110	XTPHP	HYPERFORMANCE	500	25	20	
38XTPP25	125	XTPHP	HYPERFORMANCE	500	25	20	
38B	158	JHP	DEFENSE DYNAMICS	1000	50	20	
38E	148	JHP	DEFENSE DYNAMICS	1000	50	20	
38F	125	JHP	DEFENSE DYNAMICS	1000	50	20	



# SELF-DEFENSE



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>357 MAGNUM</b>							
357B	158	JHP	DEFENSE DYNAMICS	1000	50	20	
357D	125	JHP	DEFENSE DYNAMICS	1000	50	20	
357E	148	JHP	DEFENSE DYNAMICS	1000	50	20	
357XTP25	158	XTPHP	HYPERFORMANCE	500	25	20	
<b>40 S&amp;W</b>							
40SWC	165	JHP	DEFENSE DYNAMICS	1000	50	20	
40SWE	180	JHP	DEFENSE DYNAMICS	1000	50	20	
40XTP25	155	XTPHP	HYPERFORMANCE	500	25	20	
40XTPB25	180	XTPHP	HYPERFORMANCE	500	25	20	
<b>10MM AUTO</b>							
10APHP	180	JHP	DEFENSE DYNAMICS	500	50	10	
<b>44 SPECIAL</b>							
44SA500	200	SJHP	DEFENSE DYNAMICS	500	50	10	
<b>44 REM. MAG.</b>							
44A500	240	JSP	DEFENSE DYNAMICS	500	50	10	
44B500	200	SJHP	DEFENSE DYNAMICS	500	50	10	
44D500	240	JHP	DEFENSE DYNAMICS	500	50	10	
44XTP25	240	XTPHP	HYPERFORMANCE	500	25	20	
44XTPB25	200	XTPHP	HYPERFORMANCE	500	25	20	
<b>45 AUTO</b>							
45B500	200	JHP	DEFENSE DYNAMICS	500	50	10	
45T500	230	JHP	DEFENSE DYNAMICS	500	50	10	
45XTP25	230	XTPHP	HYPERFORMANCE	500	25	20	
45XTPB25	200	XTPHP	HYPERFORMANCE	500	25	20	

# RANGE & TARGET



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>25 AUTO</b> (6.35MM BROWNING)							
25AP	50	FMJ	RANGE DYNAMICS	1000	50	20	
<b>32 AUTO</b> (7.65MM BROWNING)							
32AP	73	FMJ	RANGE DYNAMICS	1000	50	20	
<b>9X21 PISTOL (IMI)</b>							
9X21	123	FMJTC	RANGE DYNAMICS	1000	50	20	
<b>32 S&amp;W LONG</b>							
32LA	100	LWC	COWBOY ACTION	1000	50	20	
32SWLA	97	FMJ	RANGE DYNAMICS	1000	50	20	
<b>380 AUTO</b>							
380AP	95	FMJ	RANGE DYNAMICS	1000	50	20	
380ARD	95	FMJ	RANGE DYNAMICS	1000	200	5	
380ARD10	95	FMJ	RANGE DYNAMICS	1000	100	10	
<b>9X18 MAKAROV</b>							
9MAK	95	FMJ	HERITAGE	1000	50	20	
<b>9MM LUGER</b>							
9AP	115	FMJ	RANGE DYNAMICS	1000	50	20	
9APB	124	FMJ	RANGE DYNAMICS	1000	50	20	
9APD	147	FMJ	RANGE DYNAMICS	1000	50	20	
9APE	158	FMJ	RANGE DYNAMICS	1000	50	20	
<b>9MM LUGER</b> (RANGE DYNAMICS)							
9ARD	115	FMJ	RANGE DYNAMICS	1000	200	5	
9ARD100	115	FMJ	RANGE DYNAMICS	1000	100	10	



# RANGE & TARGET



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>38 SUPER AUTO</b>							
38SA	129	FMJ	RANGE DYNAMICS	1000	50	20	
<b>38 SPECIAL</b>							
38A	130	FMJ	RANGE DYNAMICS	1000	50	20	
38C	158	LRN	RANGE DYNAMICS	1000	50	20	
38CA	158	LFP	COWBOY ACTION	500	50	10	
38G	158	FMJ	RANGE DYNAMICS	1000	50	20	
38LA	148	LWC	RANGE DYNAMICS	1000	50	20	
<b>357 MAGNUM</b>							
357CA	158	LFP	COWBOY ACTION	500	50	10	
357F	142	FMJTC	RANGE DYNAMICS	1000	50	20	
357GCMJ	158	CMJFP	RANGE DYNAMICS	1000	50	20	
<b>357 SIG</b>							
357SIGAP	124	FMJ	RANGE DYNAMICS	1000	50	20	
<b>40 S&amp;W</b>							
40ARD	170	FMJTC	RANGE DYNAMICS	1000	200	5	
40ARD100	170	FMJTC	RANGE DYNAMICS	1000	100	10	
40SWA	170	FMJTC	RANGE DYNAMICS	1000	50	20	
40SWD	180	FMJTC	RANGE DYNAMICS	1000	50	20	
40SWF	165	FMJTC	RANGE DYNAMICS	1000	50	20	
<b>10MM AUTO</b>							
10AP	180	FMJTC	RANGE DYNAMICS	500	50	10	
<b>45 AUTO</b>							
45A500	230	FMJ	RANGE DYNAMICS	500	50	10	
45ARD	230	FMJ	RANGE DYNAMICS	600	200	3	
45ARD100	230	FMJ	RANGE DYNAMICS	500	100	5	
<b>45 LONG COLT</b>							
45LCCMJ	255	CMJ	RANGE DYNAMICS	500	50	10	

# CLASSIC & SPECIALTY



STOCK NUMBER	WEIGHT (GRS.)	BULLET TYPE	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>7.62 NAGANT</b>							
762A	97	FMJ	HERITAGE	1000	50	20	
<b>7.62 TOKAREV</b>							
762TOK	85	FMJ	HERITAGE	1000	50	20	
<b>7.63 MAUSER</b>							
763A	88	FMJ	HERITAGE	1000	50	20	
<b>30 LUGER</b> (7.65 PARABELLUM)							
765A	93	FMJ	HERITAGE	1000	50	20	
765B	93	SJSP	HERITAGE	1000	50	20	
<b>8MM GASSER</b>							
8G	126	FMJ	HERITAGE	1000	50	20	
<b>8MM LEBEL</b>							
8L	111	FMJ	HERITAGE	1000	50	20	
<b>8MM STEYR</b>							
8S	113	FMJ	HERITAGE	1000	50	20	
<b>9MM STEYR</b>							
9SA	115	FMJ	HERITAGE	1000	50	20	
<b>9X18 ULTRA POL</b> (POLICE)							
9X18	100	FMJTC	HERITAGE	1000	50	20	
<b>455 WEBLEY (MKI)</b>							
455A	262	LRN	HERITAGE	1000	50	20	



# PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
<b>25 AUTO (6.35MM BROWNING)</b>														
25AP	25 AUTO, (6.35MM)	50	FMJ	RANGE DYNAMICS	800	766	735	71	65	735	-1.72	-7	2	0.156
25XTP	25 AUTO	35	XTPHP	HYPERFORMANCE	900	813	742	63	51	742	-1.39	-5.76	2	0.072
<b>7.62 NAGANT</b>														
762A	7.62MM NAGANT REVOLVER	97	FMJ	HERITAGE	785	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
<b>7.62 TOKAREV</b>														
762TOK	7.62 TOKAREV	85	FMJ	HERITAGE	1525	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
<b>7.63 MAUSER</b>														
763A	7.63MM MAUSER	88	FMJ	HERITAGE	1425	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
<b>30 LUGER</b>														
765A	30 LUGER	93	FMJ	HERITAGE	1230	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
765B	30 LUGER	93	SJSP	HERITAGE	1230	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
<b>32 AUTO (7.65 BROWNING)</b>														
32XTP	32 AUTO	60	XTPHP	HYPERFORMANCE	1000	926	867	133	114	100	-1.12	-4.59	4	0.12
32AP	32 AUTO, (7.65MM)	73	FMJ	RANGE DYNAMICS	1000	929	873	160	137	120	-1.11	-4.57	4	0.126
32APHP	32 AUTO	60	JHP	DEFENSE DYNAMICS	1100	997	924	161	132	113	-0.93	-3.86	4	0.12
<b>32 S&amp;W LONG</b>														
32LA	32 S&W LONG	100	LEAD WADCUTTER	COWBOY ACTION	650	519	412	94	60	38	-2.75	-11	6	0.028
32SWLA	32 S&W LONG	97	FMJ	RANGE DYNAMICS	870	820	776	163	145	130	-1.55	-5.75	6	0.121
<b>8MM LEBEL</b>														
8L	8MM LEBEL (PISTOL)	111	FMJ	HERITAGE	920	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.								
<b>380 AUTO</b>														
380XTP25	380 AUTO	90	XTPHP	HYPERFORMANCE	975	894	831	190	160	138	-1.2	-4.5	3	0.099
380AP	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077
380APHP	380 AUTO	90	JHP	DEFENSE DYNAMICS	975	894	831	190	160	138	-1.2	-4.5	3	0.099
<b>380 AUTO RANGE DYNAMICS</b>														
380ARD10	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077
380ARD	380 AUTO	95	FMJ	RANGE DYNAMICS	960	864	789	194	157	131	-1.22	-5.08	3	0.077

TEAR OUT GUIDE



AMMUNITION  
REFERENCE GUIDE









## PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		
<b>9X18 MAKAROV</b>														
9MAK	9 MAKAROV	95	FMJ	HERITAGE	1020	905	823	219	173	142	-1.09	-4.56	3	0.077
<b>9X18 ULTRA</b>														
9X18	9 X 18 ULTRA (POLICE)	100	FMJTC	HERITAGE	1130	CARTRIDGE LOADED ACCORDING TO CIP EURO LAWS. (HISTORIC CARTRIDGE FOR "COLLECTOR" FIREARMS)								
<b>9X19 LUGER</b>														
9AP	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
9APB	9MM LUGER	124	FMJ	RANGE DYNAMICS	1150	1048	975	364	302	262	-0.8	-3.9	4	0.148
9APBHP	9MM LUGER	124	JHP	DEFENSE DYNAMICS	1100	1020	961	333	287	254	-1.1	-4.3	4	0.165
9APD	9MM LUGER	147	FMJ	RANGE DYNAMICS	975	924	881	310	279	253	-1.5	-5.4	4	0.165
9APDHP	9MM LUGER	147	JHP	DEFENSE DYNAMICS	975	924	881	310	279	253	-1.5	-5.4	4	0.158
9APE	9MM LUGER	158	FMJ	RANGE DYNAMICS	850	814	780	253	232	213	-2.5	-6.2	4	0.159
9APHP	9MM LUGER	115	JHP	DEFENSE DYNAMICS	1175	1072	997	353	293	254	-0.8	-4	4	0.16
9FRANG	9MM LUGER	100	FRANGIBLE	RANGE DYNAMICS	1300	1114	999	375	275	221	-0.68	-2.88	4	0.111
9XTP25	9MM LUGER	115	XTPHP	HYPERFORMANCE	1150	1036	957	338	274	234	-0.9	-3.7	4	0.129
9XTPB25	9MM LUGER	147	XTPHP	HYPERFORMANCE	950	913	879	295	272	253	-1.4	-4.9	4	0.212
9XTPC25	9MM LUGER	124	XTPHP	HYPERFORMANCE	1100	1020	961	333	287	254	-1.1	-4.3	4	0.165
<b>9X19 LUGER RANGE PACK</b>														
9ARD	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
9ARD100	9MM LUGER	115	FMJ	RANGE DYNAMICS	1200	1089	1009	368	303	260	-0.9	-3.8	4	0.158
<b>9X21 IMI</b>														
9X21	9 X 21 PISTOL	123	FMJTC	RANGE DYNAMICS	1230	1102	1014	413	332	281	-0.7	-3.1	5	0.148
<b>38 SPECIAL</b>														
38A	38 SPECIAL	130	FMJ	RANGE DYNAMICS	950	899	856	260	233	211	-1.23	-5.04	7.710 NV	0.153
38B	38 SPECIAL	158	JHP	DEFENSE DYNAMICS	850	804	763	253	227	204	-1.55	-6.35	7.710 NV	0.125
38C	38 SPECIAL	158	LRN	RANGE DYNAMICS	880	844	712	271	250	231	-1.43	-5.77	7.710 NV	0.178
38E	38 SPECIAL	148	JHP	DEFENSE DYNAMICS	750	719	690	183	168	155	-1.96	-7.94	7.710 NV	0.153
38G	38 SPECIAL	158	FMJ	RANGE DYNAMICS	730	703	678	186	173	161	-2.06	-8.35	7.710 NV	0.206
38LA	38 SPECIAL	148	LWC	RANGE DYNAMICS	730	648	576	175	138	109	-2.1	-8.88	5.00 NV	0.053
38XTPB25	38 SPECIAL +P	110	XTPHP	HYPERFORMANCE	1100	1003	934	296	246	213	-0.96	-3.9	7.710 NV	0.131
38XTPP25	38 SPECIAL +P	125	XTPHP	HYPERFORMANCE	1050	977	921	306	265	236	-1.16	-4.35	7.710 NV	0.151



## PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		

### 38 S&W SHORT

38SW5HL	38 S & W SHORT	145	FMJ	COWBOY ACTION	720	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.									
---------	----------------	-----	-----	---------------	-----	--	--	--	--	--	--	--	--	--	--

### 38 SUPER AUTO

38SA	38 SUPER AUTO	129	FMJ	RANGE DYNAMICS	1200	1060	970	393	307	257	-0.75	-3.05	5	0.121
------	---------------	-----	-----	----------------	------	------	-----	-----	-----	-----	-------	-------	---	-------

### 357 MAGNUM

357XTP25	357 MAGNUM	158	XTPHP	HYPERFORMANCE	1250	1149	1072	548	463	403	-0.72	-2.95	10 NV	0.206
357B	357 MAGNUM	158	JHP	DEFENSE DYNAMICS	1220	1113	1034	522	434	375	-0.8	-3.2	10 NV	0.175
357D	357 MAGNUM	125	JHP	DEFENSE DYNAMICS	1450	1269	1130	584	447	355	-0.4	-2	10 NV	0.147
357E	357 MAGNUM	148	JHP	DEFENSE DYNAMICS	1310	1146	1035	564	432	352	-0.75	-2.95	10 NV	0.153
357F	357 MAGNUM	142	FMJTC	RANGE DYNAMICS	1420	1245	1110	636	488	388	-0.53	-2.16	10 NV	0.143
357GCMJ	357 MAGNUM	158	CMJFP	RANGE DYNAMICS	1220	1102	1024	522	426	368	-1.1	-4.4	10 NV	0.173
357CA	357 MAGNUM	158	LFP	COWBOY ACTION	700	669	640	172	157	144	-4.6	-13.6	6.00 V	0.139

### 357 SIG

357SIGAP	357 SIG	124	FMJ	RANGE DYNAMICS	1350	1194	1080	505	395	324	-0.68	-2.78	4	0.147
----------	---------	-----	-----	----------------	------	------	------	-----	-----	-----	-------	-------	---	-------

### 40 S&W

40XTP25	40 SMITH & WESSON	155	XTPHP	HYPERFORMANCE	1160	1047	970	463	377	324	-0.84	-3.48	4	0.137
40XTPB25	40 SMITH & WESSON	180	XTPHP	HYPERFORMANCE	1000	943	896	400	355	321	-1.1	-4.52	4	0.164
40SWA	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	392	333	298	-1.07	-4.38	4	0.148
40SWC	40 SMITH & WESSON	165	JHP	DEFENSE DYNAMICS	1100	1016	954	443	378	333	-0.8	-3.9	4	0.155
40SWD	40 SMITH & WESSON	180	FMJTC	RANGE DYNAMICS	1000	943	896	400	355	321	-1.11	-4.52	4	0.162
40SWE	40 SMITH & WESSON	180	JHP	DEFENSE DYNAMICS	1000	943	896	400	355	321	-1.1	-4.52	4	0.164
40SWF	40 SMITH & WESSON	165	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	297	-0.8	-3.9	4	0.155

### 40 SMITH & WESSON

40ARD100	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	298	-1.07	-4.38	4	0.148
40ARD	40 SMITH & WESSON	170	FMJTC	RANGE DYNAMICS	1020	954	901	381	333	298	-1.07	-4.38	4	0.148

### 10MM AUTOMATIC

10AP	10MM AUTOMATIC	180	FMJTC	RANGE DYNAMICS	1250	1126	1037	624	507	430	-0.65	-3.25	5	0.162
10APHP	10MM AUTOMATIC	180	JHP	DEFENSE DYNAMICS	1250	1127	1039	624	508	432	-0.6	-3	5	0.164

### 44 SPECIAL

44SA500	44 SPECIAL	200	SJHP	DEFENSE DYNAMICS	900	861	825	360	329	302	-1.35	-5.57	6.00 V	0.17
---------	------------	-----	------	------------------	-----	-----	-----	-----	-----	-----	-------	-------	--------	------

## PISTOL & REVOLVER BALLISTIC DATA

STOCK #	CALIBER	WEIGHT (GR.)	TYPE	LINE	VELOCITY FPS (+/-10 FT/S)			ENERGY FT/LBS (+/-5 FT/P)			DROP INCHES		BARREL LENGTH	BALLISTIC COEFF.
					MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.		

### 44 REMINGTON MAGNUM

44A500	44 MAGNUM	240	JSP	DEFENSE DYNAMICS	1310	1151	1042	914	706	579	-0.66	-2.77	8.275V	0.138
44B500	44 MAGNUM	200	SJHP	DEFENSE DYNAMICS	1475	1312	1178	966	764	617	-0.52	-2.16	8.275V	0.17
44D500	44 MAGNUM	240	JHP	DEFENSE DYNAMICS	1330	1103	1026	780	648	561	-0.77	-3.17	8.275V	0.172
44XTP25	44 MAGNUM	240	XTPHP	HYPERFORMANCE	1350	1231	1135	971	807	686	-0.76	-3.14	8.275V	0.205
44XTPB25	44 MAGNUM	200	XTPHP	HYPERFORMANCE	1490	1325	1189	986	780	628	-0.9	-3.5	8.275V	0.17

### 455 WEBLEY

455A	455 WEBLEY (MKII)	262	LRN	HERITAGE	700	DUE TO THE NATURE OF SPECIALTY PRODUCTS, BALLISTICS ARE NOT AVAILABLE.									
------	-------------------	-----	-----	----------	-----	--	--	--	--	--	--	--	--	--	--

### 45 AUTO

45A500	45 AUTO	230	FMJ	RANGE DYNAMICS	860	827	797	377	350	324	-1.49	-6.01	5	0.184
45B500	45 AUTO	200	JHP	DEFENSE DYNAMICS	890	851	816	351	321	296	-1.39	-5.65	5	0.168
45T500	45 AUTO	230	JHP	DEFENSE DYNAMICS	850	830	810	370	350	325	-1.9	-7.6	5	0.169
45XTP25	45 AUTO	230	XTPHP	HYPERFORMANCE	900	864	832	414	381	353	-1.36	-5.55	5	0.188
45XTPB25	45 AUTO	200	XTPHP	HYPERFORMANCE	925	878	837	380	342	311	-1.2	-5.4	5	0.151

### 45 AUTO RANGE DYNAMICS

45ARD	45 AUTO	230	FMJ	RANGE DYNAMICS	860	830	803	377	352	329	-1.49	-6.01	5	0.14
45ARD100	45 AUTO	230	FMJ	RANGE DYNAMICS	860	830	803	377	352	329	-1.49	-6.01	5	0.14

### 45 LONG COLT

45LCCMJ	45 COLT	255	CMJ	RANGE DYNAMICS	750	710	672	318	285	255	-3.6	-11.7	7.50 V	0.115
---------	---------	-----	-----	----------------	-----	-----	-----	-----	-----	-----	------	-------	--------	-------







# COWBOY ACTION

Perfection... it is what Focchi is proud to offer collectors of classic firearms or those in possession of a classic generational family heirloom and still want to shoot these timeless pieces of history. It is a marriage between new manufacturing technology combined with the history and heritage of hard-to-find calibers. Focchi Heritage ammunition is built from Old World craftsmanship with the understanding that historical curiosities and proven age-old designs still have a place in the modern era. We produce our ammunition at consistently high standards to ensure optimum performance while at the same time preserving the integrity of your sporting treasures.



## COWBOY ACTION



STOCK #	WT. (GR.)	TYPE	VELOCITY (FPS)			ENERGY (FT/P)			DROP INCHES		BARREL	BALLISTIC COEFF.	PER CASE	PER BOX	BOX PER CASE
			MUZZLE	50 Y.	100 Y.	MUZZLE	50 Y.	100 Y.	25 Y.	50 Y.					
<b>32 S&amp;W LONG</b>															
32SWLL	97	LFP	900	846	799	174	154	137	-1.45	-5.54	6.00	0.121	1000	50	20
<b>38 S&amp;W SHORT</b>															
38SWSHL	145	LRN	720	689	660	167	153	140	-2.25	-8.5	5.00 V	0.145	1000	50	20
<b>38 S&amp;W SPECIAL</b>															
38CA	158	LFP	640	618	597	144	131	120	-5.80	-16.90	6.00 V	0.139	500	50	10
<b>357 MAGNUM</b>															
357CA	158	LFP	700	669	640	172	157	144	-4.60	-13.60	6.00 V	0.139	500	50	10
<b>44 SPECIAL</b>															
44SCA	210	LFP	750	721	694	262	243	225	-3.2	-10.5	6.00 V	0.165	500	50	10
<b>44 S&amp;W RUSSIAN</b>															
44SWR	247	LRN	750	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1000	50	20
<b>44-40</b>															
4440CA	210	LRNFP	725	698	672	245	227	210	-3.6	-11.6	5.50 V	0.165	500	50	10
<b>45 LONG COLT</b>															
45LCCA	250	LRNFP	750	713	678	312	282	255	-3.2	-10.8	7.50 V	0.125	500	50	10
<b>45-70 GOV</b>															
4570A	405	LRNFP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	200	20	10

24" TEST BARREL (INDUSTRY STANDARD LENGTH)






# RIMFIRE





From old soda cans to small game to serious competitive pastimes, Focchi USA is proud to offer a broad selection of high-performance rimfire ammunition. Our rimfire ammunition is engineered for easy cycling and solid performance. Premium components providing downrange energy and extended effective range coupled with high-quality priming compound ensures consistent ignitions and performance you can trust.

With a strong desire to pass on our passion for the outdoors and hunting Focchi loads only the finest rimfire ammunition Sport and Hunting Rimfire for these purposes. Focchi of America offers three jacked variations in their .22 Winchester Magnum Rimfire line. These offerings include full metal jackets for target practice or hunting with less pelt damage, as well as jacketed hollow points and jacketed soft points for hunting small game and varmints.



## RIMFIRE



STOCK #	WT.	TYPE	DESCRIPTION	LINE	VELOCITY FPS	MPS	COEFF.	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>EXACTA SUPER MATCH GRADE 22 LR</b>											
22SM320	40	RN	OFFICIAL SUPER MATCH	RANGE DYNAMICS	1050	320	0.18	5000	50	100	
22SM340	40	RN	WINTER SUPER MATCH	RANGE DYNAMICS	1120	325	0.18	5000	50	100	
<b>SPORT &amp; HUNTING RIMFIRE 22 LR</b>											
22FHVCRN	40	CPRN	COPPER PLATED ROUND NOSE	FIELD DYNAMICS	1250	380	0.13	5000	50	100	
22FHVCHP	38	CPHP	COPPER PLATED HOLLOW POINT	FIELD DYNAMICS	1250	380	0.125	5000	50	100	
22FLRN	40	LRN	LEAD ROUND NOSE	RANGE DYNAMICS	1050	320	0.12	5000	50	100	
22FHPSUB	40	HP	SUBSONIC HOLLOW POINT	FIELD DYNAMICS	1060	300	0.118	5000	50	100	
<b>HUNTING RIMFIRE 22 WIN MAG</b>											
22FWMA	40	JSP	JACKETED SOFT POINT	FIELD DYNAMICS	1910	580	0.126	2000	50	40	
22FWMB	40	JHP	JACKETED HOLLOW POINT	FIELD DYNAMICS	1910	580	0.114	2000	50	40	
22FWMC	40	FMJ	FULL METAL JACKET	RANGE DYNAMICS	1900	577	0.114	2000	50	40	
<b>FIELD BOX SPORT &amp; HUNTING 22 LR</b>											
22FFHVCR	40	CPRN	COPPER PLATED ROUND NOSE	FIELD DYNAMICS	1250	380	0.13	1575	1575	1	





# SHOTSHELL

Upland, waterfowl, turkey, big game, target, competition and self-defense, there is not any shotshell ammunition FIOCCHI USA does not manufacture. The very foundations of our being originated by developing the highest quality, most innovative, best performing shotgun ammunition on the planet. We integrate both traditional and contemporary techniques with state-of-the-art machinery to perfectly develop each load to exacting standards and peak performance.

For the best patterns, energy and performance, nobody beats FIOCCHI shotshell ammunition. We offer the broadest selection in game-specific lead and steel. Our extensive line of target and competition shotshell provides the most distinguished competitor an industry standard for reliability and consistency. We make the finest sporting clays loads in the world today and have dominated the trap and skeet competitions for years. Trust nothing less than FIOCCHI ammunition in your shotgun.



## PHEASANT & FIELD



STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
--------------	-------	--------	--------------	--------------	------------	------	----------	---------	--------------	-----------

### NICKEL PLATED GOLDEN PHEASANT LOADS

12GP	12	2 3/4	1 3/8	1250	4, 5, 6	GOLDEN SERIES	250	25	10	
12GPX	12	2 3/4	1 3/8	1485	4, 5, 6	GOLDEN SERIES	250	25	10	
123GP	12	3	1 3/4	1200	4, 5, 6	GOLDEN SERIES	250	25	10	
16GP	16	2 3/4	1 1/8	1310	5, 6	GOLDEN SERIES	250	25	10	
20GP	20	2 3/4	1	1245	5, 6, 7.5	GOLDEN SERIES	250	25	10	
203GP	20	3	1 1/4	1200	4, 5, 6	GOLDEN SERIES	250	25	10	
28GP	28	2 3/4	7/8	1300	5, 6, 7.5	GOLDEN SERIES	250	25	10	
283GP	28	3	1 1/16	1200	5, 6, 7.5	GOLDEN SERIES	250	25	10	

### OPTIMA SPECIFIC HI VELOCITY LOADS (Lead High-Velocity)

12HV	12	2 3/4	1 1/4	1330	4, 5, 6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
123HV	12	3	1 3/4	1330	4, 5, 6	FIELD DYNAMICS	250	25	10	
16HV	16	2 3/4	1 1/8	1300	5, 6, 7.5	FIELD DYNAMICS	250	25	10	
20HV	20	2 3/4	1	1220	5, 6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
203HV	20	3	1 1/4	1200	4, 5, 6, 7.5, 8	FIELD DYNAMICS	250	25	10	
28HV	28	2 3/4	3/4	1300	6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	
283HV	28	3	1	1300	5, 6, 7.5, 8	FIELD DYNAMICS	250	25	10	
410HV	410 BORE	3	1 1/16	1140	6, 7.5, 8, 9	FIELD DYNAMICS	250	25	10	

### TUNGSTEN SUPER SHOT TURKEY LOADS (NEW - FALL 2022)

123TRKC	12	3	1 5/8	1200	4, 5, 6	GOLDEN TURKEY	250	5	10	
203TRKC	20	3	1 1/2	1100	5, 6	GOLDEN TURKEY	250	5	10	
410TSS9	410 BORE	3	13/16	1100	9	GOLDEN TURKEY	250	5	10	

### CLASSIC SIDE BY SIDE FIELD LOADS (Upland Game)

24PL1	24	2 1/2	11/16	1280	6, 7, 8	SHOOTING DYNAMICS	250	25	10	
32PL1	32	2 1/2	1/2	1260	6, 7, 8	SHOOTING DYNAMICS	250	25	10	



# WATERFOWL

# UPLAND



WATERFOWL STEEL HUNTING



BISMUTH SERIES



DOVE LOADS

Combining this unique advantage with the tried and true formula of high quality round chilled shot, clean burning powders, one-piece shot cup cushioned wads, and reliable primers allows Fioocchi of America to deliver the best bang for your buck Dove & Quail loads on the market. In many parts of the country Dove & Quail hunting is not only a family tradition, but a rite of passage as well.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
--------------	-------	--------	--------------	--------------	------------	------	----------	---------	--------------	-----------


### 12 GAUGE 3" FLYWAY SERIES

123ST	12	3	1 1/8	1500	BB, 1, 2, 3, 4, 6	WATERFOWL SERIES	250	25	10	
-------	----	---	-------	------	-------------------	------------------	-----	----	----	---



### 12 GAUGE 3" FLYWAY SERIES

123ST15	12	3	1 1/5	1550	BB, 1, 2, 3, 4	WATERFOWL SERIES	250	25	10	
---------	----	---	-------	------	----------------	------------------	-----	----	----	---

### 12 GAUGE 3" STEEL LOADS

123SGW	12	3	1 1/4	1350	T, BBB, BB, 1, 2, 3, 4	GOLDEN SERIES	250	25	10	
--------	----	---	-------	------	------------------------	---------------	-----	----	----	---




### 12 GAUGE 3 1/2" STEEL LOADS

1235ST	12	3 1/2	1 3/8	1470	T, BBB, BB, 2	GOLDEN SERIES	250	25	10	
1235GG	12	3 1/2	1 5/8	1430	T, BBB, BB, 1, 2	GOLDEN SERIES	250	25	10	

### 20 GAUGE 3" STEEL LOADS







203ST	20	3	7/8	1500	2, 3, 4	WATERFOWL SERIES	250	25	10	
-------	----	---	-----	------	---------	------------------	-----	----	----	---

### NEW 12 GAUGE BISMUTH SERIES




123GGB2	12	3 1/2	1 1/2	1450	2	GOLDEN GOOSE	250	10	25	
12GPB	12	2 3/4	1 1/4	1400	4, 6	GOLDEN PHEASANT	250	10	25	
123GB	12	3	1 3/8	1450	4, 6	GOLDEN WATERFOWL	250	10	25	

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
--------------	-------	--------	--------------	--------------	------------	------	----------	---------	--------------	-----------

### DOVE LOADS

12GT	12	2 3/4	1	1250	7.5, 8	FIELD DYNAMICS	250	25	10	
12GTX18	12	2 3/4	1 1/8	1250	7.5, 8	FIELD DYNAMICS	250	25	10	
16GT	16	2 3/4	1	1165	7.5, 8	FIELD DYNAMICS	250	25	10	
20GT	20	2 3/4	7/8	1210	7.5, 8	FIELD DYNAMICS	250	25	10	
28GT	28	2 3/4	3/4	1200	8	FIELD DYNAMICS	250	25	10	
410GT	410 BORE	2 1/2	1/2	1200	8	FIELD DYNAMICS	250	25	10	

### STEEL DOVE LOADS

12DLS17	12	2 3/4	1	1200	7	FIELD DYNAMICS	250	25	10	
12DLS187	12	2 3/4	1 1/8	1375	7	FIELD DYNAMICS	250	25	10	
20DLS7	20	2 3/4	7/8	1225	7	FIELD DYNAMICS	250	25	10	





# CLAY TARGET

Shooting Dynamics shot shells provide the economical solution for those hard-training days on the range. Featuring single-piece wads and double-base powder for terminal performance ideally suited for training. Other loads we are proud to offer are the environmentally friendly Exacta Steel Target loads. We feel that by offering these options Focchi of America can fulfill all of your clay target shooting ammunition needs.



12 GAUGE 20 GAUGE

## SHOOTING DYNAMICS CLAY TARGET

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
<b>SHOOTING DYNAMICS CLAY TARGET</b>								
12SD78H	12	2 3/4"	7/8	1350	7.5, 8	SHOOTING DYNAMICS	25	
12SD1L	12	2 3/4"	1	1170	7.5, 8	SHOOTING DYNAMICS	25	
12SD1H	12	2 3/4"	1	1200	7.5, 8, 9	SHOOTING DYNAMICS	25	
12SD1X	12	2 3/4"	1	1250	7.5, 8	SHOOTING DYNAMICS	25	
12SD18L	12	2 3/4"	1 1/8	1165	7.5, 8, 9	SHOOTING DYNAMICS	25	
12SD18H	12	2 3/4"	1 1/8	1200	7.5, 8	SHOOTING DYNAMICS	25	
12SD18X	12	2 3/4"	1 1/8	1250	7.5, 8	SHOOTING DYNAMICS	25	
12SDHV	12	2 3/4"	1 1/8	1280	7.5, 8	SHOOTING DYNAMICS	25	
20SD	20	2 3/4"	7/8	1210	7.5, 8	SHOOTING DYNAMICS	25	

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
<b>STEEL SHOT CLAY TARGET</b>								
12DLS17	12	2 3/4"	1	1200	7	EXACTA	25	
12DLS187	12	2 3/4"	1 1/8	1375	7	EXACTA	25	
12S1187	12	2 3/4"	1 1/8	1375	7	EXACTA	25	
12SLR7	12	2 3/4"	1	1200	7	EXACTA	25	
20DLS7	20	2 3/4"	7/8	1225	7	EXACTA	25	
20SLR7	20	2 3/4"	7/8	1225	7	EXACTA	25	

# EXACTA CLAY TARGET



12 GAUGE 12 GAUGE 20 GAUGE 28 GAUGE .410 BORE

## EXACTA CLAY TARGET LINE

Focchi Exacta ammunition crushes targets in sporting clays, trap, and five-stand all while still delivering less felt recoil and a more consistent pattern. Loaded with high quality Focchi components, this ammunition is sure to deliver the performance and reliability required in competition. Our famous Crushers and White Rinos come out of our ultra-exclusive Exacta line, which features optimally matched one-piece cushioned wads, the cleanest burning powders on the market propelling shot cups full of only target quality shot towards your targets, absolutely crushing them on impact. The best of our Exacta loads will continue to be offered in classic paper hulls for the most discerning shooters. Focchi of America's Exacta line has become the industry standard bearer to which all of the competition aspires to be.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
<b>CRUSHER</b>								
12CRSR	12	2 3/4"	1	1300	7.5, 8	EXACTA	25	
<b>INTERCEPTOR SPREADER</b>								
12CPTR	12	2 3/4"	1	1300	8	EXACTA	25	
<b>INTERNATIONAL TRAP &amp; SKEET</b>								
12IN24	12	2 3/4"	24 (gm)	1350	7.5, 9	EXACTA	25	
<b>LITTLE RINO</b>								
12TX	12	2 3/4"	1	1250	7.5, 8	EXACTA	25	
<b>LOW RECOIL TRAINER</b>								
12780Z	12	2 3/4"	7/8	1200	7.5, 8	EXACTA	25	
20LITE75	20	2 3/4"	3/4	1075	7.5	EXACTA	25	
<b>PAPER CRUSHER</b>								
12FPCRS	12	2 3/4"	1	1300	7.5, 8	EXACTA	25	
<b>PAPER LITTLE RINO</b>								
12FPTX	12	2 3/4"	1	1250	7.5, 8	EXACTA	25	
12FPWR	12	2 3/4"	1 1/8	1250	7.5	EXACTA	25	

American Sporting Clays & Skeet - 12 ga. 1 1/8 oz., 20 ga. 7/8 oz., 28 ga. 3/4 oz., .410 bore 1/2 oz.; all maximum. American Trap - 1 1/8 oz. @ 1290 fps, 1 oz. @ 1325 fps, 7/8 oz. @ 1350 fps; all maximum fps. Parcours de Chasse, COMPAK, Helice - 28 gr. [1 oz.] maximum [no Spreaders]. International Trap [Bunker] & Skeet - 24 gr. maximum [no Spreaders].



# EXACTA CLAY TARGET



## TRAVIS MEARS

**Location** | Fort Worth, Texas

**Home Range** | Defender Outdoors Clay Sports Ranch

**Specialty** | Sporting Clays and Exhibition Shooting

**Favorite Fiocchi Product** | Little Rhino 8 Shot

**Why Fiocchi** | I have chosen to use Fiocchi ammunition because of their passion for the Competitive Shooter and their long history of quality shotshells that give the greatest opportunity for success. When the competition is on the line, I always have confidence in my shell and its performance.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER BOX	PACKAGING
<b>POWER SPREADER</b>								
12SSCX	12	2 3/4"	1 1/8	1250	8, 8.5	EXACTA	25	
<b>SUPER CRUSHER</b>								
12SCRS	12	2 3/4"	1	1400	7.5	EXACTA	25	
<b>WHITE RINO</b>								
12WRND	12	2 3/4"	1 1/8	1250	7.5, 8	EXACTA	25	
<b>WHITE RINO CRUSHER</b>								
12WRCRS	12	2 3/4"	1 1/8	1300	7.5, 8	EXACTA	25	
<b>WHITE RINO LITE</b>								
12WRNL	12	2 3/4"	1 1/8	1200	7.5, 8, 9	EXACTA	25	
<b>WHITE RINO SUPER LITE</b>								
12WRSL	12	2 3/4"	1 1/8	1150	7.5, 8	EXACTA	25	
<b>VIP</b>								
20VIP	20	2 3/4"	7/8	1200	7.5, 8, 9	EXACTA	25	
28VIP	28	2 3/4"	3/4	1200	7.5, 8	EXACTA	25	
410VIP75	410 BORE	2 1/2"	1/2	1250	7.5	EXACTA	25	
410VIP	410 BORE	2 1/2"	1/2	1250	8, 9	EXACTA	25	
<b>VIP HEAVY</b>								
20VIPH	20	2 3/4"	7/8	1250	7.5, 8	EXACTA	25	
28VIPH	28	2 3/4"	3/4	1300	7.5, 8	EXACTA	25	


# THREE-GUN MATCH



THREE-GUN MATCH LINE

Three Gun Match is an explosive sport where shooters compete with 3 different guns: pistol, rifle and shotgun. During shotgun exercises, reloading speed and skill is key to victory, this is why the main feature of Fiocchi 3 Gun Match line of 12 gauge ammunition is a firm, radiused crimp that allows fast and consistent speed loading. Fiocchi 3-Gun Match was developed in cooperation with Top Shooter Jerry Miculek known for his 20 world speed shooting records.

STOCK NUMBER	GAUGE	LENGTH	WEIGHT (OZ.)	VELOCITY FPS	SHOT SIZES	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>1 OZ. LOADS</b>										
12DL3G75	12	2 3/4"	1	1170	7.5	SPECIALTY	250	25	10	
<b>1 1/8 OZ. LOADS</b>										
12DH3G75	12	2 3/4"	1 1/8	1200	7.5	SPECIALTY	250	25	10	
<b>00 BUCKSHOT LOAD</b>										
12BK3G00	12	2 3/4"	9 PELLETS	1250	00 NICKEL BUCKSHOT	SPECIALTY	250	10	25	
<b>LOW RECOIL SLUG</b>										
12SLG3G	12	2 3/4"	7/8	1300	7/8 OZ RIFLED SLUG LOW RECOIL	SPECIALTY	250	10	25	





# SLUGS & BUCKSHOT



12 GAUGE

AERO SLUGS & FIELD BOX



12 GAUGE

DEFENSE BUCKSHOT



12 GAUGE

NICKEL PLATED BUCKSHOTS



12 GAUGE

RUBBER BUCKSHOTS & SLUGS



12 GAUGE

STOCK NUMBER	GAUGE	LENGTH	PELLETS	VELOCITY FPS	LINE	PER CASE	PER BOX	BOX PER CASE	PACKAGING
<b>AERO SLUGS</b>									
12LRSLUG	12	2 3/4	1 OZ SLUG	1150	DEFENSE DYNAMICS	250	10	25	
12SLUG	12	2 3/4	1 OZ SLUG	1560	DEFENSE DYNAMICS	250	10	25	
12LESLUG	12	2 3/4	7/8 OZ SLUG	1300	FIELD DYNAMICS	250	10	25	
<b>AERO SLUGS FIELD BOX</b>									
12FLRSLU	12	2 3/4	1 OZ SLUG	1150	FIELD DYNAMICS	80	10	8	
12FSLUG	12	2 3/4	1 OZ SLUG	1560	FIELD DYNAMICS	80	10	8	
12FESLU	12	2 3/4	7/8 OZ SLUG	1300	FIELD DYNAMICS	80	10	8	
<b>DEFENSE BUCKSHOT</b>									
12EXO0BK	12	2 3/4	9 OZ SLUG	1250	DEFENSE DYNAMICS	250	10	25	
<b>NICKEL PLATED BUCKSHOTS</b>									
12HV4BK	12	2 3/4	27 NICKEL PL	1325	FIELD DYNAMICS	250	10	25	
12HVO0BK	12	2 3/4	9 NICKEL PL	1325	FIELD DYNAMICS	250	10	25	
12LE00BK	12	2 3/4	9 NICKEL PL	1150	FIELD DYNAMICS	250	10	25	
<b>BUCKSHOTS FIELD BOX (NICKEL PLATED)</b>									
12FHVO0B	12	2 3/4	9 NICKEL PL	1325	FIELD DYNAMICS	80	10	8	
12FLE00B	12	2 3/4	9 NICKEL PL	1150	FIELD DYNAMICS	80	10	8	
<b>RUBBER BUCKSHOTS &amp; SLUGS (SPECIAL USE)</b>									
12LERB10	12	2 3/4	15	790	DEFENSE DYNAMICS	250	25	10	
12LEBAT	12	2 3/4	1 RUBBER SLUG	740	DEFENSE DYNAMICS	250	25	10	
12LEBRE	12	2 3/4	POLYMER COMPOSITE	1045	DEFENSE DYNAMICS	250	25	10	

# SPECIAL APPLICATION

## BLANKS



Our wide selection of blanks and popper loads lend for various applications including dog training and competition, police/self-defense training and ceremonies, Cowboy mounted shooting, and theatrical performances. All of our blanks use smokeless powder for safety. We also offer several special use shotgun shells loaded with rubber buckshot or slugs (batons) for unique requirements such as less lethal force options and animal nuisances.

## PRIMERS



Fiocchi 616, 209 size, shotshell primers have a reputation for reliability and consistency the world over. Using our 140 years of experience our engineers have designed what we feel is the highest quality shotshell primer on the market, with special care taken in all aspects; mixture, battery cup and anvil. Couple that with our meticulous assembly and quality control standards and you have the finest primer in the world.


STOCK NUMBER	DESCRIPTION	LINE	PER BOX	BOX PER CASE
<b>BLANKS</b>				
22LRBL	22 LONG RIFLE BLANK	BLANKS	100	10
380BLANK	380 (9X17) RIMMED (SHORT)	BLANKS	50	20
8MMBLANK	8MM PISTOL	BLANKS	50	20
9MMBLANK	9MM (9X19) PARABELLUM	BLANKS	50	20
38BLANK	38 RIMMED REVOLVER	BLANKS	50	20
320BLANK	32 RIMMED REVOLVER (SHORT)	BLANKS	50	20
12BLANK	12 GA., 2 3/4" BLANK, GRANULATED PLASTIC FILLER	BLANKS	25	10
<b>POPPER LOADS</b>				
12POPBLK	12 GA., 2 3/4" POPPER, EMPTY PRIMED CASE, ROLLDOWN CRIMP	BLANKS	BULK PACKED 1000 PER CASE	-
<b>DUMMY ROUNDS</b>				
12INERT	INERT, 12 GA. ACTION PROVING ROUNDS. DUMMY LOADS CLEARLY MARKED TO SAAMI STANDARDS	BLANKS	10	25
<b>RUBBER BUCKSHOTS &amp; SLUGS (SPECIAL USE)</b>				
12LERBK	15 PELLETS, .33 INCHES RUBBER BUCKSHOT (12GA., 2 3/4, 790 FPS)	DEFENSE DYNAMICS	250	25
12LEBAT	1 RUBBER BATON SLUG WEIGHS 4.8 GRAMS (12GA., 2 3/4, 740 FPS)	DEFENSE DYNAMICS	250	25
<b>BREACHING SLUG</b>				
12LEBRE	BALLISTIC POLYMER COMPOSITE PROJECTILE (12GA., 2 3/4, 1310 FPS)	DEFENSE DYNAMICS	250	25
<b>CENTERFIRE PRIMERS</b>				
445SMP	SMALL PISTOL	SUR PRIMER LINE	12000	150
446SMR	SMALL RIFLE	SUR PRIMER LINE	12000	150
445SMZP	SMALL PISTOL ZERO POLLUTION	ZP PRIMER LINE	12000	150
446SMRZP	SMALL RIFLE ZERO POLLUTION	ZP PRIMER LINE	12000	150
535LP	LARGE PISTOL	SUR PRIMER LINE	12000	150
535LR	LARGE RIFLE	SUR PRIMER LINE	12000	150
<b>SHOTSHELL PRIMERS</b>				
616	12, 20, 16, 28 & 410 BORE	SHOOTING DYNAMICS	5000	5



## SPECIAL USE TABLES

STOCK #	DESCRIPTION	QUANTITY PER SLEEVE	QUANTITY PER CASE	LINE
<b>CENTERFIRE PRIMERS</b>				
445SMP	SMALL PISTOL	150	12000	SUR PRIMER LINE
446SMR	SMALL RIFLE	150	12000	SUR PRIMER LINE
445MZP	SMALL PISTOL ZERO POLLUTION	150	12000	ZP PRIMER LINE
446MZPM	SMALL RIFLE ZERO POLLUTION	150	12000	ZP PRIMER LINE
535LP	LARGE PISTOL	150	12000	SUR PRIMER LINE
535LR	LARGE RIFLE	150	12000	SUR PRIMER LINE
<b>SHOT SHELL PRIMERS</b>				
616	12, 20, 16, 28 & .410 - STANDARD VELOCITY .209 PRIMER	100	5000	SUR PRIMER LINE
<b>BLANKS - POPPERS</b>				
22LRBL	22 LONG RIFLE BLANK	200	30	BLANKS
380BLANK	380 (9X17) RIMMED (SHORT)	50	30	BLANKS
8MMBLANK	8MM PISTOL	50	20	BLANKS
9MMBLANK	9MM (9X19) PARABELLUM	50	20	BLANKS
38BLANK	38 RIMMED REVOLVER	50	20	BLANKS
320BLANK	32 RIMMED REVOLVER (SHORT)	1000	30	BLANKS
<b>SHOT SHELL BLANKS</b>				
12BLANK	12 GA., 2 3/4" BLANK, GRANULATED PLASTIC FILLER	25	10	BLANKS
<b>POPPER LOADS</b>				
12POPLK	12 GA., 2 3/4" POPPER, EMPTY PRIMED CASE, ROLLDOWN CRIMP	BULK PACKED 1000 PER CASE	-	BLANKS
<b>ACTION PROVING DUMMY LOADS</b>				
12INERT	INERT, 12 GA. 2 3/4" ACTION PROVING ROUNDS. CLEARLY MARKED AS DUMMY LOADS TO SAAMI STANDARDS	10	25	BLANKS


## SHOT PELLET SIZES



SIZE	9	8 1/2	8	7 1/2	6	5	4	3	2	1	BB	BBB	T	#4	00
DIA. (IN)	0.08	0.085	0.09	0.095	0.11	0.12	0.13	0.14	0.15	0.16	0.18	0.19	0.2	24	0.33
DIA. (MM)	2.03	2.16	2.29	2.41	2.79	3.05	3.3	3.56	3.81	4.06	4.57	4.83	5.08	6.1	8.38

## AVERAGE PELLET COUNT

SHOT SIZE	1/2	11/16	3/4	7/8	1	1 1/8	1 1/5	1 1/4	1 3/8	1 3/4	1 5/8	2 3/8
9	292	402	439	512	585	658		731				
8 1/2				435	497	559		621				
8	205	282	307	359	410	461		512				
7 1/2	175	241	262	306	350	394		437	481	613		
6			169	197	225	253		281	309	389	366	534
5				149	170	191		212	234	299	276	404
4					135	152		169	186	236	219	321



Tutte le misure sono espresse in m/m.

Pos.	Quant.	Denominazione	Materiali	N° Mod.

Scala	Firme	D
3:1		

## DRAM EQUIVALENT CHART

GAUGE	LEAD SHOT (OZ.)	2 DRAMS	2 1/4 DRAMS	2 1/2 DRAMS	2 3/4 DRAMS	3 DRAMS	3 1/4 DRAMS	3 1/2 DRAMS	3 3/4 DRAMS	4 DRAMS	4 1/4 DRAMS	4 1/2 DRAMS	"MAX" DRAMS
10	1 1/4 (1.25)	825	880	935	990	1045	1100	1155	1210	1265	1320	1375	1430
10	1 5/8 (1.63)	790	845	900	955	1010	1065	1120	1175	1230	1285	1340	1395
10	1 7/8 (1.88)	720	775	830	885	940	995	1050	1105	1160	1215	1270	1325
10	2 1/4 (2.25)	660	715	770	825	880	935	990	1045	1100	1155	1210	1265
12	1 (1.00)	1015	1070	1125	1180	1235	1290	1345	1400	1455	1510	1565	NA
12	1 1/8 (1.13)	980	1035	1090	1145	1200	1255	1310	1365	1420	1475	1530	NA
12	1 1/4 (1.25)	945	1000	1055	1110	1165	1220	1275	1330	1385	1440	1495	NA
12	1 3/8 (1.38)	910	965	1020	1075	1130	1185	1240	1295	1350	1405	1460	NA
12	1 1/2 (1.50)	875	930	985	1040	1095	1150	1205	1260	1315	1370	1425	NA
12	1 5/8 (1.63)	840	895	950	1005	1060	1115	1170	1225	1280	1335	1390	NA
12	1 3/4 (1.75)	805	860	915	970	1025	1080	1135	1190	1245	1300	1355	1410
12	1 7/8 (1.88)	770	825	880	935	990	1045	1100	1155	1210	1265	1320	1375
12	2 (2.00)	735	790	845	900	955	1010	1065	1120	1175	1230	1285	1340
12	2 1/4 (2.25)	655	710	765	820	875	930	985	1040	1095	1150	1205	1260
16	1 (1.00)	1055	1110	1165	1220	1275	1330	1385	1440	1495	1550	1605	NA
16	1 1/8 (1.13)	1020	1075	1130	1185	1240	1295	1350	1405	1460	1515	1570	NA
16	1 1/4 (1.25)	985	1040	1095	1150	1205	1260	1315	1370	1425	1480	1535	NA
20	3/4 (0.75)	1145	1200	1255	1310	1365	1420	1475	1530	1585	1640	1695	NA
20	7/8 (0.88)	1100	1155	1210	1265	1320	1375	1430	1485	1540	1595	1650	NA
20	1 (1.00)	1055	1110	1165	1220	1275	1330	1385	1440	1495	1550	1605	NA
20	1 1/8 (1.13)	1065	1120	1175	1230	1285	1340	1395	1450	1505	1560	1615	NA
20	1 1/4 (1.25)	965	1020	1075	1130	1185	1240	1295	1350	1405	1460	1515	1570
28	3/4 (1.13)	1200	1295	1390	1485	1580	1675	NA	NA	NA	NA	NA	NA
28	1 (1.00)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1135
410	1/2 (0.50)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1200
410	11/16 (0.69)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1135

\*Dram equivalents vary between manufacturers. This table is for reference only - do not utilize this information to develop loads or any other data. Thanks to Ballistic Products of Corcoran, MN for this chart.



# FIOCCHI PRO STAFF

**LANNY BARNES**



**Location** | Durango, Co. **Home** | Durango, Co.  
**Range** | 10 Ring Ranch **Specialty** | Biathlon, 3-Gun, PCC, IPSC Shotgun, IPSC Rifle  
**Fiocchi Product Choice** | JM low Recoil slugs, 69g .223 Match King, 55g **Focus** | 3-Gun entire line  
**Why Fiocchi** | In all my years of shooting and hunting, I haven't found anything more reliable or accurate. There is a reason why Fiocchi has been around since 1876. They make the best ammo hands down and if the best shooters in the world use it then that is what I want to use for not only competition but hunting as well. I rely on Fiocchi to help me make that shot of a lifetime in competition and in the field.

**WILL FENNEL**



**Location** | Sharon, SC  
**Home Range** | Fennel Shooting School  
**Specialty** | Sporting Clays and FITASC  
**Fiocchi Product Choice** | Paper Little Rino 7.5's  
**Why Fiocchi** | In order, awesome performance, consistent availability, Fiocchi's dedication to the sport!

**DAVID KING**



**Location** | Simsboro, Louisiana  
**Home Range** | Flying Q Benton, LA. & Red Chute Gun Club on Barksdale AF Base  
**Specialty** | Sporting Clays, 5-Stand and Some Fitasc  
**Fiocchi Product Choice** | Without a doubt the White Rino 1-1/8oz. 1250fps #8 for Sporting and Little Rino 1oz 1250fps #8 for FITASC  
**Why Fiocchi** | I know that when I have Fiocchi ammo in my gun I am equipped to shoot any target thrown at me if I do my part! It is the most reliable ammo that I have shot, very clean and absolutely CRUSHES targets! Highly recommend to anyone that has not tried Fiocchi ammo to do so... otherwise you are missing out!

**COLT MCBEE**



**Location** | Kerrville, Texas  
**Home Range** | Hill Country Shooting Sports Center  
**Specialty** | International Skeet  
**Fiocchi Product Choice** | Fiocchi Papers  
**Why Fiocchi** | Fiocchi provides a high quality shot-shell that provides a clean connection shot from the gun to the target. It allows me to see accuracy and efficiency on the field with every target I shoot. I am proud to be with Team Fiocchi and to use this ammo at all competitions I compete in. It will give me the best source of winning on any field in the world.

**JACOB CAMERON**



**Location** | Bandera, TX  
**Home Range** | National Shooting Complex  
**Specialty** | Sporting Clays  
**Fiocchi Product Choice** | 1oz 7.5, 1300fps Crushers  
**Why Fiocchi** | Fiocchi makes the most consistently clean shell on the market, along with reliable casings and is an overall great shell for hunting and shooting of any kind.

**DEB FERNS**



**Location** | Tucson, Arizona  
**Home Range** | Tucson Rifle & Pistol Club  
**Specialty** | Multigun in Heavy Metal Division  
**Fiocchi Product Choice** | For hunting rounds I love the Fiocchi 6.5 Creedmoor rounds. For multigun competition I run the Fiocchi .45 Auto, Fiocchi .308 for my AR10 and the Fiocchi 12 gauge shotgun shells in birdshot and slugs.  
**Why Fiocchi** | In both the hunting fields and multigun competition the Fiocchi reliability is a huge asset to me!

**CHRISTINA LOUDENSLAGER**



**Location** | Mount Gilead, Ohio  
**Home Range** | Eagle's Nest Sporting Grounds, Mount Gilead, Ohio  
**Specialty** | FITASC & Sporting Clays  
**Fiocchi Product Choice** | Paper Little Rino and/or Little Rino. 1oz 1250fps 7.5's  
**Why Fiocchi** | Dependability, Reliability, Friendly staff and teammates. They just crush targets effortlessly.

**REMINGTON MCBEE**



**Location** | Kerrville, Texas  
**Home Range** | Hill Country Shooting Sports Center  
**Specialty** | Coaching, International Skeet  
**Fiocchi Product Choice** | Fiocchi Paper International 24 Gram Load  
**Why Fiocchi** | Fiocchi has been an amazing product through my shooting career. I started shooting Fiocchi when I started my competitive shooting career at 8 years old. Fiocchi provides the highest quality for each target I shoot. When competing, Fiocchi performance has been outstanding and I am proud to represent this company.

**BILL ELLIOT**



**Location** | Cleveland, Ohio  
**Home Range** | Hill-n-dale Club  
**Specialty** | Coaching, Sporting Clays, 5-Stand, Super-Sporting  
**Fiocchi Product Choice** | Little Rhino 7.5 and 8  
**Why Fiocchi** | Low recoil, quality and accessibility. Being able to depend on my ammunition helps feed me confidence to leave the task of breaking a clay target up to the eyes and hands.

**HAYLYN HANKS**



**Location** | Huntsville, Texas  
**Home Range** | Gator Lake Farm  
**Specialty** | Sporting Clays/ FITASC  
**Fiocchi Product Choice** | 1oz Paper Crushers  
**Why Fiocchi** | I use Fiocchi ammunition because they are reliable and crush targets harder than ever!

**RICHARD MARSHALL**



**Location** | Lincoln, Nebraska  
**Home Range** | Lincoln Trap and Skeet Club in Lincoln, NE  
**Specialty** | Trapshooting (29 Time ATA All American) I also shoot Sporting Clays and Skeet Competitively  
**Fiocchi Product Choice** | White Rhino Paper 1250FPS 7.5  
**Why Fiocchi** | I have been shooting Fiocchi Little Rhinos for many years. They pack a punch with light felt recoil and the reliability is always what you expect from Fiocchi.

**TRAVIS MEARS**



**Location** | Fort Worth, Texas  
**Home Range** | Defender Outdoors Clay Sports Ranch  
**Specialty** | Sporting Clays and Exhibition Shooting  
**Fiocchi Product Choice** | Little Rhino 8 Shot  
**Why Fiocchi** | I have chosen to use Fiocchi ammunition because of their passion for the Competitive Shooter and their long history of quality shotshells that give the greatest opportunity for success. When the competition is on the line, I always have confidence in my shell and its performance.

**JERRY MICULEK**



**Location** | Princeton, LA  
**Home Range** | The Shootout Range, Princeton, LA  
**Specialty** | Speed shooting. Multi-gun competitions.  
**Fiocchi Product Choice** | My favorite Fiocchi product is the 3G+JM 7 1/2, 1 oz. shotshell. This shell is cost effective for training, competition and hunting. It's a clean burning load that patterns extremely well. The low recoil allows for quick follow up shots in competition or in the field.  
**Why Fiocchi** | Fiocchi ammunition provides consistent high quality shotshells and slugs.

**DIANA MULLER**



**Location** | Tulsa, OK  
**Home Range** | US Shooting Academy, Tulsa, OK  
**Specialty** | 3 Gun; IPSC Shotgun (World Champion Gold Medal Ladies team and silver individual)  
**Fiocchi Product Choice** | 77g .223  
**Why Fiocchi** | For peak performance in competition or in the field, ammo can separate the men from the boys, so to speak! Fiocchi's ammunition is accurate and consistent. And surprising to some, they have a full line of products, not just shotgun ammo!

**SHEA SELF**



**Location** | Texas  
**Home Range** | Dallas Gun Club  
**Specialty** | Sporting Clays and FITASC  
**Fiocchi Product Choice** | Fiocchi Crushers  
**Why Fiocchi** | Fiocchi is hands down the most high quality shell I've ever used. It has enough power to crush a plastic Helice target, but is soft enough to shoot the shell all day. It really helps me get a lot of practice in without killing my shoulder. I've shot Fiocchi all my life and I've always dreamed of being sponsored by them, and now, I am! It's a true honor.

**BILL MCGUIRE**



**Location** | Forsyth, GA  
**Home Range** | Private range at my home  
**Specialty** | The man, the myth, the legend. If it flies through the air, it's fair game with Bill.  
**Fiocchi Product Choice** | White Rhinos  
**Why Fiocchi** | This is my first year being a part of Fiocchi Pro Staff. I like to use products I believe in.

**KAY MICULEK**



**Location** | Princeton, LA  
**Home Range** | The Shootout Range, Princeton, LA  
**Specialty** | Introducing women to the shooting sports through classes and mentoring them through their first hunting experience.  
**Fiocchi Product Choice** | My favorite product is the 129 grain SST 6.5 Creedmoor load. I have found this round to be super accurate through all of the "loaner" rifles, which I provide for the ladies I mentor in the field. The Super Shock Tip bullet performs extremely well and helps me provide a positive hunting experience to my first time hunters.  
**Why Fiocchi** | Fiocchi's full line of dependable and accurate handgun, rifle and shotshells fills all my needs, be it hunting, competition, training or recreational shooting.

**RYAN MULLER**



**Location** | Tulsa, OK  
**Home Range** | US Shooting Academy, Tulsa, OK  
**Fiocchi Product Choice** | Low Recoil Slugs, they have become that standard in 3-Gun.  
**Why Fiocchi** | I compete for a living, I have to have 100% reliability in my ammo and Fiocchi has delivered that. I currently have over 200,000 rounds down range without a single ammunition issue.

**SHELBY SKAGGS**



**Location** | Nash, Oklahoma  
**Home Range** | Grand National  
**Specialty** | Trapshooting USA  
**Fiocchi Product Choice** | Shooting Dynamics 7.5  
**Why Fiocchi** | In our sport consistency is the key to success. Fiocchi's line of shotgun ammunition is second to none in this regard.

**LENA MICULEK**



**Location** | USA  
**Specialty** | 3-Gun, PCC, IPSC Shotgun, IPSC Rifle through their first hunting experience.  
**Fiocchi Product Choice** | 3G JM 1oz Bird shot  
**Why Fiocchi** | Super soft shooting, reliable and a company that makes me proud to represent them! From the people to product I know I'll never be let down!

**CHAD ROBERTS**



**Home Range** | Raahauge Shooting Enterprises, Corona, CA. (Southern California)  
**Specialty** | Sporting Clays and FITASC  
**Fiocchi Product Choice** | 1 oz 1250fps Little Rino Paper. 90% #8 shot - 10% #7.5  
**Why Fiocchi** | After doing extensive testing with 1 oz shells I feel that this shell is perfect. I have more control over the gun during the shot and the recovery from my first shot is super fast. The recovery is so quick that it makes my follow up shot that much more precise. I feel that the 1250 speed is perfect for distance. I have 100% faith in the performance of these shells. The papers add even more less felt recoil and obviously smell awesome. To describe these shells in one word...They are RAD!

**ABEL SPIRE**



**Location** | Cushing, OK  
**Home Range** | Skull Creek Sporting Clays (Cushing, OK)  
**Specialty** | Sporting Clays  
**Fiocchi Product Choice** | Little Rhino 8s  
**Why Fiocchi** | I have been shooting the Little Rhinos for many years. They pack a punch with lite recoil. The reliability is always what you expect from Fiocchi.



COMPETE  
DEFEND TRAIN  
HUNT

**FIOCCHI**

FIOCCHI OF AMERICA, INC.



6930 N Fremont Road  
Ozark, MO 65721



service@fiocchiusa.com



417-449-1039

**FIOCCHIUSA.COM**



All products, boxes and photographs depicted in this catalog having the following descriptions:  
Shooting Dynamics, Extrema, Exacta, Golden Pheasant, Fiocchi, Interceptor and Rapax are Registered to Giulio Fiocchi S.P.A.  
XTP is a Hornady trademark™. SST is a Hornady registered® mark. INTERLOCK is a Hornady trademark™. Scirocco is a Swift Bullet trademark™.