

TRUGLO[®]

TACTICAL



2020



TACTICAL CATALOG



DOT•OPTICS

IGNITE™ RED•DOT SIGHT SERIES **4-5**

NEW TRU•TEC™ MICRO SUB-COMPACT OPEN RED•DOT SIGHT **6-7**

TRU•TEC™ 20MM COMPACT 20MM RED•DOT SIGHT **8**

TRU•TEC™ 30MM 30MM RED•DOT SIGHT WITH INTEGRATED LASER **9**

TRU•TEC™ XTREME 30MM RED•DOT SIGHT WITH MOUNT **10**

TRITON™ 30MM TRI-COLOR 30MM DOT SIGHT **11**

DUAL-COLOR 30MM DOT SIGHT **12**

SCOPES

EMINUS™ PRECISION RIFLE SCOPE **14-15**

NEW OMNIA™ LOW POWER VARIABLE RIFLE SCOPE **16-17**

TRU•BRITE™ 30 SERIES ILLUMINATED RIFLE SCOPE WITH MOUNT **18-19**

4X32MM COMPACT SCOPE SERIES **20**

HANDGUN SIGHTS

TFX™ PRO TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS **22**

TFX™ TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS **23**

TRITIUM PRO HANDGUN NIGHT SIGHTS **24**

TRITIUM HANDGUN NIGHT SIGHTS **25**

FIBER-OPTIC PRO MATCH GRADE HANDGUN SIGHTS **26**

FIBER-OPTIC HIGH VISIBILITY HANDGUN SIGHTS **27**

TFO® THE ORIGINAL TRITIUM + FIBER-OPTIC HANDGUN SIGHTS **28**

RIFLE AND SHOTGUN SIGHTS

TRITIUM FRONT SIGHT POSTS **30**

TFX™ PRO TACTICAL SHOTGUN SIGHTS **31**

FIBER-OPTIC UNIVERSAL SHOTGUN FRONT SIGHT **31**

LIGHTS AND LASERS

LED TAC LIGHT MOUNTED OR HANDHELD TACTICAL FLASHLIGHT **33**

NEW SIGHT•LINE™ HANDGUN SIGHT LASER **34**

MICRO•TAC™ HANDGUN MICRO LASER **35**

TRU•POINT™ LASER / LIGHT COMBO **36**

MOUNTS, TOOLS, AND TARGETS

PISTOL RED•DOT SIGHT MOUNT **38**

NEW PISTOL RED•DOT SIGHT ADAPTER **38**

UNIVERSAL MICRO RED•DOT SIGHT RISER **39**

OFFSET UNIVERSAL MICRO RED•DOT SIGHT MOUNT **39**

OFFSET PICATINNY RAIL MOUNT **40**

TACTICAL SCOPE MOUNT **40**

PICATINNY RISER MOUNTS **40**

AR-15 ARMORER'S TOOL **41**

NEW AR-15 FRONT SIGHT TOOL **41**

SIGHT INSTALLATION KIT **42**

NEW SIGHT•SETTER™ REAR SIGHT ADJUSTMENT TOOL **42**

PISTOL•TEC™ MAGNETIC ARMORER'S BLOCK **43**

MAG•WRENCH™ DISASSEMBLY TOOL **43**

FRONT SIGHT TOOL FOR GLOCK® **44**

ARMORER'S DISASSEMBLY TOOL **44**

NEW COMBO TOOL FOR GLOCK® **44**

TRU•SEE™ TARGETS **45**

BIPODS

TAC•POD™ ADJUSTABLE FOLDING BIPODS **47**

NEW TAC•POD™ CARBON PRO ADJUSTABLE FOLDING BIPODS **48**

OPTIC AND SIGHT SPECIFICATIONS

DOT•OPTICS SPECIFICATIONS **50**

SCOPE SPECIFICATIONS **50**

HANDGUN SIGHT SPECIFICATIONS **51**



DOT•OPTICS


FAST AND PRECISE. DESIGNED FOR YOUR WEAPONS AND TRAINING.

IGNiTE™

RED-DOT SIGHT SERIES



TG8335BN



2-MOA RED-DOT

Provides a crisp point of aim for maximum accuracy.

ALL MODELS

- 2-MOA Red•Dot for precise aiming
- Multi-coated objective lens
- Digital push-button brightness controls
- Remembers last used brightness settings when powering on
- Model TG8322BN includes low and high Picatinny / Weaver-style rail mounts for maximum compatibility
- Model TG8335BN includes cantilever Picatinny rail mount (absolute co-witness with standard backup iron sights)
- Locking windage and elevation adjustments
- Wide field of view
- CNC-machined from aircraft-grade aluminum
- Unlimited eye relief
- Auto-off feature preserves battery life (4-hour idle from last button push)
- Nitrogen gas-filled
- TG8322BN includes rubber lens cover
- Battery included (1.5V AAA)



REPLACEMENT BATTERIES

(1.5V - AAA) Battery included.

IDLE AUTO-OFF

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

ULTRA LIGHTWEIGHT

TRU-CARE™ LIMITED LIFETIME WARRANTY



TG8322BN
High Mount



TG8322BN
Low Mount



HIGH AND LOW BASES INCLUDED

High mounting base (shown above) provides an absolute co-witness with backup iron sights.

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS COVER	MOUNTING
TG8322BN	1 x 22mm	2-MOA Red•Dot	Lightweight CNC-machined aircraft-grade aluminum	Digital push-button controls with 10 brightness settings	<ul style="list-style-type: none"> • Locking windage and elevation • 1/2-MOA per click 	Rubber	High and low Picatinny / Weaver-style mounts included
TG8335BN	1 x 30mm						

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW TRU•TEC™ MICRO


SUB-COMPACT OPEN RED•DOT SIGHT

Whether riding the slide of an optic-ready handgun or outfitting a rifle or shotgun with ultra-lightweight accessories, the new TRU•TEC™ MICRO is here to help. The MICRO incorporates favorite features of the TRU•TEC line in an ultra-lightweight and versatile profile, including digital push-button brightness control and an idle auto-off system to save battery life.



- 3-MOA Red•Dot reticle for fast acquisition
- 23mm x 17mm multi-coated objective lens
- Digital push-button brightness controls
- 10 brightness settings
- Compatible with optic-ready pistols
- Common lug and bolt pattern for maximum compatibility (Vortex®, EOTech®, Docter®, Insight®, Meopta®, etc.) (Models: TG8100B, TG8100B1, TG8100BM, and TG8100G)
- RMR®-compatible mounting system (Model TG8200B)
- Locking windage and elevation adjustments
- Ultra-lightweight (just over 1 oz.)
- CNC-machined from aircraft-grade aluminum
- Unlimited eye relief
- Auto-off feature preserves battery life
- Water-resistant (sealed o-ring design)
- Picatinny / Weaver-style rail mount included

IDLE AUTO-OFF
WATER-RESISTANT
SHOCK-RESISTANT
FOG-PROOF
ULTRA LIGHTWEIGHT



3-MOA RED•DOT

Provides a crisp point of aim for superior speed and accuracy.

- TG8100B
- TG8100B1
- TG8100BM
- TG8200B



3-MOA GREEN•DOT

Provides a crisp point of aim for superior speed and accuracy.

NEW TG8100G



PISTOL COMPATIBLE

TRU•TEC™ MICRO mounts to optic-ready pistols using a common mounting plate bolt pattern. The optic co-witnesses with suppressor-height or high-profile sights. Fits Glock® MOS™ and similar systems.



HARDSHELL COVER INCLUDED

The molded ABS cover snaps on quickly to keep dust, dirt, and moisture off the lens when not in use.



NEW TG8100BM

Offset Picatinny rail mount included



NEW TG8100B1

Glock® rear sight dovetail mount included



MODEL

POWER X OBJECTIVE

RETICLE TYPE

CONSTRUCTION

ADJUSTABLE BRIGHTNESS

WINDAGE / ELEVATION

LENS COVER

MOUNTING

- TG8100B
- NEW** TG8100B1
- NEW** TG8100BM
- NEW** TG8100G
- NEW** TG8200B

1 x 23mm

3-MOA Red•Dot

3-MOA Green•Dot

3-MOA Red•Dot

Lightweight CNC-machined aircraft-grade aluminum

Digital push-button controls with 10 brightness settings

- Locking windage and elevation
- 1-MOA per hash mark

ABS hardshell cover

- Picatinny rail mount
- 4-post direct mount

- Picatinny rail mount
- 4-post direct mount
- Includes dovetail rear sight mount for Glock®

- Picatinny rail mount
- 4-post direct mount

- Picatinny rail mount
- 4-post direct mount

- Picatinny rail mount
- RMR®-compatible direct mount



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TRU•TEC™ 20MM

COMPACT 20MM RED•DOT SIGHT




With included high and low mounting bases, TRU•TEC™ 20mm is the go-to dot optic for nearly any weapon system. Compact and lightweight, TRU•TEC 20mm is equipped with a motion-sensitive auto-on and a programmable auto-off for years of reliable battery life. Coated optics and a precise 2-MOA dot provide a bright, crisp image for superior accuracy.

- 2-MOA Red•Dot for precision aiming
- 20mm objective lens
- Quick-touch power on – tap anywhere on the optic to turn on
- Digital push-button controls
- Multiple brightness settings
- Ultra-long battery life – thousands of hours on a single battery
- Programmable auto-off feature (2hrs - 8hrs)
- Ultra-lightweight / compact design
- Click windage and elevation adjustments
- Turret caps feature built-in adjustment tool
- Unlimited eye relief
- Integrated Picatinny / Weaver-style mounting system
- Includes both low and high mounting bases
- Multi-coated lenses for enhanced clarity and contrast



TG8120QN

Quick-Detach Lever



2-MOA RED•DOT

Provides a crisp point of aim for maximum accuracy.

ALL MODELS



QUICK-DETACH LEVER

Quickly attaches to any Picatinny rail (Model TG8120QN).



HIGH AND LOW BASES INCLUDED

CNC-machined aluminum maximizes strength while minimizing weight.

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS COVER	MOUNTING
TG8120BN	1 x 20mm	2-MOA Red•Dot	Lightweight CNC-machined aircraft-grade aluminum	Digital push-button controls	<ul style="list-style-type: none"> • Click windage and elevation • 1/2-MOA per click 	Rubber	High and low mounts included
TG8120QN							High quick-detach and standard low mount included

MOTION SENSITIVE AUTO-ON

IDLE AUTO-OFF

ULTRA-LONG BATTERY LIFE

WATER-RESISTANT

SHOCK-RESISTANT


FOG-PROOF

ULTRA LIGHTWEIGHT

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TRU•TEC™ 30MM

30MM RED•DOT SIGHT WITH INTEGRATED LASER



2-MOA RED•DOT

Provides a crisp point of aim for maximum accuracy.

ALL MODELS

TRU•TEC™ 30mm combines industry-leading features with tactile digital controls and an integral laser. Whether you want the dot in your optic or projected on your target, control is at your fingertips. Coated optics and a precise 2-MOA dot provide a bright, crisp image for superior accuracy. This robust system is shock-resistant, water-resistant, fog-proof, and ready for just about anything.

- 2-MOA Red•Dot reticle for precision aiming
- Ultra-durable design
- Water-resistant / fog-proof
- 30mm objective lens
- Wide field of view
- Digital push-button controls
- Programmable auto-off feature
- Flip-up lens caps included
- Next-generation, high-efficiency green (520nm, TG8130GN) or red (650nm, TG8130RN) laser diode
- Laser is independently adjustable for windage and elevation
- Mounts to standard Picatinny / Weaver-style rails
- Integrated wire lanyard system prevents loss of screw-down W/E caps
- Requires one CR123A battery (included)
- Multi-coated lenses for enhanced clarity and contrast



TG8130RN

Red Laser



9

QUICK-DETACH LEVER

Quickly attaches to any Picatinny rail.



LASER

Can be independently adjusted for windage and elevation.

MODEL	POWER X OBJECTIVE	RETICLE TYPE	LASER	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING
TG8130BN			-					
TG8130RN	1 x 30mm	2-MOA Red•Dot	Red	Lightweight CNC-machined aircraft-grade aluminum	Digital push-button controls	<ul style="list-style-type: none"> • Click windage and elevation • 1/2-MOA per click • Wire lanyard cap retention 	Flip-up	Integrated quick-detach rail mount
TG8130GN			Green					

IDLE AUTO-OFF

ULTRA-LONG BATTERY LIFE

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TRU-TEC™ XTREME

30MM RED-DOT SIGHT WITH CANTILEVER MOUNT




Building on favorite features of TRU-TEC™ 20mm and 30mm units, the XTREME model takes a bold stance with a rugged cantilever mount, positioned perfectly for back-up iron sights and other optical accessories. With new motion-sensing technology, the dot wakes up instantly and powers down when sitting idle to provide years of battery life.

- 2-MOA Red•Dot reticle for precision aiming
- Motion-sensitive wake feature automatically turns on the dot when the optic is moved
- Multiple brightness settings
- Programmable automatic sleep mode
- Machined aluminum cantilever mount included
- Integrated lanyard system prevents loss of adjustment turret caps
- Wide field of view
- Unlimited eye relief
- Optimal co-witness height for backup iron sights
- Mounts to standard Picatinny / Weaver-style rails




TG8135BN



2-MOA RED-DOT
Provides a crisp point of aim for maximum accuracy.

TG8135BN



ABSOLUTE CO-WITNESS
Co-witness height matches A2 Front sight and standard flip-up sights for a consistent point of aim.



REPLACEMENT BATTERIES
(3V-CR2032) Battery included.

TG988C

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING
TG8135BN	1 x 30mm	2-MOA Red•Dot	Lightweight CNC-machined aircraft-grade aluminum	Digital push-button controls with 12 brightness settings	<ul style="list-style-type: none"> • Click windage and elevation • 1/2-MOA per click • Wire lanyard cap retention 	Flip-up	Cantilever Picatinny / Weaver-style mount included

MOTION SENSITIVE AUTO-ON

IDLE AUTO-OFF

ULTRA-LONG BATTERY LIFE

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MOTION-SENSING WAKE / SLEEP

When the optic or weapon is moved at all, the dot is on. When the weapon sits idle for a programmable amount of time (10min, 1hr, or 12hrs) the dot will sleep to save power, waiting for your next move.

TRITON™ 30MM

TRI-COLOR 30MM DOT SIGHT



TG8230RB



TG8230TB

Sunshade Included

- 5-MOA dot for rapid alignment (model TG8230RB)
- 3-MOA dot for rapid alignment (model TG8230TB)
- Three choices of reticle color for contrast against any target / background (red, green, or blue)
- Model TG8230RB includes one-piece cantilever Picatinny / Weaver-style mount with integrated recoil lug
- Model TG8230TB mounts to standard Picatinny / Weaver-style rails
- Model TG8230TB includes bonus remote ON / OFF momentary pressure switch
- Multi-coated lenses for increased brightness, clarity, and contrast
- Special anti-reflective interior eliminates stray light from appearing inside the sight
- Integrated lanyard system prevents loss of adjustment turret caps

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING
TG8230RB	1 x 30mm	5-MOA TRI-COLOR dot	Lightweight CNC-machined aluminum	Rheostat controlled	<ul style="list-style-type: none"> • Click windage and elevation • 1/2-MOA per click • Polymer lanyard cap retention 	Flip-up	Cantilever Picatinny / Weaver-style mount included
TG8230TB		3-MOA TRI-COLOR Center-Dot			<ul style="list-style-type: none"> • Click windage and elevation • 1-MOA per click • Polymer lanyard cap retention 		

TRI-COLOR


WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

TRU-CARE™ LIMITED LIFETIME WARRANTY


WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



TRI-COLOR 5-MOA DOT

Offers increased speed and superior contrast against any target color.

TG8230RB



11

TRI-COLOR 3-MOA CENTER DOT

Illuminated circle equals 20 in. at 25 yards.

TG8230TB



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C

DUAL-COLOR


30MM DOT SIGHT

- 3-MOA center dot for rapid alignment
- Detachable, extended sunshade eliminates glare from the front lens
- Mounts to standard Picatinny / Weaver-style rails
- Spare battery storage inside cap
- Multi-coated lenses produce more than 95% light transmittance
- Integrated lanyard system prevents loss of adjustment turret caps



TG8030TB

Sunshade Included



DUAL-COLOR 3-MOA CENTER DOT

Illuminated circle equals 20 in. at 25 yards.

TG8030TB



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING
TG8030TB	1 x 30mm	3-MOA DUAL-COLOR Center-Dot	Lightweight CNC-machined aircraft-grade aluminum	Rheostat controlled	<ul style="list-style-type: none"> • Click windage and elevation • 1/2-MOA per click • Polymer lanyard cap retention 	Flip-up	Integrated rail mount

DUAL-COLOR

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

TRU-CARE™ LIMITED LIFETIME WARRANTY

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



SCOPES

WITH A BRIGHT IMAGE AND FULL CONTROL AT YOUR FINGERTIPS.

EMINUS™

PRECISION RIFLE SCOPE


Modern sporting rifles have come a long way in a short time – with accuracy, range, and price being better than ever. It is time for optics that not only keep up, but increase the potential of contemporary marksmen. EMINUS™ is designed as a perfect pairing to rifles tuned for accuracy and practicality. Quarter-MOA locking target turrets correspond easily to the Illuminated TacPlex Reticle for improved shot tracking, measurement, and D.O.P.E. dialing.

TG8562TLR

6-24 x 50mm



- Multi-coated lenses for enhanced clarity and contrast
- 30mm tube for increased turret adjustment range and increased brightness
- 1/4-MOA locking target turrets and MOA-based reticle for simplified adjustments, tracking, and holdover
- Included one-piece mount for a strong hold and ideal mounting position on modern sporting rifles
- Illuminated TacPlex Reticle (T.P.R.) for precision measurement without a crowded sight picture
- Nitrogen gas-filled
- Water-resistant and shock-resistant
- Leaf-spring turret control for positive and responsive click adjustments
- Generous eye relief



TACPLEX ILLUMINATED RETICLE

The glass-etched reticle design provides illumination in the center and on 5 and 10-MOA drops. 1-MOA increments across the reticle easily correspond to the MOA target turrets.



Reticle available in the Strelok™ Pro ballistic calculator app (iOS and Android).



SUNSHADE INCLUDED

Three inch removable aluminum sunshade included on TG8562TLR.

DUAL-COLOR

NITROGEN GAS-FILLED

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

TRU-CARE™ LIMITED LIFETIME WARRANTY



TG8541TLR

4-16 x 44mm



MODEL

TG8562TLR

TG8541TLR

TG8539TLR

POWER X OBJECTIVE

6-24 x 50mm

4-16 x 44mm

3-9 x 42mm

RETICLE TYPE

TacPlex-MOA

CONSTRUCTION

- One-piece aircraft-grade aluminum tube
- 30mm main tube

ADJUSTABLE BRIGHTNESS

11 brightness settings

WINDAGE / ELEVATION

- Locking target turrets
- 1/4-MOA per click
- One-screw design to slip turret cap

LENS CAPS

Flip-up

SUNSHADE

Included (3 in.)

MOUNTING

Monolithic aluminum mount included



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW OMNIA™


LOW POWER VARIABLE RIFLE SCOPE

Created with modern sporting rifles in mind, OMNIA™ precision rifle scopes are designed with features and performance tailored to the modern rifleman. The 1-4x, 1-6x, and NEW 1-8x magnification ranges pair perfectly with a powerful illuminated reticle that offers the best of both worlds for near-field CQB shooting and long distance precision – fulfilling the entire range of tactical carbines. In the OMNIA lineup, powerful accessories come standard, including a quick-zoom lever and purpose-built one-piece mount.



16

- Multi-coated lens for enhanced clarity and contrast
- 30mm tube for increased turret adjustment range and increased brightness
- Locking target turrets prevent accidental adjustment
- 1/2-MOA target turrets and intuitive reticle for simplified adjustments, tracking, and holdover
- Included one-piece mount for a strong hold and ideal mounting position on modern sporting rifles
- Illuminated All Purpose Tactical Reticle (A.P.T.R.) for precision measurement without a crowded sight picture
- Nitrogen gas-filled, fog-proof construction
- Illuminated glass-etched reticle



A.P.T.R. ALL PURPOSE TACTICAL RETICLE

As a ballistic reticle, the A.P.T.R. can be calibrated to any caliber, but is optimized for the 5.56 (55 gr.) XM193 cartridge, providing a 50/200 zero and references out to 600 yards.

Reticle available in the Strellok™ Pro ballistic calculator app (iOS and Android).



TG8516TLR

1-6 x 24mm

NEW

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAPS	MOUNTING
TG8518TLR	1-8 x 24mm	All Purpose Tactical Reticle (A.P.T.R.)	<ul style="list-style-type: none"> One-piece aircraft-grade aluminum tube 30mm main tube 	-	<ul style="list-style-type: none"> Locking target turrets 1/4-MOA per click One-screw design to slip turret cap 	Flip-up	Monolithic aluminum mount included
TG8516TLR	1-6 x 24mm			Rheostat controlled			
TG8514TLR	1-4 x 24mm			-			



REPLACEMENT BATTERIES
(3V-CR2032) Battery included.

TG988C

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


TRU·BRITE™ 30 SERIES

ILLUMINATED RIFLE SCOPE WITH MOUNT



TG8539TL


3-9 x 42mm



DUAL·COLOR ILLUMINATED DUPLEX MIL·DOT

DUAL·COLOR illuminated MIL·DOT center.

Reticle available in the Strellok™ Pro ballistic calculator app (iOS and Android).



MIL·DOT RETICLE

Enables the user to determine the distance of objects of a known size and provides quick aiming references (Calibrated at 8x magnification).



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C

- Scope includes reversible, offset, monolithic 30mm scope mount CNC-machined from aircraft-grade aluminum
- Scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and .308 (168 grain) to engage targets up to 600 yards away
- Glass-etched reticle can be used in black without illumination
- Generous 4 in. eye relief
- DUAL·COLOR illuminated reticle

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE	ELEVATION	LENS CAPS	MOUNTING
TG8539TL	3-9 x 42mm	Illuminated Duplex Mil-Dot	<ul style="list-style-type: none"> • One-piece aircraft-grade aluminum tube • 30mm main tube 	Rheostat controlled	<ul style="list-style-type: none"> • Locking target turret • 1/4-MOA per click 	<ul style="list-style-type: none"> • Locking BDC target turrets • 1/4-MOA per click (Includes .223 and .308 calibrated turret caps) 	Flip-up	Monolithic aluminum mount included

DUAL·COLOR

NITROGEN GAS-FILLED

WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF

TRU·CARE™ LIMITED LIFETIME WARRANTY

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



TG8516TL

1-6 x 24mm

- Scope includes reversible, offset, monolithic 30mm scope mount CNC-machined from aircraft-grade aluminum
- Scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and .308 (168 grain)
- DUAL•COLOR illuminated reticle (TG8516TL)
- Reticle can be used in black without illumination
- Generous 4 in. eye relief
- Quick-zoom lever included (TG8516TL)

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE	ELEVATION	LENS CAPS	MOUNTING
TG8516TL	1-6 x 24mm	Illuminated Duplex Mil-Dot	<ul style="list-style-type: none"> • One-piece aircraft-grade aluminum tube • 30mm main tube 	Rheostat controlled	<ul style="list-style-type: none"> • Locking target turret • 1/4-MOA per click 	<ul style="list-style-type: none"> • Locking BDC target turrets • 1/2-MOA per click (Includes .223 and .308 calibrated turret caps) 	Flip-up	Monolithic aluminum mount included
TG8514BT	1-4 x 24mm	Duplex Mil-Dot	<ul style="list-style-type: none"> • 30mm main tube 	-	<ul style="list-style-type: none"> • Closed turret cap • 1/2-MOA per click 			

DUAL•COLOR

NITROGEN GAS-FILLED


WATER-RESISTANT

SHOCK-RESISTANT

FOG-PROOF


TRU•CARE™ LIMITED LIFETIME WARRANTY

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



DUAL•COLOR ILLUMINATED POWER RING DUPLEX MIL-DOT (TG8516TL)

Combines our Duplex Mil-Dot reticle (Calibrated at 6x) with an illuminated ring for quick acquisition in low light or at low magnification.

 Reticle available in the Strelok™ Pro ballistic calculator app (iOS and Android).



19

BDC TURRETS

Each TRU•BRITE™ 30 scope includes two pre-calibrated BDC turrets in calibers .223 (55 grain) and .308 (168 grain).



REPLACEMENT BATTERIES

(3V-CR2032) Battery included.

TG988C


4 X 32MM COMPACT

SCOPE SERIES




TG8504TL

4 x 32mm
DUAL-COLOR Mil-Dot Reticle



**DUAL-COLOR
MIL-DOT**

TG8504TL



MIL-DOT RETICLE

Enables the user to determine the distance of objects of a known size and provides quick trajectory and wind drift aiming reference.

TG8504BT

- Fully-coated lenses provide maximum brightness, clarity, and contrast
- Durable, scratch-resistant, non-reflective matte finish
- Rubber eye guard
- TG8504TL includes DUAL-COLOR illuminated Mil-Dot reticle

MODEL	POWER X OBJECTIVE	RETICLE TYPE	CONSTRUCTION	WINDAGE / ELEVATION	LENS CAPS	RINGS
TG8504TL	4 x 32mm	DUAL-COLOR Illuminated Mil-Dot	One-piece 1 in. aircraft-grade aluminum tube	<ul style="list-style-type: none"> • Open target turrets • 1/2-MOA clicks 	Elastic	Weaver-style
TG8504BT		Mil-Dot				

DUAL-COLOR

WATER-RESISTANT

SHOCK-RESISTANT

NITROGEN
GAS-FILLED

FOG-PROOF

RINGS INCLUDED

TRU-CARE™ LIMITED
LIFETIME WARRANTY

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



HANDGUN SIGHTS

CARRY YOUR HANDGUN OUT OF THE DARK AGES.

TFX™ PRO

TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS



First we created the original TFO® day / night sight, then made it virtually indestructible with our patented hermetically-sealed TFX™ capsules. Next, we took TFX technology even further for professionals and shooters requiring maximum performance from their handguns – providing ultimate reliability, accuracy, and brightness. With more models available in the TFX™ PRO lineup, it is even easier to top all of your favorite pistols with the world's best handgun sights.



TG13GL1PC

TFX™ PRO


- All features of our popular TFX™ handgun sight
- Contrasting orange front sight FOCUS•LOCK™ ring for even faster focus
- Unmatched visibility in all shooting conditions 24/7
- Machined and assembled in the USA with quality Swiss tritium for maximum brightness
- Glows in the dark – No batteries or light exposure required
- Angled rear sight edge for emergency one-handed operation
- U-notch rear sight for increased speed and accuracy
- FORTRESS FINISH™ nitride protective coating
- Evaluated and recommended by National Tactical Officers' Association (NTOA) field testers
- Fits most standard holsters

MODEL	FIBER-OPTICS	TRITIUM	SEALED CAPSULE	FOCUS•LOCK	NOTCH STYLE	REAR SIGHT PROFILE
TFX™ PRO	Green front and rear	Yes	Yes	Orange	U-notch	Angled hook

- FOCUS•LOCK™ RING
- U-NOTCH REAR SIGHT
- TFX™ SEALED CAPSULE
- ANGLED HOOKED REAR SIGHT PROFILE
- FORTRESS FINISH™
- DUTY PROVEN
- CNC-MACHINED STEEL
- 24/7 BRIGHTNESS
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.



PATENTED SEALED CAPSULE DESIGN

Provides maximum protection and durability.



ANGLED REAR SIGHT EDGE

For emergency one-hand operation.



ADJUSTABLE REAR SIGHT

Available for Glock® Pistols (TG13GLAPC) to fine-tune your elevation.

TFX™

TRITIUM + FIBER-OPTIC XTREME HANDGUN SIGHTS



Glowing bright both day and night, TFX™ sights are always ready. TFX takes our award-winning Tritium + Fiber-Optic technology even further with all the features our customers requested: compact snag-free design, longer sight radius, and amazingly durable construction built to handle just about anything. Illuminating elements are encased inside a virtually indestructible chemical and shock-resistant capsule, and the CNC-machined steel is protected with a rust-resistant FORTRESS FINISH™.



- Fully protected TFO® technology encapsulated in a virtually indestructible capsule
- Impervious to oils, chemicals, cleaning solvents, and ultra-sonic cleaning processes
- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss tritium for maximum brightness
- Glows in the dark – no batteries or light exposure required

- Front sight FOCUS•LOCK™ for fast and accurate shooting
- Concealed fiber cannot be seen by target
- FORTRESS FINISH™ nitride protective coating
- Fits most standard holsters
- Patented

MODEL	FIBER-OPTICS	TRITIUM	SEALED CAPSULE	FOCUS•LOCK	NOTCH STYLE	REAR SIGHT PROFILE
TFX™	Green front and rear	Yes	Yes	White	Square-notch	Smooth

- FOCUS•LOCK™ RING
- SQUARE-NOTCH REAR SIGHT
- TFX™ SEALED CAPSULE
- FORTRESS FINISH™
- DUTY PROVEN
- CNC-MACHINED STEEL
- 24/7 BRIGHTNESS
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.



PATENTED SEALED CAPSULE DESIGN
Provides maximum protection and durability.

SUPPRESSOR-HEIGHT MODELS
Available for Glock® pistols. (TG13GL4A, TG13GL5A).



TFX™ / F.A.S.T. FOCUS ASSISTING SIGHT TECHNOLOGY
A ramp-style rear sight automatically directs the eye for easy alignment. Available for Glock® models (TG13GLFST).

TRITIUM PRO

HANDGUN NIGHT SIGHTS

Simply put, TRUGLO® manufactures bright ideas. When TFX™ PRO sights immediately took off and gained critical acclaim, we noticed that the world of TRITIUM night sights needed a similar upgrade. Starting with the brightness and durability of our original TRITIUM night sights, we added all of our PRO level features, now including an orange FOCUS•LOCK™ ring for increased front sight contrast.



NEW MODELS

TRITIUM PRO sights are available for all of your favorite pistol models, now including the CZ® 75 series.



ANGLED REAR SIGHT EDGE

For emergency one-hand operation.



QUICK AND ACCURATE

U-Notch rear sight design.

- Front sight FOCUS•LOCK™ ring for even faster focus
- Angled rear sight edge for emergency one-hand operation
- Unmatched visibility in all shooting conditions 24/7
- Compact design maintains factory sight radius
- Assembled in USA with quality Swiss tritium for maximum brightness
- Glows in the dark – no batteries or light exposure required
- FORTRESS FINISH™ nitride protective coating
- Fits most standard holsters

MODEL	FIBER-OPTICS	TRITIUM	FOCUS•LOCK	NOTCH STYLE	REAR SIGHT PROFILE
TRITIUM PRO	-	Yes	White or orange (select models)	U-notch	Angled hook

- FOCUS•LOCK™ RING
- NIGHT SIGHTS
- U-NOTCH REAR SIGHT
- ANGLED HOOKED REAR SIGHT PROFILE
- FORTRESS FINISH™
- CNC-MACHINED STEEL
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.

TRITIUM

HANDGUN NIGHT SIGHTS

When the lights go out, your sidearm doesn't need to be left in the dark. TRITIUM night sights transition from standard white dot sights during the daylight, to glowing green dots in the dark. Tritium does not need batteries and does not need to be charged with light – it simply glows!




- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss tritium for maximum brightness
- Glows in the dark – no batteries or light exposure required
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Snag-resistant design fits most standard holsters

MODEL	FIBER-OPTICS	TRITIUM	FOCUS-LOCK	NOTCH STYLE	REAR SIGHT PROFILE
TRITIUM	-	Yes	-	Square-notch	Smooth

- NIGHT SIGHTS
- DUTY PROVEN
- FORTRESS FINISH™
- CNC-MACHINED STEEL
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.



**DAYLIGHT:
BRIGHT WHITE DOTS**




**NIGHT:
GREEN TRITIUM DOTS**

FIBER-OPTIC PRO


COMPETITION HIGH-VISIBILITY HANDGUN SIGHTS

FIBER-OPTIC PRO delivers a sight picture that is fast and accurate for competitive and recreational shooters. A patented light reflector focuses available light from all angles onto the fiber for a brighter glow, even in low light conditions.



TG132G1

FIBER-OPTIC PRO



PATENTED LIGHT REFLECTOR

Redirects available light to the fiber, giving it a brighter glow than traditional fiber-optic sights. Spare reflectors included.

- Ultra-bright fiber-optic front sight for fast acquisition
- Patented light reflector design
- Blacked-out rear sight for increased contrast
- Serrated sight faces reduce glare
- Includes spare fibers and reflector tape
- Fits most standard holsters



SPARE FIBERS INCLUDED

- .050 in. diameter
- Yellow
- Ruby red
- Green

MODEL	FIBER-OPTICS	TRITIUM	FOCUS-LOCK	NOTCH STYLE	REAR SIGHT PROFILE
FIBER-OPTIC PRO	Red front, other colors included	-	-	Square-notch	Target

- BRIGHT TRUGLO FIBER-OPTIC
- FORTRESS FINISH™
- CNC-MACHINED STEEL
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.

FIBER-OPTIC

HIGH-VISIBILITY HANDGUN SIGHTS



- Fiber-optics for the brightest aiming points even in low-light conditions
- TRI•DOT™ aiming system of contrasting front and rear colors
- Concealed fiber cannot be seen by target
- FORTRESS FINISH™ provides a permanent protective coating for maximum protection
- Snag-resistant design
- Fits most standard holsters



27

SEE IT BETTER, SHOOT IT BETTER

Upgrading from standard iron sights to bright fiber-optic sights is a cost-effective and practical way to improve accuracy and performance.

MODEL

FIBER-OPTIC



FIBER-OPTICS

Red front, green rear

TRITIUM

-

FOCUS•LOCK

-

NOTCH STYLE

Square-notch

REAR SIGHT PROFILE

Smooth

BRIGHT TRUGLO
FIBER-OPTIC

FORTRESS
FINISH™

CNC-MACHINED
STEEL

12-YEAR LIMITED
WARRANTY

ASSEMBLED
IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.

TFO[®]

THE ORIGINAL TRITIUM + FIBER-OPTIC HANDGUN SIGHTS

The better you can see your sights, the better you can shoot. We brought fiber-optics to the shooting sports industry decades ago for this very reason. TFO[®] pairs our fiber-optic sights with our tritium night sights to create a consistently bright sight picture – day or night! Our patented combination of tritium and fiber-optic technologies unites the best of both worlds – providing the same bright sight picture whether you are in glaring daylight or complete darkness.



TG131GT1

TFO[®]



YELLOW FIBER REAR SIGHT MODELS

Also available: Yellow fibers in the rear sight increase contrast and aid in quickly focusing on the brighter green front sight. (See page 51 for model listing).

- The first handgun sight of its kind – combining tritium and fiber-optic illumination
- Unmatched visibility in all shooting conditions 24/7
- Assembled in USA with quality Swiss tritium for maximum brightness
- Glows in the dark – no batteries or light exposure required
- Concealed fiber cannot be seen by target
- Available with green or yellow rear sights
- FORTRESS FINISH™ nitride protective coating
- Snag-resistant design / fits standard holsters
- Fits most standard holsters

MODEL	FIBER-OPTICS	TRITIUM	SEALED CAPSULE	FOCUS-LOCK	NOTCH STYLE	REAR SIGHT PROFILE
TFO [®]	Green front, green or yellow rear	Yes	-	-	Square-notch	Smooth

- FORTRESS FINISH™
- DUTY PROVEN
- CNC-MACHINED STEEL
- 24/7 BRIGHTNESS
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

See page 51 for additional specs and complete model listing.



RIFLE AND SHOTGUN SIGHTS

BE MORE EFFECTIVE, NEAR AND FAR.



TRITIUM FRONT SIGHT

REPLACEMENT FRONT SIGHT POST



TG231AR1



TG231AK1

- Glows in the dark – no light exposure required!
- Adjustment / Installation tool included
- AK-47 post (TG231AK1) includes windage drum
- Replaces standard front sight post

MODEL

TG231AR1

TG231AK1

COMPATIBILITY

AR-15 iron sights with A2 front sight posts

AK-47, AKM, and AK-74 standard front sights

FORTRESS FINISH™

CNC-MACHINED STEEL

12-YEAR LIMITED WARRANTY

ASSEMBLED IN THE USA


WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



TFX™ PRO

TACTICAL SHOTGUN SIGHTS

- Front sight utilizes TFX™ technology for 24/7 brightness
- Uses the brightest Swiss tritium available
- Glows in the dark – no batteries or light exposure required
- Concealed fiber cannot be seen by target
- Front and rear sight fits Remington® shotguns with dovetail sight mounts



QUICK AND ACCURATE
U-Notch rear sight design.

MODEL	REAR SIGHT	FIBER-OPTICS	TRITIUM	FOCUS-LOCK
TG13RM1PB	U-notch	Yes	Yes	White


- FOCUS-LOCK™ RING
- FORTRESS FINISH™
- TFX™ SEALED CAPSULE
- 24/7 BRIGHTNESS
- 12-YEAR LIMITED WARRANTY
- ASSEMBLED IN THE USA

⚠ WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

FIBER-OPTIC

UNIVERSAL SHOTGUN FRONT SIGHT

- Designed for plain barrel shotguns
- Easy installation
- Extremely low profile
- Ultra-tough construction
- Fiber diameter .078 in.
- UNIVERSAL – Fits 12-20 ga. shotgun barrels without rib



MODEL	GAUGE	FIBER COLOR
TG92HA	12-20	Red
TG93HA		Green

- BRIGHT TRUGLO FIBER-OPTIC
- UNIVERSAL FIT



LIGHTS AND LASERS

MAINTAIN THE ADVANTAGE WHEN THE SUN GOES DOWN.

LED TAC LIGHT

WEAPON-MOUNTED OR HANDHELD TACTICAL FLASHLIGHT



TG7670T1

- 250 lumen output
- Pressure switch included (ON / OFF or momentary)
- Machined aircraft-grade aluminum
- Operates on included 3.7V-18650 rechargeable batteries
- 45° Picatinny rail mount attaches to rifle without blocking sights or optic
- AC and DC (12v) chargers included
- Includes push-button tail cap for handheld use
- Plastic carry case included

MODEL

TG7670T1

DESCRIPTION

Tactical light kit with charging system, mounts, and carry case

POWER

250 Lumens



CONSTANT OR STROBE MODES

Toggle between a constant beam or rapid strobe for a disorienting effect. Both modes are available with the remote pressure switch or the push-button tail cap.



LIGHT ON GUN



COMPLETE KIT



POWER SOURCE

(3.7V-18650, Lithium)
Battery and spare batteries included.

TG988J



NEW

SIGHT-LINE™ LASER

HANDGUN LASER SIGHT



LASER MODES

Constant

Pulse

Pulsing laser quickly draws the eye and extends battery life.



FITS ALL POPULAR RAIL STYLES

- Bright green or red laser marks point of impact on target
- Compact, lightweight design for comfortable concealed carry
- Constant or pulsing beam modes
- Single battery design for easy replacement without removing laser from the rail
- Easy ambidextrous activation for left and right-handed users
- Adjustable windage and elevation
- Fits Picatinny / Weaver-style, Glock®, and many other pistol rails
- Adjustable recoil lug for versatile positioning
- Battery life: 8 hours continuous, 18 hours in pulse mode
- Operating temperature: -4°F (-20° C) to 149°F (65° C)

MODEL	LASER COLOR	CONSTRUCTION	MODES	ADJUSTMENTS	MOUNTING
NEW TG7620G	Green (520nm)	Lightweight composite construction	• Constant • Pulse	Windage and elevation set-screws	Integrated rail mount
NEW TG7620R	Red (650nm)				



POWER SOURCE

(3V-CR1/3N, Lithium) Battery included.

TG988H

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MICRO-TAC™

HANDGUN MICRO LASER



- Next generation, high-efficiency superconductor laser diode
- Pulse and constant laser modes
- Easy ambidextrous push-button activation for left and right-handed users
- Recessed ON / OFF buttons eliminate accidental activation

- Automatically shuts off after 5 minutes to conserve power
- Mounts to standard Picatinny / Weaver-style rails
- Operating temperature: 14°F (-10°C) to 122°F (50°C)
- Weighs less than 1 oz.

MODEL	LASER COLOR	CONSTRUCTION	MODES	ADJUSTMENTS	MOUNTING
TG7630G	Green (520nm)	Lightweight CNC-machined aircraft-grade aluminum	<ul style="list-style-type: none"> • Constant • Pulse 	Windage and elevation set-screws	Integrated rail mount
TG7630R	Red (650nm)				

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LASER MODES

Constant

Pulse

Pulsing laser quickly draws the eye and extends battery life.



35

**FITS ALL POPULAR
RAIL STYLES**



POWER SOURCE

(15V-377, Silver Oxide)
Battery and spare batteries included.
(TG7630G requires 6 batteries,
TG7630R requires 4 batteries).

TG988E

TRU•POINT™

LASER / LIGHT COMBO

Why choose between a light or a laser when you can have both? TRU•POINT™ brings powerful illumination options to the rail of your favorite weapon. With the flick of a switch, choose between a laser for pinpoint accuracy, a 250 lumen medium flood LED light for target identification, or run them at the same time for the best of both worlds.

TG7650R

RED LASER



TG7650G

GREEN LASER



- Laser located in flashlight housing for a more compact design
- Interchangeable back plates for left or right-hand use included
- Mounts to standard Picatinny / Weaver-style rails
- Quick-detach lever for fast and easy, tool-less removal
- Operating temperature: 14°F (-10°C) to 122°F (50°C)
- Remote momentary pressure ON / OFF switch also included

MODEL	LASER COLOR	CONSTRUCTION	MODES	ADJUSTMENTS	MOUNTING
TG7650G	Green (520nm)	Lightweight CNC-machined aircraft-grade aluminum	<ul style="list-style-type: none"> • Laser • Flashlight • Laser & Flashlight 	Windage and elevation set-screws	Integrated quick-detach rail mount
TG7650R	Red (650nm)				

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LASER / LIGHT MODES

Constant

Flashlight

Flashlight and Laser



QUICK-DETACH LEVER

Quickly attaches to any Picatinny rail.



VERSATILE

Designed for maximum compatibility with rifle, pistol, and shotgun.



POWER SOURCE

(3V-CR123A).

TG988F



MOUNTS, TOOLS, AND TARGETS

BUILD A BETTER WEAPON SYSTEM.



PISTOL RED-DOT SIGHT MOUNT

- Transforms the rear sight dovetail into an optic mount (TG8950G1 and TG8950G2 models)
- CNC-machined billet steel
- Low profile fit
- Easy to install with basic tools
- Nitride FORTRESS FINISH™
- Product made in USA



Mount an optic to a pistol using the rear sight dovetail without machining the slide.

MODEL

GUN COMPATIBILITY

TG8950G1	All Glock® models except 42 / 43
TG8950G2	
TG8950R1	Ruger® Mark II and Mark IV series pistols (replaces rail)
TG8950R2	
TG8950M1	S&W® M&P (including SHIELD & .22 models, excluding .22 Compact / C.O.R.E. models), SD9 AND SD40 (excluding VE models)
TG8950M2	
TG8950C1	CZ® P10 (most models)
TG8950C2	

OPTIC COMPATIBILITY

TRUGLO® TRU-TEC™ Micro, Vortex® Viper, Docter®, and Burris® FastFire™
Trijicon® RMR®
TRUGLO® TRU-TEC™ Micro, Vortex® Viper, Docter®, and Burris® FastFire™
Trijicon® RMR®
TRUGLO® TRU-TEC™ Micro, Vortex® Viper, Docter®, and Burris® FastFire™
Trijicon® RMR®
TRUGLO® TRU-TEC™ Micro, Vortex® Viper, Docter®, and Burris® FastFire™
Trijicon® RMR®

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW

PISTOL RED-DOT SIGHT ADAPTER

- Fits popular dot sight models
- Adapts RMR-cut slides to fit other optic models, including: Docter® Optics, TRUGLO® TRU-TEC™ Micro, Vortex® Viper™, Burris® FastFire™ Series, EOTech® MRDS, Meopta® Meosight Series
- CNC-machined
- Mounting hardware included
- Nitride FORTRESS FINISH™

NEW TG8952B



Adapter RMR-cut slides to accept a variety of different optics including Leupold®, Vortex®, EOTech®, Burris®, Meopta®, and more.

MODEL

GUN COMPATIBILITY

OPTIC COMPATIBILITY

TG8952B	Trijicon® RMR® cut pistol slides	TRUGLO® TRU-TEC™ Micro (TG8100B, TG8100BM, TG8100G), Leupold®, Vortex®, EOTech®, Burris®, Meopta®, and more.
----------------	----------------------------------	--

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

UNIVERSAL MICRO RED-DOT SIGHT RISER

- Fits popular micro dot optics
- Great for AR pistols and carbines
- CNC-machined aircraft-grade aluminum
- Raises micro sights to co-witness height

TG8977B



MODEL

TG8977B

GUN COMPATIBILITY

Receivers with Picatinny rail

OPTIC COMPATIBILITY

T.O.P.S.™ Universal (most major optic brands)

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



PLATE 1

TRUGLO® TRU-TEC™ Micro, Vortex® Viper, Docter®, and Burris® FastFire™

PLATE 2

Trijicon® RMR

PLATE 3

Leupold® DeltaPoint™



39

OFFSET UNIVERSAL MICRO RED-DOT SIGHT MOUNT

- Compatible with popular optic models
- Mounts an additional optic for backup or close-range use
- Mounts to firearms with Picatinny / Weaver-style rails
- Ambidextrous design for versatile placement
- Rated for all calibers up to .45-70 Government

TG8976B



MODEL

TG8976B

GUN COMPATIBILITY

Receivers with Picatinny rail

OPTIC COMPATIBILITY

T.O.P.S.™ Universal (most major optic brands)

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Slim rail mount design fits under scopes to provide a close range backup sight.

OFFSET PICATINNY RAIL MOUNT

- 45° angled mount
- Mounts to standard Picatinny / Weaver-style rails
- Angled mount provides fast transition to backup optic
- Ideal for mounting lights / lasers without blocking optical sight
- Slim design minimizes weight and bulk
- Mounts in any configuration: left or right side, top, or bottom rail
- CNC-machined 6061-T6 aluminum



TG8975B

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MODEL	LENGTH	ANGLE	MOUNTING
TG8975B	2 in.	45°	Picatinny rail mount with recoil lug

TACTICAL SCOPE MOUNT

- Available in 1 in. or 30mm diameter
- Mounts to Picatinny rails
- CNC-machined construction
- Reversible one-piece base
- 4 bolts per ring for an extremely strong hold
- Integrated adjustable recoil lug
- Centerline is approximately 1.5 in. above mounting rail



TG8963B

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MODEL	LENGTH	HEIGHT	RING SIZE	MOUNTING
TG8963B	2 7/8 in. base	1 in.	1 in.	Picatinny rail mount with recoil lug
TG8964B			30mm	

PICATINNY RISER MOUNTS

- Mounts to existing Picatinny rail
- CNC-machined aluminum
- Easy to install without modification
- Ideal for mounting scopes or dot optics
- Great for any AR-15 flattop receiver



TG8970B

TG8972B

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

MODEL	STYLE	LENGTH	HEIGHT	MOUNTING
TG8970B	1-Piece	4 in.	1/2 in.	Picatinny rail mount with recoil lug
TG8980B			3/4 in.	
TG8990B			1 in.	
TG8972B	2-Piece	1.36 in.	1/2 in.	
TG8982B			3/4 in.	
TG8992B			1 in.	

AR-15 ARMORER'S TOOL

- Standardized tools for customizing and repairing AR-15 platform rifles, carbines, and pistols
- Takedown / hinge pin pusher tool for easy disassembly
- High strength solid steel construction
- Black powder coat finish
- Includes bonus 1911 barrel bushing tool, bottle opener, and hammer



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW AR-15 FRONT SIGHT TOOL

- Remove, install, or adjust the front sight post on AR-15 platform rifles, carbines, and pistols
- Fits 5-pin (A1) or 4-pin (A2) AR-15 sight posts
- Diamond knurled grip
- CNC-machined hardened steel
- Black oxide plating



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



SIGHT INSTALLATION KIT

- Front and rear sight installation tools for Glock® pistols
- Remove, install, or adjust factory or after-market sights
- Approved for use with tritium night sights
- Compatible with suppressor height sights
- Compatible with pistol Red•Dot sight mounts (TG8950G1 / TG8950G2)



42 **⚠ WARNING:** This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW **SIGHT-SETTER™**
REAR SIGHT ADJUSTMENT TOOL

- Easily make left / right adjustments to your rear sight
- Magnetic holder retains wrench
- Composite construction will not scratch slide
- Not for sight installation
- For Glock® models: 17, 19, 22, 23, 24, 26, 27, 31, 32, 33, 34, 35, 36, 41, 45



NEW TG970G1



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

PISTOL-TEC™

MAGNETIC ARMORER'S BLOCK

- Holds pistol components during maintenance and disassembly
- Easily remove pins on most pistols, rifles, and shotguns
- Integrated magnet holds pins and small parts
- Non-marring polymer material won't harm the pistol's finish
- Solvent safe - won't fade, wear, or crack when exposed to common gun cleaning chemicals
- 1911 barrel bushing tool and main spring removal tool included
- Compatible with Glock® 2, 3, or 4-pin trigger assemblies

TG974B



⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

43

MAG-WRENCH™ DISASSEMBLY TOOL

- Removes Glock® factory magazine base plates
- Easily change base plates and replace springs
- Compatible with Glock® 42/43 single stack magazines with factory finger extension
- Made from machined aircraft-grade aluminum

TG970GM



VERSATILE DESIGN

Compatible with single-stack or double-stack factory magazines.

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



FRONT SIGHT TOOL

FOR GLOCK®

- Easily removes / installs Glock® and Walther® front sights
- All-steel construction

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



TG970GF

ARMORER'S DISASSEMBLY TOOL

44

- 2.5mm diameter hardened steel pin
- CNC-machined aluminum body / handle
- Compatible with all Glock® models and many other firearms
- Useful for the removal of action / trigger pins during disassembly

⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.




TG970GD

NEW COMBO TOOL

FOR GLOCK®

- 2.5mm diameter hardened steel pin
- Easily removes / installs Glock® front sights
- Useful for the removal of action / trigger pins during disassembly
- Internal magnet holds front sight screw during installation
- All-steel construction


⚠ WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



NEW TG970GC

TRU·SEE™ TARGETS

REACTIVE / SPLATTER TARGETS



- Ideal for all weapon types
- Point of impact visibility is enhanced by a fluorescent green or pink halo
- Flat finish with fluorescent green or pink background is easy to see downrange
- Shoot target as is or peel-and-stick the target to your favorite backstop
- Printed on heavy stock paper with a self-adhesive backing for increased target life

MODEL (6-PACK)

TG10A6
TG11A6
TG11P6
TG13A6
TG13P6
TG14A6
TG14P6
TG15A6

MODEL (12-PACK)

TG10A12
TG11A12
-
TG13A12
-
TG14A12
-
-

MODEL (50-PACK)

TG10A50
TG11A50
-
TG13A50
-
TG14A50
-
TG15A50

DESCRIPTION

100 Yard
5-Bullseye
Handgun
5-Diamond
Handgun Diagnostic

COLOR

Green	●
Green	●
Pink	●
Green	●
Pink	●
Green	●
Pink	●
Green	●

EASY TO SEE DOWNRANGE

ACCU·GRID SIGHTING SYSTEM

PEEL-AND-STICK TARGETS

SELF-ADHESIVE REPAIR DOTS



45

SELF-ADHESIVE TARGETS

Stick to almost any surface. Adhesive repair dots cover holes and extend target life.




BIPODS

TAC-POD™

ADJUSTABLE FOLDING BIPODS

- Mounts to sling swivel stud or Picatinny rail
- Lightweight and compact with quick deployment
- Great for bench or prone shooting
- Spring-assisted design
- Included sling stud adapter can be used without bipod for additional sling mounting options
- Padded rubberized feet
- Pivoting base for precision leveling on uneven surfaces
- Lever lock for quick tension adjustments or complete locking



PICATINNY RAIL SLING STUD ADAPTER INCLUDED

MODEL	CONSTRUCTION	BASE STYLE	MOUNTING	LEG LENGTH
TG8901S	Lightweight all-metal construction with rubber feet	Fixed base	Swing swivel clamp or Picatinny rail mount (included)	6-9 in. (1/2 in. Increments)
TG8901L				9-13 in. (1/2 in. Increments)
TG8901X				13-23 in. (1/2 in. Increments)
TG8901Z				14-29 in. (1/2 in. Increments)
TG8902S		Pivoting base		6-9 in. (1/2 in. Increments)
TG8902L				9-13 in. (1/2 in. Increments)
TG8902X				13-23 in. (1/2 in. Increments)
TG8902Z				14-29 in. (1/2 in. Increments)

WARNING: This product can expose you to chemicals including chromium, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NEW

TAC-POD™ CARBON PRO

ADJUSTABLE FOLDING BIPODS

- Mounts to Picatinny rail
- Rotating design allows for easy shooting angle adjustment without repositioning legs
- Carbon fiber legs provide strength with minimal weight
- Lightweight and compact with quick deployment
- Great for bench or prone shooting
- Padded rubberized feet
- Pivoting base for precision leveling on uneven surfaces
- Durable construction for the harshest environments

NEW TG8903S

6-9 in.

NEW TG8903L

9-13 in.

PUSH-BUTTON
Leg lock and deployment

TWIST-LOCK
Adjustable leg length



MODEL

NEW TG8903S

NEW TG8903L

CONSTRUCTION

Carbon fiber and aluminum construction with rubber feet

BASE STYLE

Pivoting base

MOUNTING

Swing swivel clamp or Picatinny rail mount (included)

LEG LENGTH

6-9 in.

9-13 in.

UNLOCK

Adjust the pan, tilt, and roll for various shooting positions.

LOCK

Lock the bipod for a steady shot.




OPTIC AND SIGHT SPECIFICATIONS

DOT•OPTIC SPECIFICATIONS

MODEL	PAGE	LENGTH (inches)	LENGTH WITH SUNSHADE (inches)	WEIGHT (ounces)	POWER / OBJECTIVE LENS	OPTIC HEIGHT (inches)	CO-WITNESS HEIGHT (inches)	FIELD OF VIEW (feet@100yards)	EYE RELIEF (inches)	PARALLAX SETTING (yards)	CLICK VALUE (Minutes of Angle)	RANGE OF ADJUSTMENT (inches at 100yds)	RETICLE COLOR	RETICLE TYPE	BATTERY	MOUNT
TG8322BN	4	2.875	-	7 (high mount) 5.8 (low mount)	1x 22mm	2.52 (high mount) 1.72 (low mount)	1.58 (high mount) .81 (low mount)	Unlimited	Unlimited	30	0.5	40	●	2-MOA Dot	1.5V AAA	High and low Picatinny / Weaver-style mounts included
TG8335BN	4	5.125	-	11	1x 30mm	2.87	1.43	68	Unlimited	30	0.5	40	●	2-MOA Dot	1.5V AAA	Cantilever Picatinny mount included
TG8100B/ B1/BM	6	1.81	-	1.1	1x 23mm	.96 1.16 (Picatinny mount)	.57 .76 (Picatinny mount)	Unlimited	Unlimited	30	1	120	●	3-MOA Dot	CR2032	Picatinny (included) or 4-post direct mount
TG8100G	6	1.81	-	1.1	1x 23mm	.96 1.16 (Picatinny mount)	.57 .76 (Picatinny mount)	Unlimited	Unlimited	30	1	120	●	3-MOA Dot	CR2032	Picatinny (included) or 4-post direct mount
TG8200B	6	1.81	-	1.1	1x 23mm	.96 1.16 (Picatinny mount)	.57 .76 (Picatinny mount)	Unlimited	Unlimited	30	1	120	●	3-MOA Dot	CR2032	Picatinny (included) or RMR [®] -compatible direct mount
TG8120BN	8	2.4	-	4.91 (high mount) 4.0 (low mount)	1x 20mm	2.30 (high mount) 1.38 (low mount)	1.63 (high mount) .71 (low mount)	46	Unlimited	30	0.5	40	●	2-MOA Dot	CR2032	High and low Picatinny / Weaver-style mounts included
TG8120QN	8	2.4	-	4.91 (high mount) 4.0 (low mount)	1x 20mm	2.30 (high mount) 1.38 (low mount)	1.63 (high mount) .71 (low mount)	46	Unlimited	30	0.5	40	●	2-MOA Dot	CR2032	High QD and low Picatinny / Weaver-style mounts included
TG8130GN	9	5.78	-	12.9	1x 30mm	2.25	1.43	68	Unlimited	30	0.5	40	●	2-MOA Dot	CR125A	Integrated Picatinny QD mount
TG8130BN	9	5.78	-	12.6	1x 30mm	2.25	1.43	68	Unlimited	30	0.5	40	●	2-MOA Dot	CR123A	Integrated Picatinny QD mount
TG8130RN	9	5.78	-	12.9	1x 30mm	2.25	1.43	68	Unlimited	30	0.5	40	●	2-MOA Dot	CR123A	Integrated Picatinny QD mount
TG8135BN	10	5.24	-	10	1x 30mm	2.87	1.43	68	Unlimited	30	0.5	40	●	2-MOA Dot	CR2032	Cantilever Picatinny mount included
TG8230RB	11	5.2	-	11.3 (includes mount)	1x 30mm	2.21	1.62	68	Unlimited	30	0.5	30	●●●	5-MOA Dot	CR2032	Cantilever Picatinny mount included
TG8230TB	11	3.85	5.83	9.1	1x 30mm	1.61	1.02	68	Unlimited	30	1	30	●●●	3-MOA Center Dot	CR2032	Integrated Picatinny mount
TG8030TB	12	3.82	5.83	8.1	1x 30mm	1.61	1	68	Unlimited	30	1	30	●●●	3-MOA Center Dot	CR2032	Integrated Picatinny mount

SCOPE SPECIFICATIONS

MODEL	PAGE	DIMENSIONS (inches)							WEIGHT (ounces)	MAG.	OBJ. DIA. (mm)	FIELD OF VIEW (feet@100yards)		EYE RELIEF (inches@.75diopter)		PARALLAX SETTING (yards)	CLICK VALUE (Minutes of Angle)	RANGE OF ADJUSTMENT (inches at 100yds)	RETICLE TYPE	BATTERY	MOUNT	FOCAL PLANE
		A	B	C	D	E	F	G			HIGH POWER	LOW POWER	HIGH POWER	LOW POWER								
TG8562TLR	14	15.4	6.2	2.4	2.2	1.63	1.18	1.18	30.8 (includes mount and QZ lever)	6-24x	50	4.1	16.6	3.8	4.3	10-∞	0.25	60	TacPlex-MOA	CR2032	1-Piece rail mount included	-
TG8541TLR	14	15	6.13	2.4	2.3	1.63	1.18	1.18	29.68 (includes mount and QZ lever)	4-16x	44	23.7	5.9	3.5	3.5	20-∞	0.25	60	TacPlex-MOA	CR2032	1-Piece rail mount included	-
TG8539TLR	14	13.5	5	2	1.65	1.63	1.18	1.18	27 (includes mount and QZ lever)	3-9x	42	11.7	33.1	3.5	3.8	100	0.25	60	TacPlex-MOA	CR2032	1-Piece rail mount included	-
TG8514TLR	16	10.68	-	-	1.8	1.57	1.18	1.18	23.68 (includes mount and QZ lever)	1-4x	24	23.7	97.3	3.8	4.6	100	0.25	60	A.P.T.R.	CR2032	1-Piece rail mount included	-
TG8516TLR	16	11.55	-	-	2.25	1.57	1.18	1.18	23.85 (includes mount and QZ lever)	1-6x	24	17.2	107.3	2.9	3.5	100	0.25	60	A.P.T.R.	CR2032	1-Piece rail mount included	-
TG8518TLR	16	14.09	-	-	2.32	1.75	1.18	1.18	26.04 (includes mount and QZ lever)	1-8x	24	14.8	123.2	2.6	2.9	100	0.25	60	A.P.T.R.	CR2032	1-Piece rail mount included	-
TG8539TL	18	9.92	4.05	1.42	1.38	1.67	1.93	1.18	29.8 (includes mount and QZ lever)	3-9x	42	12.1	28.8	3.81	4.3	100	0.25	30	IR Mil-Dot	CR2032	1-Piece rail mount included	-
TG8514BT	19	9.88	5.7	2.81	1.5	1.67	1.18	1.18	20.8 (includes mount)	1-4x	24	23	92.6	3.15	3.7	50	0.5	50	Duplex Mil-Dot	-	1-Piece rail mount included	-
TG8516TL	19	10.39	7.02	3.24	2.11	1.77	1.18	1.18	28.2 (includes mount and QZ lever)	1-6x	24	18.2	103.7	4.7	4.7	100	0.5	50	IR Mil-Dot with power ring	CR2032	1-Piece rail mount included	-
TG8504TL	20	9.8	3.8	1.6	1.06	1.67	1.46	1	15.8 (includes rings)	4x	32	20.79	20.79	5.5	5.5	100	0.25	30	IR Mil-Dot	CR2032	Weaver-style rings included	-
TG8504BT	20	9.8	3.8	1.6	1.06	1.46	1.46	1	12.9 (includes rings)	4x	32	20.79	20.79	5.5	5.5	100	0.25	30	Mil-Dot	-	Weaver-style rings included	-



MIL-DOT RETICLE



POWER RING DUPLEX MIL-DOT RETICLE




DUPLEX MIL-DOT RETICLE



ALL PURPOSE TACTICAL RETICLE



TACPLEX-MOA RETICLE



HANDGUN SIGHT SPECIFICATIONS

MODELS

KEY FEATURES

	TFX [®] PRO		TFX [®]			TFO [®]		FIBER-OPTIC PRO	FIBER-OPTIC	TRITIUM PRO		TRITIUM
	ADJUSTABLE REAR	STANDARD HEIGHT	TFX FRONT F.A.S.T. REAR	STANDARD HEIGHT	SUPPRESSOR HEIGHT							
FIBER-OPTIC ILLUMINATION	-	Yes	-	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No
TRITIUM ILLUMINATION	-	Yes	-	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes
SEALED TFX[®] CAPSULE	-	Yes	-	Yes	Yes	No	No	No	No	No	No	No
REAR SIGHT PROFILE	-	Hooked	-	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Hooked	Hooked	Smooth
REAR SIGHT NOTCH	-	U-notch	-	Square	Square	Square	Square	Square	Square	U-notch	U-notch	Square
FOCUS-LOCK[™] RING	-	Orange	-	White	White	-	-	-	-	White	Orange	-

HANDGUN MODELS

BERETTA[®] PX4 STORM (excluding Compact)	-	TG13BR1PC*	-	TG13BR1A*	-	-	-	-	-	TG231B1W	-	-
CZ[®] 75 SERIES (most models)	-	TG13CZ1PC	-	TG13CZ1A	-	-	-	TG13CZ2	-	TG231Z1W	TG231Z1C	-
CZ[®] P10 (most models; excluding optic-ready models)	-	TG13CZ2PC	-	TG13CZ2A	-	-	-	-	-	TG231Z2W	TG231Z2C	-
FNH[®] FNP-9, FNX-9 & FNS-9 (including Compact)	-	TG13FN1PC	-	TG13FN1A	-	-	-	-	-	TG231F1W	-	-
FNH[®] FNP-40, FNX-40 & FNS-40 (including Compact)	-	TG13FN2PC	-	TG13FN2A	-	-	-	-	-	TG231F2W	-	-
FNH[®] FNP-45, FNX-45	-	TG13FN3PC	-	TG13FN3A	-	-	-	-	-	TG231F3W	-	-
GLOCK[®] 17 / 17L, 19, 22, 23, 24, 26, 27, 33, 34, 35, 38, 39 & 45	-	TG13GLAPC	TG13GLFST	TG13GL1A	TG13GL4A	TG13GT1	TG13GT1Y	TG13G1	TG13G1	TG231G1W	TG231G1C	TG231G1
GLOCK[®] 20, 21, 25, 29, 30, 31, 32, 37, 40, & 41	-	TG13GL2PC	-	TG13GL2A	TG13GL5A	TG13GT2	TG13GT2Y	TG13G2	TG13G2	TG231G2W	TG231G2C	TG231G2
GLOCK[®] 42, 43, 48, AND HONOR DEFENSE[®] (all models)	-	TG13GL3PC	-	TG13GL3A	-	TG13GT1A	TG13GT1B	-	TG13G3	TG231G1AW	TG231G1AC	TG231G1A
GLOCK[®] MOS 17, 19, 34, 35 & 45	-	-	-	-	-	-	-	TG13G4	-	TG231G1MW	-	-
GLOCK[®] MOS 40 & 41	-	-	-	-	-	-	-	TG13G5	-	TG231G2MW	-	-
H&K[®] VP9, VP40, P30, P30SK, P30L, 45, & 45 TACTICAL (including Compact)	-	TG13HP1PC	-	TG13HP1A	-	-	-	-	-	TG231H1W	-	-
KAHR ARMS[®] K, MK, P, PM, T & TP MODELS WITH NEW DOVETAIL (produced after 2004)	-	TG13KA1PC	-	TG13KA1A	-	TG13IAT1	TG13IAT1Y	-	-	TG231A1W	-	-
KIMBER[®] 1911 MODELS WITH FIXED REAR SIGHT	-	TG13KM1PC	-	TG13KM1A	-	TG131KT	TG131KTY	-	TG131K	TG231K1W	-	TG231K
1911 – CUT .260 FRONT / .450 REAR** (1911 5" Government .45 ACP)**	-	TG13NV1PC	-	TG13NV1A	-	TG13INT1	TG13INT1Y	-	-	TG231N1W	-	TG231N1
1911 – CUT .270 FRONT / .450 REAR** (1911 5" Government 9mm / .40 S&W)**	-	TG13NV2PC	-	TG13NV2A	-	TG13INT2	TG13INT2Y	-	-	TG231N2W	-	TG231N2
1911 – CUT .260 FRONT / .500 REAR** (1911 3" Officers & 4.25" Commander .45 ACP)**	-	TG13NV3PC	-	TG13NV3A	-	TG13INT3	TG13INT3Y	-	-	TG231N3W	-	TG231N3
1911 – CUT .270 FRONT / .500 REAR** (1911 3" Officers & 4.25" Commander 9mm / .40 S&W)*	-	TG13NV4PC	-	TG13NV4A	-	TG13INT4	TG13INT4Y	-	-	TG231N4W	-	TG231N4
RUGER[®] SR9 / SR9C, SR40 / SR40C, SR45	-	TG13RS1PC	-	TG13RS1A	-	TG131RT1*	-	-	-	TG231R1W	-	TG231R1
RUGER[®] LC9 / 9S / 380	-	TG13RS2PC	-	TG13RS2A	-	TG131RT2	TG131RT2Y	-	-	TG231R2W	-	TG231R2
RUGER[®] AMERICAN[®] 9MM AND 45	-	TG13RS3PC	-	TG13RS3A	-	-	-	-	-	TG231R3W	-	-
S&W[®] M&P (including SHIELD & .22 models, excluding .22 Compact / C.O.R.E. models), SD9 AND SD40 (excluding VE models)	-	TG13MP1PC	-	TG13MP1A	-	TG131MPT	TG131MP1Y	TG132MP	TG131MP	TG231MP1W	TG231MP1C	TG231MP
S&W[®] BODYGUARD[®] 380	-	-	-	-	-	-	-	-	-	TG231MP2W	TG231MP2C	-
S&W[®] M&P 380 EZ	-	-	-	-	-	-	-	-	TG131MP1	TG231MP3W	TG231MP3C	-
SIG[®] #8 FRONT / #8 REAR SETS	-	TG13SG1PC	-	TG13SG1A	-	TG131ST1	TG131ST1Y	-	TG131S1	TG231S1W	-	TG231S1
SIG[®] #6 FRONT / #8 REAR SETS	-	TG13SG2PC	-	TG13SG2A	-	TG131ST2	TG131ST2Y	-	TG131S2	TG231S2W	-	TG231S2
SIG[®] P365 (excluding P365XL)	-	TG13SG4PC	-	-	-	-	-	-	-	-	-	-
SIG[®] P238	-	TG13SG3PC	-	-	-	-	-	-	-	-	-	-
SPRINGFIELD[®] XD, XDM (excluding 5.25" Comp Series) XDE, & XDS	-	TG13XD1PC	-	TG13XD1A	-	TG131XT	TG131XTY	TG132XD	TG131X	TG231X1W	TG231X1C	TG231X
STEYR[®] MANNLICHER M-A1, C-A1, S-A1, L-A1	-	TG13SM1PC	-	TG13SM1A	-	-	-	-	-	-	-	-
TAURUS[®] MILLENNIUM G2, 709 SLIM, 740 SLIM (excluding G2C)	-	TG13TA2PC	-	TG13TA2A	-	-	-	-	-	TG231T2W	-	-
WALTHER[®] P99 AND PPQ	-	TG13WA1PC	-	TG13WA1A	-	-	-	-	-	TG231W1W	TG231W1C	-
WALTHER[®] PPS CLASSIC	-	TG13WA2PC	-	TG13WA2A	-	-	-	-	-	TG231W2W	-	-
WALTHER[®] PPS M2	-	TG13WA4PC	-	TG13WA4A	-	-	-	-	-	-	-	-
WALTHER[®] CCP	-	TG13WA3PC	-	TG13WA3A	-	-	-	-	-	TG231W3W	-	-

*Front sight only ** to fit Novak[®] LoMount[™] Dovetail Sight Cut 1911 models (not endorsed by Novak[®] Designs Inc.)

Reference to a brand / model name of another manufacturer is for fitment purposes only and does not constitute an endorsement by, or affiliation with, such manufacturer. Manufacturers' compatibility specifications are subject to change.

TRUGLO®

TACTICAL



SCAN TO DOWNLOAD THE
2020 TRUGLO TACTICAL CATALOG

WWW.TRUGLO.COM



TRUGLO, Inc. • 972-774-0300 • 972-774-0323 (fax)

Dealers Only: 888-8-TRUGLO (888-887-8456)

E-mail: contactus@truglo.com

Copyright © 2019 TRUGLO, Inc

TRUGLO® name, logo, and product trademarks are property of TRUGLO, INC.
All other trademarks are property of their respective owners.

TRUGLO reserves the right to change products, specifications, models, and prices without notice.
TRUGLO products are protected by one or more US and foreign patents.