


ARTISTRY IN HAND
SURVIVAL IN HAND
UTILITY IN HAND
INNOVATION IN HAND
DEFENSE IN HAND
CONFIDENCE IN HAND®

25
YEARS

CRKT®



CONTENTS

DEADBOLT™.....	3-4
KINEMATIC™.....	5-6
RUGER.....	7
FORGED BY WAR®.....	8
INNOVATIONS & TECHNOLOGY.....	9
SAFETY & ACTUATION.....	10
DESIGNERS.....	11-16
NEW PRODUCTS.....	17-30
DEALER WORKBOOK.....	31
● EVERYDAY CARRY.....	31-64
● HUNT & FISH.....	65-68
● OUTDOOR.....	69-74
● SURVIVAL.....	75-77
● MULTI-TOOL.....	78-82
● TACTICAL.....	83-98
● ACCESSORIES.....	98
PRODUCT INDEX.....	99-100
WARRANTY.....	101

A QUARTER CENTURY

It's a lifetime when I remember it only took Lewis and Clark two and a half years to hit the Pacific Ocean; only a blink when I put it against the millions of years it took to create Mt. Hood.

The day we founded CRKT® in 1994 was one that changed my life—it feels like both a blink and a millennium has passed. I'm humbled, inspired, and truly moved by all that has happened since, and the two industry-shifting innovations CRKT® is releasing this year are perfect examples of what has been, and what is yet to come.

First up is the new Deadbolt™ lock. Invented by Flavio Ikoma, it's proof that there's outrageous strength in simplicity. Admire it in this year's XOC™ and Seismic™ knives. Kinematic™ is next. Joe Caswell has single handedly pulled the folder into the future. See what we mean—take a look at the new Provoke™.

We're also proud of our growing partnership with Ruger® and the continued success of the Forged By War® program, in which we produce mission-ready tools, designed by warriors, with a portion of the profits donated to the veterans' charity of choice.

While the hardworking knives and tools are the face of the company, it's the people and the partners that matter most. Our designers, customers, employees, and notably, the men and women that have protected and served our country have been our guiding lights. Always have been. Always will be.

Thank you for being with us throughout the last 25 years of our journey.

We invite you to join us for the next 25 with Confidence In Hand®.



Rod Bremer
Founder



STRENGTH
DEADBOLT™
IN SIMPLICITY

STRENGTH IN SIMPLICITY

From a bird's eye view, even an amateur can pick out the true innovation from a sea of white-noise gimmicks. The dead giveaway: simplicity. In a world where "more" has somehow become synonymous with "better," the true master uses subtlety to make his mark.

Flavio Ikoma creates at the intersection of simplicity and usability. When it comes to Deadbolt™, you get that at a glance. But in hand is where it shines. Intuitive is an understatement, firing up and locking into place—one that's proven to be outrageously strong—and a disengagement method that makes a slip joint look like it needs a manual.

Learn more about the new XOC™ and Seismic™ featuring Deadbolt™ on pages 18-19.

How DEADBOLT™ Works

Take it at face value, and it's a shockingly simple disengagement mechanism—the prominent button is so obvious, take it in hand, and your thumb naturally gravitates in its direction. Under extreme stress is where it shines. Steel pegs interlock with the blade when it's deployed to yield strength that won't so much as flinch under shocking weight.





The industry never saw this one coming.

KINEMATIC™

The folder has been around for over 2,500 years and it might have gone untouched for another century if one designer hadn't posed a simple question: how can you keep your fingers out of the rotational path of the blade? His answer is resounding.

Around here, we think of designer Joe Caswell as somewhat of a mad scientist. And when we got an eyeful of the sketches that were to become the Provoke™, we knew he was destined to become one of the most innovative designers the knife world has ever seen.

Now that it's finally ready to get put to work in the hands of hardworking people, it's clear: **Kinematic™ is pulling the folder into the future whether it's ready or not.**

Learn more about the new Provoke™ featuring Kinematic™ on page 30.





How Kinematic™ Works

At first glance, it might look like a tool relegated to the professionals. But thread your finger through the ring, firmly grasp the handle, and your thumb intuitively rests on the deployment curve. Light pressure is all it takes for it to lunge to life and disengagement is just as simple. Shift the discrete lever at the base of the finger loop and nudge the blade back into its retreated position.





THE
SHARPER
SIDE
OF
RUGER



For more information about Ruger-branded knives and tools, visit:
CRKT.COM/COLLECTION/RUGER-KNIVES.HTML



OFFICIALLY LICENSED RUGER® PRODUCT



BORN OF EXPERIENCE. **FORGED BY WAR.**

MISSION-READY TOOLS, DESIGNED BY WARRIORS, WITH A PORTION OF THE PROFITS DONATED TO THE VETERANS' CHARITY OF CHOICE.

In 2013, Ryan Johnson of RMJ Tactical, designer of elite, military, tactical tomahawks, approached CRKT® with the news that he had been working with a few combat veterans that had returned from war with varying degrees of post-traumatic stress (PTS).

To help work through their challenges, they have been designing and forging steel into custom tools. Drawing from their experience earned in combat situations, they have been creating tools they wished they had available to them in the battlefield.

CRKT® cares deeply about our returning veterans and we saw a way to give back to the community that created them. In 2016, we launched the Forged By War® program.

These are mission ready tools, designed by veterans, with a portion of the profits of the program donated to the veterans' charity of choice.

Mission ready tools that are Forged By War®.

See the new tools on page 29.

For more information, visit: [📱 CRKT.COM/FORGED-BY-WAR](https://www.crkt.com/forged-by-war)

FORGED BY WAR

THE TECH



DEADBOLT™

Flavio Ikoma has proven that there's strength in simplicity. Steel pegs interlock with the blade when it's deployed to yield outrageous strength. A prominent button sits at the pivot point for simple, intuitive disengagement without fingers crossing the path of the blade.



KINEMATIC™

Joe Caswell is pulling the folder into the future whether it's ready or not. Gently nudge the upper crossbar on a Kinematic™ knife with your thumb—while the rest of your fingers firmly grasp the handle—and the blade lunges to life. Shift the discrete lever at the base of the finger loop and the blade retreats into its closed position.



FIELD STRIP

Designed by world-class knifemaker, Ken Onion, Field Strip lets you easily disassemble your knife whenever, wherever—without tools.




IKBS™

Designers Flavio Ikoma and Rick Lala invented this system that sets lubed ball bearings into the folding knife pivot. The result is rapid blade deployment that is smooth and fast. Go ahead, set a flipping land speed record.



SNAP LOCK™

This innovative cam locking system features a blade that can pivot 180°, simply press the thumb wheel and rotate the blade. When closed, the frame is an effective blade guard. When open, the harder you grip the handle, the more it locks the blade in place.



VEFF SERRATIONS™

Some hone edges. Others, like "Edgeologist" Tom Veff, reinvent them, with his exclusive and patented Veff Serrations™ that offer superior cutting of cordage, rope, and fibrous materials—none are safe.



HOLE IN ONE®

Inventor Tom Hitchcock pioneered the Hole in One® slide opener to intuitively open by simply pressing the front lever mechanism with your thumb and rotating the blade outward until it fully extends and securely clicks into place. To close the knife, press down on the lever to disengage, then swing the blade back into the closed position. This innovative opening mechanism is featured on the Daktyl™.



FULCRUM™

At first it may be hard to put your finger on what makes the Fulcrum™ opening mechanism unique...then you use your thumb to open your knife. Pioneered by Russ Kommer, simply push down on the actual sliding scale, pull back on the handle, and the blade easily slides into its locking position. If you're looking for a knife that starts up conversations and ends jobs quickly, reach for a Fulcrum™ knife.



CRAWFORD LOCKBACK

The distinctive Offbeat™ knife features the Crawford Lockback mechanism. Inspired by a wire handle folder, Pat Crawford created the long cutout on the handle to slide around the butt end of the blade until it seats snugly into a notch. In this position, the harder you grip, the more secure it becomes.



HOIST'N LOK®

An innovative lobed and knurled cam successfully locks the rope into place, eliminating the need for a difficult and often inconvenient tie off. With professional hunting guide Russ Kommer's innovation, hoisting your game is now as easy as cleaning it with one of his blades.

SAFETY & ACTUATION

FOLDER SAFETY SYSTEMS



LOCKING LINER SAFETY

The CRKT® Locking Liner Safety innovation adds an ingenious layer of safety to your folding knife. The safety sets a pin between the locking liner and the frame. This pin acts as an additional layer of security so the locking liner is less likely to disengage during use. To engage the safety, push the manual lever forward. To close the knife, pull the manual lever back, slide the locking liner over, and fold the blade into the closed position. Many CRKT® folders feature this innovative safety system.



AUTOMATED LINER SAFETY

Automated Liner Safety is the locking liner safety innovation taken to the next level. The Automated Liner Safety sets a pin between the locking liner and the frame. This pin acts as an additional layer of safety, so the locking liner is less likely to disengage during use. To close the knife, pull the red buttoned safety lever back, slide the locking liner over, and fold the blade into the closed position. Want one of the most secure safety systems on the market? The choice is automatic.



OUTBURST® ASSISTED OPENING

Lightning fast. Ridiculously easy to use. These are just a few of the ways people have described our patented opening system. Just manually open the blade up to 30 degrees and the patented OutBurst® assisted opening mechanism springs the knife fully open so that you're good to go. The powerful spring also holds the blade securely closed when not in use. On many models, we've combined the OutBurst® system with our locking and actuation systems like Fire Safe® for a new level of ease of operation, as well as security.



FIRE SAFE® SAFETY

Easy to open and incredibly safe, you'll see why we came up with the name we did for our patented system that relies on a pin at the locking liner. The actuation mechanism operates on folders through one of two opener styles:

- **FIRE SAFE® THUMB STUD**


Press the spring-loaded thumb stud to release the locking liner and pin.

- **FIRE SAFE® THUMB DISK**

Press the thumb disk to release the locking liner and pin.



Whichever you use, the mechanism is easy and intuitive. Simply nudge your thumb outward and OutBurst® Handle it from there propelling your blade into an open and locked position. This pressing and nudging of the blade prevents accidental opening to put you (and your blade) in complete control of the situation.



CARSON FLIPPER

Retired Master Sergeant and custom knife-maker Kit Carson defined this ingenious opener that challenged the conventional ways of opening a knife. With a simple finger pressure of the "flipper" incorporated into the blade, the blade flips open and locks, so you're ready for action. Once open, the flipper works great as a blade guard as well. Look for the Carson Flipper featured on many of our tactical knives.

OUR DESIGNERS

We're honored to partner with the best custom knifemakers in the business to produce production versions of their custom designs. Many of them have been our friends for years, both in the office and out in the field. They make everything you've seen in these pages possible. Although CRKT® has picked up a few awards over the years, we think it's important to give credit where credit is due. These designers have done more than come up with creative designs; they've helped all of us become more independent and self-reliant.



Jim Hammond
Birmingham, AL
Years Designing: 41+

Jim was the first knifemaker to work with CRKT® in 1994, but he had more than 17 years experience under his blade-decorated belt prior to that. After graduating from Clemson in 1977, he quickly climbed the ranks, specializing in military and collector grade tactical fighters like our FE™ series. A Knifemakers' Guild member since 1978, his designs—and golf shots—are all about excellence, flair, and function.



Ed Halligan
Ocean Springs, MS
Years Designing: 40+

The second knifemaker to ever work with us, "Big Daddy K.I.S.S." knew his way around CRKT® headquarters and a 747. After years of using tools as an aircraft mechanic, Ed founded Halligan Knives in 1985. He went on to earn a Mastersmith rating from the American Bladesmithing Society and invented the often imitated, never duplicated, legendary K.I.S.S.® (Keep it Super Simple) knife series. Ed passed in 2014. His immeasurable contribution to knife-craft is greatly celebrated...and deeply missed.



Kit Carson
Vine Grove, KY
Years Designing: 40+

Kit retired as a ranking Master Sergeant and ultimately became a high-profile member of the Knifemakers' Guild. Kit designed the successful M16® knife series named one of the Top 10 Tactical Folders of the Decade by Blade Magazine. Inducted into the Cutlery Hall of Fame in 2012, Kit's industry influence was felt far and wide. He even mentored such greats as Ken Onion. Kit passed in 2014. The Carson family requests that donations be made to the National Parkinson Foundation at Parkinson.org.



Pat & Wes Crawford
West Memphis, AR
Years Designing: 73+
combined

The Crawfords know what it's like to combine old world traditions with new features. Pat, a Knifemakers' Guild member since 1973, has been a pioneer in the combat folder genre, and was one of the first to use titanium and skeletonize his frames and Handle. Wes, his son, has helped integrate exotic field materials including wood, ivory, and stag horn into their offerings. They're famous for the CRKT® Triumph N.E.C.K.™—and for pushing each other.



Russ Kommer
Fargo, ND
Years Designing: 21

To say Russ is an outdoorsman is a bit of an understatement. A professional fishing and hunting guide, he started making knives when one of his clients brought him a custom knife and dressed an entire moose—without sharpening it. Since then he's made it his duty to build the kind of tools only he would use. It just so happens his Bear Claw™, and Hoist'N Lok®, are the kinds other hunters use as well.



Brian Tighe
Ridgeville, Ontario, CA
Years Designing: 28

There are edged tool artisans...and then there's Brian Tighe. A Canadian Renaissance Man, he is practiced in the art of metallurgy, photography, and tool and die making. It's what helped him make the leap from a creator of high-quality custom folding knives into the top 10 elite. We were honored to have his Buy Tighe™ blade as our limited edition CRKT® 20th anniversary knife and are releasing the new Tighe Breaker™ fixed blade knife for 2017.



Ed Van Hoy
Abingdon, VA
Years Designing: 42

Looking at the shelves in his shop, you'd almost think Ed specializes in awards rather than knives. But that just comes with the territory when you are pushing the limits with your designs. Just a few of his many highlights are: the A.G. Russell Most Innovative Folding Knife, Most High Tech Design-S.I.C.A.C, Best Fantasy Knife in the Ohio Valley Knife Show 2005, and Knife of the Year at the Blade Show 2004. Ed is living proof that if you love what you do, the rest comes easy.



James Williams
Encinitas, CA
Years Designing: 22

You don't want to mess with Sensei James Williams. Trust us. A former U.S. Army officer with more than 50 years of experience in the martial arts, he developed The System of Strategy. It's a unique approach to unarmed combat that he teaches to Special Operations units and law enforcement worldwide. When he is armed, though, you'll find him brandishing blades he's created, like the Hisshou® and Hissatsu™ fixed blades, the Shizuka noh Ken™, and the now-legendary Hissatsu™ folder.



A.G. Russell
Rogers, AR
Years Designing: 45+

Simply put, A.G. Russell eats, sleeps, and breathes knives. He was the first member of the Knife Digest Cutlery Hall of Fame, a founding member of the Knifemakers' Guild, founded the Knife Collectors Club™, and started the first mail order knife business. Even with a pedigree like that, if you ask him what he enjoys most, he'll still tell you it's designing custom knives.



Launce Barber
Richmond, VA
Years Designing: 19

When he's not using the Guppie® to solve everyday problems, Launce can be found using his other most valuable tool: his creative mind. He is all about great ideas and even better design; he's always on the cutting edge of discovering elegant new solutions for old problems.



Tom Stokes
Williamsburg, VA
Years Designing: 14

Whenever Tom hears someone say, "It doesn't take a rocket scientist to make a knife," he'll quickly correct them. After all, having been involved in the aerospace industry for more than 25 years, he brings a unique perspective to our tools using CAD software and rapid prototyping technology. It has resulted in multi-tools that are a rare combination of artistic form and function, such as the CRKT® Tool, Iota™, Paracord Survival Bracelets, and useful survival bracelet accessories.



Tom Veff
Oregon City, OR
Years Designing: 14

Without Tom, many would be walking around with dull blades. The "Edgeologist," as he's commonly known, began sharpening knives in an industry that demands it: meat cutting. It wasn't long before he started applying his techniques to help others keep their blades sharp with his Veff Sharp™ tools. Many CRKT® knives are also indebted to Tom for his original Veff Serrations™ and the Veff Flat Top Serrations®, which have proven themselves to be the most efficient serrations patterns to date.



Alan Folts
Melbourne, FL
Years Designing: 24

When it comes to knives, Alan knows all about giving back to the people. He climbed the ranks in college by entering knives in art shows. Since then he's been adamant about teaching and passing on the skills of custom knifemaking to others. He specializes in one-of-a-kind fixed blades that have great ergonomics and sleek futuristic designs, such as the top selling Folts Minimalist® Series.



Glenn Klecker
Silverton, OR
Years Designing: 18

Knifemaking is in the Klecker genes. Glenn, an engineer with a passion for knife and tool design, knows how to use them first hand, having led a marine detachment in Desert Storm. Meanwhile, his son Nathan helped build the wooden Nathan's Knife Kit that teaches kids knife safety. Glenn's innovative locking mechanism, dubbed the Klecker Lock, is featured on several CRKT® production models, including the popular NIRK™ Tighe and Graphite™ knives.



Liong Mah
Palm Bay, FL
Years Designing: 16

If we didn't know any better, we'd think the English definition of Mah is "practical." After all, it's a useful sensibility Liong incorporates into all of his designs, like the new G.S.D.™, the ever popular Eat'N Tool®, and the 2015 Mah-chete™. As a kid, when others doodled cartoons in their school notebooks, he drew knife designs. Later, having learned CAD, he was able to bring these ideas to life by collaborating with many of the top designers in the industry.



Ken Onion
Kaneohe, HI
Years Designing: 27

Ken is the real deal. The youngest ever inductee into the Blade Magazine Hall of Fame in 2008, he is recognized as one of the most innovative and successful knife designers of all time. In 1996 he created the first commercially successful assisted opening mechanism, and 20 years later unveiled his award-winning Field Strip Technology. Designer of the successful Eros™ folder series, as well as the award-winning Hi Jinx™, Ken never seems to be at a loss for ideas.



Flavio Ikoma
Presidente Prudente, Brazil
Years Designing: 24

Some kids dream of being a ballplayer. Flavio wanted to be a knifemaker. In his adolescence, he worked on knives of the Japanese sword variety in his father's shop. He has gone on to learn metallurgy, to work with Ken Onion, and to become a force for innovation. Flavio brought to market the revolutionary IKBS™ ball bearing pivot system (with Rick Lala), and evolved the classic locking liner with the ILS™ safety, exclusively available from CRKT® in the No Time Off™ knives.



MJ Lerch
Sussex, WI
Years Designing: 6

Though MJ was introduced to the industry by way of the back end of a custom knifemaker's business, once she put her creative ingenuity to work on the machine, everything changed. Her keen ability to create one balanced, hardworking design after another has boosted her into a realm all her own. She's known for her highly-ergonomic handle designs inspired by the natural and spontaneous flow of nature.



Ray Kirk
Tahlequah, OK
Years Designing: 28

Ray Kirk started forging knives in 1989. As an American Bladesmith Society Master Smith, he specializes in useful, simple designs that are beautiful in style. He's won many awards, including three 1st Place awards at the ABS World Championship. Ray works with the KGA of Oklahoma and was presented the Dee Daniel Boone Award for preserving the art and history of the forged blade. Ray designed the K.E.R.T.™ tool that has become a popular multi-tool.



Ryan Johnson of RMJ Tactical
Chattanooga, TN
Years Designing: 32

The fireplace is never without wood at the Johnson house. That's because for years at RMJ Tactical, Ryan has been building some of the finest custom tomahawks this country has ever seen. Applying modern engineering to centuries-old tool and weapon concepts, he redefined the role of tomahawks in Law Enforcement and Special Forces Military Applications.



Matthew Lerch
Sussex, WI
Years Designing: 34

What happens when you cross art and mechanics? You get something that looks like Matthew Lerch. Trained initially as a jeweler/watchmaker, he progressed into manufacturing and tool making. Now he has a few patents under his belt for innovations, like the Fire Safe®, and has been honored with some prestigious awards including the Buster Warenski award. Matt views knives as functional art, as evident by his Moxie™ and Blade Show award-winning Endorser™ design.



Ken Steigerwalt
Orangeville, PA
Years Designing: 37

Ever since he was a kid, if Ken needed a knife, he just made one. His first one was built from a saw blade at the kitchen table using a vise, files, and sandpaper. Needless to say, he's gone on to create more highly designed knives that have won him 11 Blade Show awards in seven consecutive years, including two Best Folders awards and one Best Folder of the Year. He also co-designed the patented Fire Safe® safety innovation, which is used on many CRKT® blades.



Lucas Burnley
Orleans, MA
Years Designing: 14

When you ask Lucas what drew him to the knife world as a teenager, he'll tell you about stories of survival, off-path adventures with his father, and a healthy dose of action movies. Over the years, he has experimented with a broad range of styles to artfully combine classical elements with modern materials and techniques, such as with his Obake™ knife. Lucas believes knives are a personal expression of independence. We couldn't agree more.



Terry Renner
Palmetto, FL
Years Designing: 28+

Terry likes tinkering with things—designs, tooling, and fixtures for road and mountain bikes, and of course, blades. A mechanical designer and artist at heart, he worked in the bicycle industry for thirty years. He always had a fascination with edged objects and moonlighted as a fabricator for new and different locking mechanisms for folding knives. In 2006 he went to full-time knifemaker status and was awarded Best New Knifemaker at the Blade Show. Terry's a current member and a former three-term President of the Florida Knifemakers' Association.



Larry Fischer
Boise, ID
Years Designing: 1

An avid traditional bowhunter, outdoorsman, and conservationist, Larry's no-nonsense approach to all he endeavored was readily apparent in everything he did. Larry served on the National Board of Directors for Backcountry Hunters and Anglers, was a lifetime member and past president of the Professional Bowhunters Society, and was an active member of Traditional Bowhunters of Montana and Traditional Archers of Oregon. Larry lost his courageous battle with cancer before his first design, the Hunt'N Fisch™ made it to market.



Tom Krein
Gentry, AR
Years Designing: 23

"Form follows function" is more than just a saying for Tom. It's a philosophy that guides every knife and design decision he makes. After all, having been an ER nurse and later working as a knifemaker, he knows what works. Blending art with handcrafted steel, he creates tools that get used often. Whether it's cleaning a freshly landed trout with his Mossback™ knife or dicing up vegetables from the garden outside his shop that's free to the public.



Jesper Voxnaes
Loegstrup, Denmark
Years Designing: 27

When Jesper needs to test a design, he only has to step into his own backyard. The harsh elements and conditions of the fjords and forests in his native Denmark do the rest. When he was starting out, no one was making the kind of knives he wanted to design so he learned by trial and error. Apparently his efforts paid off given his IF Award in 2013 for one of the Top European Designs. Now he creates and uses knives like the Amicus™ as he sails, camps, and drives off-road. Which is more often than not.



Robert Carter
Hillister, TX
Years Designing: 5

When you come from a long line of knifemakers, it's hard not to have it rub off on you. For Robert, this happened at an early age. Since childhood, he's always been fascinated with aircraft and lines that have a speed-of-sound look to them. Taking traditional cues from his father, Joe Pardue, and grandfather, Mel Pardue, he creates knives that have a progressive design such as the Jettison™. Robert has definitely earned his design stripes in the family. But that doesn't mean anyone's backing away from the shop's machine for him anytime soon.



Darrin William Sirois
Fayetteville, NC
Years Designing: 9

Coming from a Special Ops background, Darrin doesn't design knives that just work in theory. They need work in action too. And he knows the missing element to any great blade: human input. That's why you'll often find him hounding his Special Operations teammates and asking them what they like and don't like about their knives. Now as part of the Forged by War® program he's fine-tuning until his knifemaking mission is complete. Along the way, he's earning nods from awards shows and fellow soldiers all around the world.



Austin McGlaun
Columbus, GA
Years Designing: 16

There are those who fight with knives. There are others who design them. And then...there's Austin. Having served in the 101st Airborne Division in Iraq, and as a street cop in Columbus, GA, he knows that a knife has to work as both a weapon and a tool. As part of the Forged By War® program he applied his skills as both a combat vet and knifemaker to develop the Clever Girl™. Not to mention a new way to bring his fellow soldiers home. When asked about his design philosophy, he'll tell you that if a knife is ugly but effective, it's not ugly. It's perfect.



Elmer Roush
Brasstown, NC
Years Designing: 42

Elmer has spent his fair share of time on the battlefield. But these days, what really gives him excitement is battling hot steel with a hammer as a blacksmith. He enjoys hand forging functional edged tools and brings over 40 years of experience to the Forged By War® program. Axes, froes, hatchets, and historical replicas, such as Viking axes are his specialty. Though his designs look modern, they're actually based on tools and implements that go back thousands of years.



Michael R. Rodriguez
Fayetteville, NC
Years Designing: 7

Michael R. Rodriguez was one of only two Americans to graduate from the Irish Army Ranger Wing Sniper Course, and he's a Chief Ambassador for the Green Beret Foundation. Truly, if we attempted to list the rest of his accolades, we'd run out of ink. His experience as a combat veteran pivoted when he met Ryan Johnson of RMJ Tactical during a recovery period. Then, forging knives and tools became a passion project for him—one that is starkly reflected in his products that we are proud to represent in our Forged By War® program.



Kelly Rodriguez
Fayetteville, NC
Years Designing: 4

If there's ever a Soldier that's felt like there's someone looking out, there's a good chance that someone is Kelly. As an active duty soldier and field medic for the Army for over 20 years, Kelly brings raw talent to the Forged By War® program. She designed the CST™ because dedicating years of service in the field wasn't enough—she's continuing the legacy from the homefront. Since retiring, she's dedicated much of her time to working with organizations that focus on female veterans' issues.



Jeremy Valdez
Tampa, FL
Years Designing: 4

Upon meeting Jeremy Valdez, our definition of “American hero” shifted. He epitomizes bravery; after serving 14 years as a Special Forces Green Beret he’s become the vice chief ambassador for the foundation. Further, he’s been recognized with two purple hearts, six bronze stars, one for valor, and the Special Forces Philip Neri award. So when renowned designer Bill Harsey stepped in to help Jeremy realize his long-time dream of designing his own knives, we jumped in to lend a hand. We’re proud to represent him and his breakout design in our Forged By War® program.



Philip Booth
Ithaca, MI
Years Designing: 29

Philip Booth is a modern day version of a human phoenix—when his art studio burned down in the late 80’s, it left his life’s work of paintings and art prints reduced to ashes. Instead of letting it knock him down, he was reborn as a knifemaker, and has since swept up a handful of prestigious awards like the Blade Show’s Most Innovative Design award, and their 2005 Best of the Rest award. He’s a mechanically orientated artist, and his innovative, artful tools are proof.



Larry Hanks
Smith Valley, NV
Years Designing: 6

Practically born a woodworker, Larry Hanks’ talents flowed into jewelry design and foundry work, and culminated in a decorated career as a tattoo artist. Then he met Ken Onion. Larry’s knife engraving was so skilled that Ken Onion enlisted his talents shortly after they met, and now they’ve been working together for over 20 years. It wasn’t until four short years ago that Larry took on his own projects. The progression was natural, and there’s no doubt around here that his knifemaking career will soon eclipse his tattooing career.



Jeff Park
Mililani, HI
Years Designing: 4

One fateful day in 2005, he walked into Ken Onion’s shop in Kaneohe, Hawaii, and never left. Well, that’s not entirely true, but he’s certainly made an impact on the world-class knife maker and has learned a thing or two along the way. Jeff Park is a detail-oriented type of guy, and by that we mean he’s an absolute perfectionist, and it shows in his simple, yet flawless designs. He’s an artist in the most fundamental respect: form follows function, and his knives reflect a remarkable understanding of both.



Tom Hitchcock
Talent, OR
Years Designing: 38

He’s renowned as a sculptor, an inventor, a custom bike builder, and an expert in permaculture. So to say Tom Hitchcock is a modern-day Renaissance Man is an understatement. He steals from his wide spectrum of interests when he takes to designing a new knife, and the result is always something highly unexpected and incredibly useful. He’s most famous for his novel, minimal Hole in One. His logic: “Albert Einstein said to make things as simple as you can and no simpler, and this is exactly what I strive to do.”



Dew Hara
Seki, Japan
Years Designing: 3

Dew Hara is a product of his environment... literally. Makers in his hometown of Seki, Japan, are famous for designing and producing some of the best fine kitchen cutlery in the world. He also carries the world-famous Hara name; his father, Koji Hara, is one of the most respected designers alive. Dew’s work stands solidly on its own, though—his ability to infuse elements from the natural world is unparalleled, and he’s only just scratched the surface of what’s sure to be a long and productive career.



Richard Rogers
Magdalena, New Mexico
Years Designing: 21

Though he’ll tell you he’s only been seriously designing for four years, his extensive list of awards dating back to ‘97 paint a different story. Richard Rogers is modest as modest comes, creating some of the simplest, most practical everyday carry folders in the industry. When he’s not at the bench, he’s at the helm of a working cattle ranch out in the arid shrublands of the southwest. His life both as a rancher and a designer are governed by one serious principle: “good enough” isn’t acceptable. We’re on board.



Eric Ochs
Sherwood, OR
Years Designing: 10

Eric Ochs grew up with the Oregon backwoods constantly knocking at his door. In a way, his fate was sealed when his father gifted him his first knife when he was just six years old. Since then, he’s hard pressed to remember a day without one in his pocket. This self-taught talent is still inspired to this day by the pursuit of adventure in the Pacific Northwest’s rugged terrain from the top of the North Cascades to the lazy, meandering rivers at their feet.



Corey Brewer
Lafayette, AL
Years Designing: 6

Corey Brewer’s conviction: “if you want to break out and do something that makes you happy, you damn well can.” Coming from a relatively new designer with serious raw talent, that’s one we can get behind. From his cluttered garage in Lafayette, Alabama, he’s vowed to make knives that aren’t simply useful, but artful—pieces that people resonate with. Beyond that, he creates to inspire: “if there’s someone out there that gets online to learn how to create a knife because he saw one of mine? That’s a hell of a good feeling.”




T.J. Schwarz
Boise, ID
Years Designing: 5

TJ was destined to be a car designer. In high school he discovered his uncanny ability to draw cars—in fact, he was so good at it that by the time he was in college, he was accepting commissions from classic car owners. Just as his career was starting down the automotive path, his good friend Bill Koenig of Koenig Knives intervened and everything shifted. Once he got a taste of knife design, he never looked back. So when he says, “engineered for performance,” he means it.



Chuck Cook
Dundee, OR
Years Designing: 12

If you find yourself marooned in the backwoods, you’d better hope that either Chuck Cook is nearby, or you’ve put his survival tools in your pack. He’s a graduate of several wilderness survival schools, an authority on online bushcraft forums, and we don’t doubt that he’s spent more nights in the woods than we have in our beds. Oh, and did we mention that his day job is as a semiconductor? That explains his mechanical savviness and deadly accuracy.



Joe Caswell
Newbury Park, CA
Years Designing: 23

Moto journalist. Viking sword pattern welder. Inventor. Amateur patent attorney. Custom knife designer. It’s safe to say that Joe is cut of a special cloth. And now, he can add “industry disrupter” to his resume. With the release of Kinematic™, he invariably secures himself a position among the knife world’s greatest. From humble beginnings in his homemade forge occupying his rented condo’s garage, he’s built a name for himself one hard working late night at a time, and we can’t wait to see what comes from his inspired creativity next.



Ryan Glasgow
Portland, OR
Years Designing: 17

Like many kids who grow up to be formidable inventors, Ryan Glasgow’s passion was ignited with a box of legos. As he got older his interests became more sophisticated when he stepped into the world of sheet metal fabrication and CAD design. His epiphany came soon thereafter: creating something that’s different and genuinely useful is a difficult task and also among the most satisfying. If his newest CRKT® design, the Twist & Fix™, is evidence of what’s to come, he’s on a solid path to helping the world happily destroy to-do lists.



NEW 179



NEW 19



5401



5401K

EVERYDAY

5401 & 5401K

SEISMIC™

Designed by Flavio Ikoma in Presidente Prudente, Brazil

Batten down the hatches. We're convinced that the word "dainty" isn't in Designer Flavio Ikoma's vocabulary. We take his new Deadbolt™ innovation as definitive proof. With it, the Seismic™ everyday carry folder has proven to be outrageously strong without compromising on simplicity or usability—it's got other folders quaking in their boots.

- Deadbolt™ Lock
- IKBS™ Ball Bearing Pivot System
- Tough G10 Handle

FULL SPECS ON P.37

NEW 19



EVERYDAY

5400

XOC™

Designed by Flavio Ikoma in Presidente Prudente, Brazil

Overkill? Yup. For designer Flavio Ikoma, bigger is better. He brings this conviction to life in the colossal limited edition XOC™ folding knife. It's among the first in the world to house Deadbolt™, the mechanism that proves awesome strength doesn't have to come at the compromise of simplicity and usability.

- Deadbolt™ Lock
- Premium CTS® XHP Blade Steel
- Titanium Handles

FULL SPECS ON P.37

NEW 19



EVERYDAY

K350KXP

SLACKER™

Designed by Ken Onion in Kaneohe, Hawaii

Keys, wallet, Slacker™. For a designer like Ken Onion, there's no shortage of genius ideas, sketches, and one-offs that litter his shop. The Slacker™ folding knife is his personal thought experiment realized: can an attractive, low-profile knife be built around Field Strip? The answer is resounding.

- Field Strip Technology
- Satin Blade Finish
- Aluminum Handle

FULL SPECS ON P.32



K500GXP



K500GKP

EVERYDAY

K500GXP & K500GKP

HELICAL™

Designed by Ken Onion in Kaneohe, Hawaii

An everyday carry with a twist. This sleek, tactically-inspired folding knife is a Ken Onion thought experiment realized: what would it look like to put a rectangular knife handle in a vise grip and twist? In classic Onion form, the result is a surprisingly ergonomic and supremely useful everyday carry blade.

- High Carbon Stainless Steel Blade
- IKBS™ Ball Bearing Pivot System
- Aluminum Handle

FULL SPECS ON P.32

NEW 19



EVERYDAY

7760

OFFBEAT™ II

Designed by Pat Crawford in West Memphis, Arkansas

Bred for action, back for more. Pat Crawford has earned himself a handful of impressive awards over the years, but one unique knife has stood the test of time. Originally designed as a custom in 1979, Pat released the production Offbeat™ II in 2017 and now, it's back again. The Offbeat™ II is another stellar feather in this designer's cap.

- Crawford Lockback
- Satin Blade Finish
- Glass-Reinforced Nylon Handle

FULL SPECS ON P.52



5315

EVERYDAY

5315 & 5315G

PILAR® LARGE

5315G

Designed by Jesper Voxnaes in Loegstrup, Denmark

Where minimal design meets maximum utility. The Pilar® Large is a minimalist's everyday carry folder with clean design and an epic tale behind its name. It's understated when tucked away, and carefully designed to punch above its weight when in use.

- High Carbon Stainless Steel Blade
- Flipper Opening
- Two Position Clip

FULL SPECS ON P.41



NEW 19



EVERYDAY

7096

CEO

Designed by Richard Rogers in Magdalena, New Mexico

A knife that's dressed for success. At first glance, it could be mistaken for a pen tucked into a shirt pocket. And that's exactly the way the CEO folding knife was designed. With a supremely low profile and no corners cut on usability and ergonomics, it embodies the working spirit of everyday carry.

- IKBS™ Ball Bearing Pivot System
- High Carbon Stainless Steel Blade
- Glass-Reinforced Nylon Handle

FULL SPECS ON P.50



EVERYDAY

7532

JUMBONES

Designed by Jeff Park in Mililani, Hawaii

When student becomes master. In 2018, Jeff Park—under the tutelage of Ken Onion—released his first production knife, the Crossbones everyday carry folder. It won Blade Show's coveted Knife of the Year award. Now, it's back and it's big. Really big.

- IKBS™ Ball Bearing Pivot System
- Low Profile Flipper Opening
- Brushed Aluminum Two-Tone Handle

FULL SPECS ON P.36



NEW 19



PB 38

4630

PB 37

PB 42

The Pinnacle

PB 41

EVERYDAY

4630 & 4635

BEV EDGE™

4635

Designed by Eric Ochs in Sherwood, Oregon

For excursions that end with a cold one. Leave it to a designer from Oregon to create an everyday carry folding knife with hardworking outdoor capabilities and a bottle opener. From the trail to the taproom, the compact Bev-Edge™ is built to come up big in a pinch.

- Stonewash Finish
- Bottle Opener
- Frame Lock

FULL SPECS ON P.54



EVERYDAY

4620

AVANT™

Designed by Eric Ochs in Sherwood, Oregon

Easy to carry. Built for hard use. The experienced eye can take one look at a knife and instantly recognize the work of a master. The dead giveaway: simplicity. With its clean lines, subtle bronze details, and highly-ergonomic build, the Avant™ everyday carry folding knife asserts its position at the top of the pack.

- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish and Brass Ti-Nitride Accents
- Carbon Fiber Handle in Black Woven Texture

FULL SPECS ON P.54



NEW 19



EVERYDAY

2420

PREQUEL™

Designed by Lucas Burnley in Orleans, Massachusetts

Simple. Robust. Compact. The mark of a masterful designer is a knife whose utility is as high end as the fit and finish. With a clean profile and Field Strip, the Prequel™ everyday carry folder asserts itself to the top shelf.

- Field Strip Technology
- High Carbon Stainless Steel Blade
- Glass-Reinforced Nylon Handle

FULL SPECS ON P.43



EVERYDAY

7740

GUNGHO™

Designed by Tom Krein in Gentry, Arkansas

Earth. Fire. Wind. Water. Gungho™. The master's mark is beauty and strength in simplicity. Tom Krein asserted his position at the top with the Gungho™ everyday carry folding knife. Though the design feels downright elemental, it's been given OutBurst® spring assisted opening for futuristic functionality and an all-over dark black that looks right at home in your gear kit, or in the garage.

- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- G10 Handle with Stainless Steel Frame Lock

FULL SPECS ON P.45



NEW 19



EVERYDAY

7020

HYPERSPEED

Designed by MJ Lerch in Sussex, Wisconsin

Blink, and you might miss it. The Hyperspeed™ everyday carry folding knife is fast. Really fast. Between the pixelated handle lies the OutBurst® innovation—boosting blade deployment to otherworldly speeds so you can tear into tasks at a mind-blowing pace.

- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- Glass-Reinforced Nylon Handle

FULL SPECS ON P.47



EVERYDAY

7045

FAST LANE™

Designed by Matthew Lerch in Sussex, Wisconsin

Engineered for speed. When it comes to luxury sports cars, it takes two critical components to separate wheat from chaff: speed and efficiency. The Fast Lane™ everyday carry folding knife sets a new standard for both. With pedal-to-the-floor blade deployment speeds and a sleek, aerodynamic look, it's poised to shift your productivity into high gear.

- OutBurst® Assisted Opening
- Black Stonewash Blade Finish
- Tough G10 Handle

FULL SPECS ON P.47



NEW 19



EVERYDAY

7016

FLAT OUT™

Designed by Matthew Lerch in Sussex, Wisconsin

Painstakingly precise. When a watchmaker takes up knifemaking, the knife world inherits a new definition for "precise." Slim yet hard working, understated yet powerful, the Flat Out™ everyday carry folding knife is a beautifully badass paradox.

- OutBurst® Assisted Opening
- High Carbon Stainless Steel Blade
- Frame Lock

FULL SPECS ON P.48



EVERYDAY

7076

UP & AT 'EM™

Designed by Matthew Lerch in Sussex, Wisconsin

Death to the snooze button. Together, strong coffee, a big project, and the Up & At 'Em™ everyday carry folding knife form the backbone of a productive day. With a sleek aesthetic and a highly ergonomic build, getting it done is far easier and just a little more fun.

- High Carbon Stainless Steel Blade
- Flipper Opening
- Frame Lock

FULL SPECS ON P.48



NEW 19

BOUNDARY

N A T I O N A L

PB 38

PB 41

HUNT & FISH

2842

MONASHEE™

Designed by Russ Kommer Fargo in North Dakota

For a hunt in an iconic mountain range, only the best will do. This knife's namesake—the wild Canadian Monashee Mountains—are home to animals that haunt big game hunters' dreams. With a big-bellied blade and Field Strip, this hunting folder is a pack staple.

- Field Strip Technology
- High Carbon Stainless Steel Blade
- Double Injection Molded Handle

FULL SPECS ON P.66



MULTI-TOOL

9704

KNIFE MAINTENANCE TOOL

Designed by Tom Stokes in Williamsburg, Virginia

When things start to go sideways, the time to prepare has passed. If there's anyone that has a completely unique view of preparedness, it's designer Tom Stokes. As a mechanical engineer, he's well equipped to rethink and imagine tools that become critical to a survivalist pack. The Knife Maintenance Tool—equipped with two sharpeners and two sizes of torx—is one of those tools.

- T6 and T8 Torx
- Tungsten Carbide Field Sharpener
- Ceramic Honing Edge


FULL SPECS ON P.80




NEW 19



9901



9903



9902



9904

MULTI-TOOL

9901, 9902, 9903, 9904

TWIST & FIX™

Designed by Ryan Glasgow in Portland, Oregon

“Wheel”: reinvented. Nearly every garage and catch-all drawer in existence is home to a torx and hex tool. But not like this one. The Twist & Fix™ maintenance tool is a ingenious take on one of our most basic necessities to make an everyday repair job just a little more awesome.

FULL SPECS ON P.79

- 9901
- Torx - T10, T15, T20, T25, T30
- Hex - 3/32, 1/8, 9/64, 5/32, 3/16

- 9903
- Torx T5, T6, T7, T8, T9, T10

- 9902
- Flat Drivers – 1/16, 3/32, 7/64
- Philip Drivers – PH00, PH0, PH1

- 9904
- SAE Socket - 1/4, 5/16, 7/16
- Metric Socket - 6mm, 8mm, 10mm



*Option to disengage single tools from the barrel for use in tight spaces

NEW 19



TACTICAL

2747

CIMBRI™

Designed by Elmer Roush in Brasstown, North Carolina

Ancient form meets contemporary function. With deep roots in 8th century weaponry, the Cimbri™ two-handed camp axe mimics lines, balance, and heft of its medieval counterpart. But unlike the Frankish axe, its primary adversary is a stout log.

FULL SPECS ON P.85

- Hot Forged 1055 Carbon Steel
- Black Magnesium Phosphate Coating
- Tennessee Hickory Handle



FORGED BY WAR



TACTICAL

2630

Du Hoc™

Designed by Austin McGlaun in Columbus, Georgia

Built on an American hero's legacy. It wasn't until half a century after he served, that Forged by War® designer Austin McGlaun discovered his late uncle won the Silver Star at Point Du Hoc. To honor his service, he designed this colossal karambit fixed blade knife. With the help of Ryan Johnson of RMJ Tactical, it's been perfected as a mission-inspired eye catcher from the tip of the recurved blade to the thumb ring at the end of the handle.

FULL SPECS ON P.84

- SK5 High Carbon Steel Blade
- Tough G10 Handle
- Reinforced Nylon Sheath w/ MOLLE Compatible Gear Clip

NEW 19



TACTICAL

4040

PROVOKE™

Designed by Joe Caswell in Newbury Park, California

Serve. Protect. The Provoke™ knife draws on ancient karambit design but it's hiding a futuristic secret. The first knife ever to feature Kinematic™ technology, it stays neatly tucked away in transit and comes to life when there's trouble afoot.

- Kinematic™
- D2 Blade Steel
- Aluminum Handle

Patent Pending

FULL SPECS ON P.86





NEW**SLACKER™**

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Satin Blade Finish
- Aluminum Handle

K350KXP

Blade: Length: 3.324" (84.4 mm)
Edge: Plain
Steel: 1.4116 Stainless Steel
Finish: Satin
Thickness: 0.113" (2.9 mm)

Handle: Aluminum
Open: 7.688" (195.3 mm)
Closed: 4.305" (109.4 mm)
Weight: 2.6 oz. (73.7 g)
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

NEW**HELICAL™**

Designed by Ken Onion in Kaneohe, Hawaii



- High Carbon Stainless Steel Blade
- Satin Blade Finish
- Aluminum Handle

K500GXP

Blade: Length: 3.524" (89.5 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.128" (3.3 mm)

Handle: Aluminum
Open: 8.125" (206.4 mm)
Closed: 4.582" (116.4 mm)
Weight: 3.6 oz. (102.0 g)
Style: Folding Knife w/Locking Liner

NEW**HELICAL™ BLACK WITH D2 BLADE STEEL**

Designed by Ken Onion in Kaneohe, Hawaii



- D2 Blade Steel w/Black Oxide Finish
- Flipper Opening
- Aluminum Handle

K500GKP

Blade: Length: 3.524" (89.5 mm)
Edge: Plain
Steel: D2
Finish: Black Oxide
Thickness: 0.128" (3.3 mm)

Handle: Aluminum
Open: 8.125" (206.4 mm)
Closed: 4.582" (116.4 mm)
Weight: 3.6 oz. (102.0 g)
Style: Folding Knife w/Locking Liner

HOMEFRONT™

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- 6061 Aluminum Handle

K270GKP

Blade: Length: 3.502" (88.9 mm)
Edge: Plain
Steel: AUS 8
Finish: Brushed Steel
Thickness: 0.133" (3.3 mm)

Closed: 4.728" (120.0 mm)
Open: 8.313" (211.1 mm)
Weight: 4.8 oz (136.0 g)
Handle: 6061 Aluminum
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

- 🌟 **Most Innovative Design:** 2016 Blade Show
- 🌟 **Gear of the Year Selection:** Men's Journal
- 🌟 **Most Innovative New Knife:** KnifeNews Dealers' Choice
- 🌟 **Editor's Choice:** Popular Mechanics

HOMEFRONT™ EDC

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- Glass-Reinforced Nylon Handle

K250KXP

Blade: Length: 3.539" (89.8 mm)
Edge: Plain
Steel: 1.4116 SS
Finish: Stonewash
Thickness: 0.135" (3.4 mm)
Closed: 4.720" (119.8 mm)
Open: 8.250" (209.5 mm)
Weight: 4.3 oz (121.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

PROWESS™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- One Position Low Profile Pocket Clip

K290KXP

Blade: Length: 3.368" (85.5 mm)
Edge: Plain
Steel: AUS 8
Finish: Satin
Thickness: 0.108" (2.7 mm)
Closed: 4.388" (111.5 mm)
Open: 7.750" (196.9 mm)
Weight: 4.5 oz. (127 g)
Style: Folding Knife w/Locking Liner
Handle: Black Glass-Reinforced Nylon

PROWESS™ BLACK WITH TRIPLE POINT™ SERRATIONS

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- One Position Low Profile Pocket Clip

K290KKS

Blade: Length: 3.368" (85.5 mm)
Edge: Combination w/Triple Point Serrations
Steel: AUS 8
Finish: Black EDP Coating
Thickness: 0.108" (2.7 mm)
Closed: 4.388" (111.5 mm)
Open: 7.750" (196.9 mm)
Weight: 4.5 oz. (127 g)
Style: Folding Knife w/Locking Liner
Handle: Black Glass-Reinforced Nylon

BOMBASTIC™

Designed by Ken Onion in Kaneohe, Hawaii



- Frame Lock
- Flipper Opening
- Spear Point Blade w/One False Edge

K340KXP

Blade: Length: 3.311" (84.1 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.122" (3.1 mm)
Closed: 4.506" (114.4 mm)
Open: 7.938" (201.6 mm)
Weight: 4.2 oz (119.0 g)
Handle: 2Cr13 SS; Inlays - Glass-Reinforced Fiber Polyamide
Style: Folding Knife w/Frame Lock

BOMBASTIC™ BLACK WITH TRIPLE POINT™ SERRATIONS

Designed by Ken Onion in Kaneohe, Hawaii



- Flipper Opening
- Black Oxide Blade Finish w/Dual Hilt
- Speargun Point Blade w/One False Edge

K345KKS

Blade: Length: 3.311" (84.1 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.122" (3.1 mm)
Closed: 4.506" (114.4 mm)
Open: 7.938" (201.6 mm)
Weight: 4.2 oz. (119.0 g)
Handle: 2Cr13 SS; Inlays - Glass-Reinforced Fiber Polyamide
Style: Folding Knife w/Frame Lock

GUSSET™

Designed by Ken Onion in Kaneohe, Hawaii



- Frame Lock
- Gray Titanium Nitride Finish
- Flipper Opening

K330GGP

Blade: Length: 3.568" (90.6 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Titanium Nitride
Thickness: 0.123" (3.1 mm)
Closed: 4.581" (116.3 mm)
Open: 8.125" (206.3 mm)
Weight: 4 oz. (113.4 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

HI JINX™ Z

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish
- Locking Liner

K281KXP

Blade: Length: 3.293" (83.6 mm)
Edge: Plain
Steel: 1.4116 SS
Finish: Satin
Thickness: 0.111" (2.8 mm)
Closed: 4.721" (119.9 mm)
Open: 8.000" (203.2 mm)
Weight: 4.9 oz. (138.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

OUTRAGE™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Aluminum Handle

K320GXP

Blade: Length: 3.190" (81.0 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.130" (3.2 mm)
Closed: 4.670" (119.0 mm)
Open: 7.880" (200.0 mm)
Weight: 4.5 oz. (125.0 g)
Handle: Aluminum
Style: Folding Knife w/Locking Liner

HOOTENANNY™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Oversized Pivot Style
- Low Profile Pocket Clip

K300KXP

Blade: Length: 3.340" (84.8 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.130" (3.3 mm)
Closed: 4.590" (116.6 mm)
Open: 7.940" (201.6 mm)
Weight: 4.8 oz. (136.0 g)
Handle: Carbon Fiber Textured Glass Filled Nylon
Style: Folding Knife w/Frame Lock

EROS™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Blade Show Award - "Imported Knife of the Year"
- Lightweight Titanium Handle

K455TXP

Blade: Length: 3.000" (76.2 mm)
Edge: Plain
Steel: Acuto 440
Finish: Satin
Thickness: 0.079" (2.0 mm)
Closed: 4.000" (102.0 mm)
Open: 7.000" (178.0 mm)
Weight: 1.4 oz. (39.7 g)
Handle: 6AL4V Titanium
Style: Folding Knife w/Frame Lock

EROS™ FLAT HANDLE LARGE

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Stainless Steel Handle

K456XXP

Blade: Length: 2.840" (72.1 mm)
Edge: Plain
Steel: AUS 8
Finish: Satin
Thickness: 0.100" (2.5 mm)
Closed: 4.060" (103.1 mm)
Open: 6.940" (176.2 mm)
Weight: 3.0 oz. (85.0 g)
Handle: 420J2 Stainless Steel
Style: Folding Knife w/Frame Lock

Available in Clam Pack as K456XXPC

SWINDLE™ FLAT HANDLE

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Blade Show Award - "Most Innovative Import Design"
- Tensioned Pocket Clip

K240XXP

Blade: Length: 3.200" (81.2 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.120" (3.0 mm)
Closed: 4.250" (107.9 mm)
Open: 7.500" (190.5 mm)
Weight: 3.3 oz. (93.6 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

SWINDLE™ GROOVED HANDLE

Designed by Ken Onion in Kaneohe, Hawaii



K241XXP

Blade: Length: 3.200" (81.2 mm)
 Edge: Plain
 Steel: 12C27 Sandvik
 Finish: Satin
 Thickness: 0.120" (3.0 mm)

Closed: 4.250" (107.9 mm)
 Open: 7.500" (190.5 mm)
 Weight: 3.3 oz. (93.6 g)
 Handle: Stainless Steel
 Style: Folding Knife w/Frame Lock

- IKBS™ Ball Bearing Pivot System
- Blade Show Award - "Most Innovative Import Design"
- Tensioned Pocket Clip

RIPPLE™ ALUMINUM

Designed by Ken Onion in Kaneohe, Hawaii



K415KXP

Blade: Length: 3.125" (79.3 mm)
 Edge: Plain
 Steel: 8Cr13MoV
 Finish: Satin
 Thickness: 0.100" (2.5 mm)

Closed: 4.330" (109.9 mm)
 Open: 7.500" (190.5 mm)
 Weight: 2.5 oz. (70.9 g)
 Handle: 6061 Aluminum
 Style: Folding Knife w/Locking Liner

U.S. Patent No. 8,966,768

- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Aluminum Handle

SHENANIGAN™ Z

Designed by Ken Onion in Kaneohe, Hawaii



K480KKP

Blade: Length: 3.250" (82.5 mm)
 Edge: Plain
 Steel: AUS 8
 Finish: Bead Blast
 Thickness: 0.119" (3.0 mm)

Closed: 4.875" (123.8 mm)
 Open: 8.250" (209.5 mm)
 Weight: 4.1 oz. (116.0 g)
 Handle: Glass-Reinforced Nylon
 Style: Folding Knife w/Locking Liner

- Bead Blast Blade Finish
- Flipper Opening
- Glass-Reinforced Nylon Handle

NEW

JUMBONES

Designed by Jeff Park in Mililani, Hawaii



7532

Blade: Length: 4.845" (123.1 mm)
 Edge: Plain
 Steel: AUS 8
 Finish: Satin
 Thickness: 0.158" (4.0 mm)

Handle: Aluminum

Open: 11.000" (279.4 mm)
 Closed: 6.125" (155.6 mm)
 Weight: 5.6 oz. (159.0 g)
 Style: Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- Low Profile Flipper Opening
- Brushed Aluminum Two-Tone Handle

CROSSBONES

Designed by Jeff Park in Mililani, Hawaii



- IKBS™ Ball Bearing Pivot System
- Low Profile Flipper Opening
- Brushed Aluminum Two-Tone Handle

7530

Blade: Length: 3.536" (89.8 mm)
Edge: Plain
Steel: AUS 8
Finish: Satin
Thickness: 0.124" (3.1 mm)
Closed: 4.503" (114.3 mm)
Open: 8.063" (204.8 mm)
Weight: 2.4 oz. (68.0 g)
Handle: 6061 Aluminum
Style: Folding Knife w/Locking Liner

🌿 Import Knife of the Year: 2017 Blade Show

NEW

XOC™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- Deadbolt™ Lock
- Premium CTS® XHP Blade Steel
- Titanium Handles

5400

Blade: Length: 4.258" (108.2 mm)
Edge: Plain
Steel: CTS® XHP
Finish: Satin
Thickness: 0.181" (4.6 mm)
Closed: 6.250" (158.8 mm)
Open: 10.375" (263.5 mm)
Weight: 11 oz. (311.8 g)
Handle: Woven Carbon Fiber w/ Titanium Inlay
Style: Folding Knife w/Deadbolt™

U.S. Patent No. 9,833,912

NEW

SEISMIC™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- Deadbolt™ Lock
- IKBS™ Ball Bearing Pivot System
- Tough G10 Handle

5401

Blade: Length: 3.969" (100.8 mm)
Edge: Plain
Steel: 1.4116 Stainless Steel
Finish: Satin
Thickness: 0.148" (3.8 mm)
Closed: 5.457" (138.6 mm)
Open: 9.438" (239.7 mm)
Weight: 6.3 oz. (179.0 g)
Handle: G10
Style: Folding Knife w/Deadbolt™ Lock

U.S. Patent No. 9,833,912

NEW

SEISMIC™ BLACK WITH VEFF SERRATIONS™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- Deadbolt™ Lock
- IKBS™ Ball Bearing Pivot System
- Veff Serrations™

5401K

Blade: Length: 3.969" (100.8 mm)
Edge: Combination
Steel: 1.4116 Stainless Steel
Finish: Black PVD Coating
Thickness: 0.148" (3.8 mm)
Closed: 5.457" (138.6 mm)
Open: 9.438" (239.7 mm)
Weight: 6.3 oz. (179.0 g)
Handle: G10
Style: Folding Knife w/Deadbolt™ Lock

U.S. Patent No. 9,833,912

CARNUFEX™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Stainless Steel Stonewash Handle w/Glass-Reinforced Nylon Inlay

5480

Blade: Length: 3.975" (100.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.148" (3.7 mm)

Closed: 5.098" (129.4 mm)
Open: 9.063" (230.2 mm)
Weight: 5.8 oz. (164.4 g)

Handle: 2Cr13 SS; Inlays - Glass-Reinforced Fiber Polyamide

Style: Folding Knife w/Frame Lock

FOSSIL™ BLACK WITH VEFF SERRATIONS™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Satin Blade Finish

5473

Blade: Length: 3.960" (100.5 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.148" (3.7 mm)

Closed: 4.928" (125.1 mm)
Open: 8.875" (225.4 mm)
Weight: 6 oz. (170.1 g)

Handle: 2Cr13 SS; G10

Style: Folding Knife w/Frame Lock

U.S. Patent No. D559,939

FOSSIL™ BLACK COMPACT

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Satin Blade Finish

5462

Blade: Length: 3.439" (87.3 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.115" (2.9 mm)

Closed: 4.315" (109.6 mm)
Open: 7.688" (195.2 mm)
Weight: 4.2 oz. (119.0 g)

Handle: 2Cr13 SS; G10

Style: Folding Knife w/Frame Lock

FOSSIL™ COMPACT WITH VEFF SERRATIONS™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Veff Serrations™

5461K

Blade: Length: 3.410" (86.6 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Gray Titanium Nitride
Thickness: 0.110" (2.8 mm)

Closed: 4.310" (109.4 mm)
Open: 7.690" (195.3 mm)
Weight: 4.1 oz. (116.0 g)

Handle: Stainless Steel w/G10 Overlay

Style: Folding Knife w/Frame Lock

U.S. Patent No. D559,939

FOSSIL™ WITH VEFF SERRATIONS™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Veff Serrations™

5471K

Blade: Length: 3.960" (100.5 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Titanium Nitride
Thickness: 0.150" (3.8 mm)
Closed: 4.950" (125.7 mm)
Open: 8.880" (225.5 mm)
Weight: 6.1 oz. (173.0 g)
Handle: Stainless Steel w/G10 Overlay
Style: Folding Knife w/Frame Lock

U.S. Patent No. D559,939

FOSSIL™ COMPACT

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlay
- Satin Blade Finish

5460

Blade: Length: 3.410" (86.6 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.110" (2.8 mm)
Closed: 4.310" (109.4 mm)
Open: 7.690" (195.3 mm)
Weight: 4.1 oz. (116.0 g)
Handle: Stainless Steel w/G10 Overlay
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5460C

FOSSIL™

Designed by Flavio Ikoma in Presidente Prudente, Brazil



- IKBS™ Ball Bearing Pivot System
- G10 Handle Overlays
- Satin Blade Finish

5470

Blade: Length: 3.960" (100.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.150" (3.8 mm)
Closed: 4.950" (125.7 mm)
Open: 8.880" (225.5 mm)
Weight: 6.1 oz. (173.0 g)
Handle: Stainless Steel w/G10 Overlay
Style: Folding Knife w/Frame Lock

RAIKIRI™

Designed by Dew Hara in Seki, Japan



- Field Strip Technology
- Satin Blade Finish
- Cold Forged Aluminum Handle

5040

Blade: Length: 3.759" (95.5 mm)
Edge: Plain
Steel: 1.4116 SS
Finish: Bead Blast
Thickness: 0.134" (3.4 mm)
Closed: 5.112" (129.8 mm)
Open: 8.938" (227.0 mm)
Weight: 5.0 oz. (141 g)
Handle: Aluminum
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

DRIP TIGHE™

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- OutBurst® Assisted Opening with Thumbstud
- Satin Blade Finish
- Black G10 w/Carbon Fiber Textured Overlays

1190

Blade: Length: 3.100" (78.7 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.113" (2.9 mm)

Closed: 4.197" (106.6 mm)
Open: 7.250" (184.2 mm)
Weight: 4.2 oz. (119.0 g)

Handle: Black G10 w/Carbon Fiber Textured Overlays

Style: Folding Knife w/Frame Lock

TIGHE TAC™ TWO CLIP POINT

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Tighe Ball Bearing Pivot System
- Button Lock
- Flipper Deployment

5230

Blade: Length: 3.383" (85.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.115" (2.9 mm)

Closed: 4.596" (116.7 mm)
Open: 7.938" (201.6 mm)
Weight: 3.4 oz. (96.4 g)

Handle: Glass-Reinforced Nylon

Style: Folding Knife w/Button Lock

TIGHE TAC™ TWO TANTO

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Tighe Ball Bearing Pivot System
- Button Lock
- Flipper Deployment

5235

Blade: Length: 3.383" (85.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.115" (2.9 mm)

Closed: 4.596" (116.7 mm)
Open: 7.938" (201.6 mm)
Weight: 3.4 oz. (96.4 g)

Handle: Glass-Reinforced Nylon

Style: Folding Knife w/Button Lock

NIRK™ TIGHE 2

Designed by Brian Tighe in Ridgeville, Ontario, Canada



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Blue Two-Tone Titanium Nitride Buffed Handle
- Satin Polished

5240

Blade: Length: 3.250" (89.4 mm)
Edge: Plain
Steel: AUS 8
Finish: Satin
Thickness: 0.121" (3.0 mm)

Closed: 4.250" (107.9 mm)
Open: 7.375" (187.3 mm)
Weight: 3.3 oz. (93.6 g)

Handle: 420J2 Stainless Steel

Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

NIRK™ TIGHE

Designed by Brian Tighe in Ridgeville, Ontario, Canada



5250

Blade: Length: 3.875" (98.4 mm)
Edge: Plain
Steel: AUS 8
Finish: Satin
Thickness: 0.121" (3.0 mm)
Closed: 5.250" (133.3 mm)
Open: 9.125" (231.8 mm)
Weight: 5.1 oz. (145.0 g)
Handle: 420J2 Stainless Steel
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

- Innovative, Patented, Handle Integrated, Klecker Lock
- Blue Two-Tone Titanium Nitride Buffed Handle
- Blade Show Award—"Most Innovative Custom Design"

NEW

PILAR® LARGE

Designed by Jesper Voxnaes in Loegstrup, Denmark



5315

Blade: Length: 2.669" (67.8 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.147" (3.7 mm)
Handle: Stainless Steel
Open: 6.688" (169.9 mm)
Closed: 3.998" (101.6 mm)
Weight: 4.2 oz. (119 g)
Style: Folding Knife w/Frame Lock

- High Carbon Stainless Steel Blade
- Flipper Opening
- Two Position Clip

NEW

PILAR® LARGE WITH G10 HANDLE

Designed by Jesper Voxnaes in Loegstrup, Denmark



5315G

Blade: Length: 2.669" (67.8 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.147" (3.7 mm)
Handle: Front G10 | Back Stainless Steel
Open: 6.688" (169.9 mm)
Closed: 3.998" (101.6 mm)
Weight: 3.8 oz. (107.7 g)
Style: Folding Knife w/Frame Lock

- High Carbon Stainless Steel Blade
- Flipper Opening
- Tough G10 Handle

PILAR®

Designed by Jesper Voxnaes in Loegstrup, Denmark



5311

Blade: Length: 2.402" (61.0 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.145" (3.6 mm)
Closed: 3.530" (89.6 mm)
Open: 5.938" (150.8 mm)
Weight: 4.2 oz. (119.0 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

- Thumb Slot Blade Deployment
- Satin Blade Finish
- Bead Blast Handle Finish

AMICUS™ COMPACT

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot Blade Deployment
- Two-Tone Handle - Stainless Steel and Tough G10
- Frame Lock

5441

Blade: Length: 3.004" (76.3 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.124" (3.1 mm)
Closed: 4.249" (107.9 mm)
Open: 7.313" (185.7 mm)
Weight: 3.8 oz. (107.7 g)
Handle: Stainless Steel and G10
Style: Folding Knife w/Frame Lock

AMICUS™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot Blade Deployment
- Stonewashed Stainless Steel Handle
- Frame Lock

5445

Blade: Length: 3.407" (86.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.154" (3.9 mm)
Closed: 4.718" (119.8 mm)
Open: 8.125" (206.3 mm)
Weight: 6.7 oz. (190.0 g)
Handle: Stainless Steel Stonewashed
Style: Folding Knife w/Frame Lock

VIZZLE™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish
- Stonewash Handle Finish

5320

Blade: Length: 3.353" (85.1 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.144" (3.6 mm)
Closed: 4.605" (116.9 mm)
Open: 8.000" (203.2 mm)
Weight: 4.7 oz. (133.2 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

WILLIWAW™

Designed by Jim Hammond in Birmingham, Alabama



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Black Stonewash Stainless Steel Handle

6016

Blade: Length: 3.026" (76.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.123" (3.1 mm)
Closed: 4.155" (105.5 mm)
Open: 7.125" (181.0 mm)
Weight: 4.7 oz. (133 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

GRAPHITE™

Designed by Glenn Klecker in Silverton, Oregon



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Satin Blade Finish
- Two-Tone Brushed Stainless Steel Handle w/G10

5190

Blade: Length: 3.060" (77.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.121" (3.0 mm)
Closed: 4.440" (112.7 mm)
Open: 7.500" (190.5 mm)
Weight: 4.4 oz. (125.0 g)
Handle: Stainless Steel w/G10
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521

GRAPHITE™ WITH VEFF FLAT TOP SERRATIONS®

Designed by Glenn Klecker in Silverton, Oregon



- Innovative, Patented, Handle-Integrated, Klecker Lock
- Satin Blade Finish
- Veff Flat Top Serrations®

5195

Blade: Length: 3.060" (77.7 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.121" (3.0 mm)
Closed: 4.440" (112.7 mm)
Open: 7.500" (190.5 mm)
Weight: 4.4 oz. (125.0 g)
Handle: Stainless Steel w/G10
Style: Folding Knife w/Klecker Lock

U.S. Patent No. 8,443,521
Available in Clam Pack as 5195C

NEW

PREQUEL™

Designed by Lucas Burnley in Orleans, Massachusetts



- Field Strip Technology
- High Carbon Stainless Steel Blade
- Glass-Reinforced Nylon Handle

2420

Blade: Length: 2.721" (69.1 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.130" (3.3 mm)
Handle: Glass Reinforced Nylon
Open: 6.563" (166.7 mm)
Closed: 3.871" (98.3 mm)
Weight: 3.8 oz. (108 g)
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

SKETCH™

Designed by Lucas Burnley in Orleans, Massachusetts



- Black Oxide Finish
- Injection Molded Handle
- Locking Liner

2430

Blade: Length: 2.768" (70.3 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.138" (3.5 mm)
Closed: 3.872" (98.4 mm)
Open: 6.625" (168.3 mm)
Weight: 3.3 oz. (94 g)
Handle: Injection Molded
Style: Folding Knife w/Locking Liner

AUX™

Designed by Lucas Burnley in Orleans, Massachusetts



- Satin Blade Finish
- Textured Polypropylene Handle
- Glass-Reinforced Nylon Sheath

1200

Blade: Length: 3.451" (87.6 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.122" (3.1 mm)

Closed: 2.940" (74.6 mm)
Open: 7.563" (192.1 mm)
Weight: 2.9 oz. (82.2 g)
Handle: Glass-Reinforced Nylon
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Weight: 1.1 oz. (31.1 g)

AUX™ FOLDER

Designed by Lucas Burnley in Orleans, Massachusetts



- Satin Blade Finish
- Textured Polypropylene Handle
- Thumb Disk Blade Deployment

1220

Blade: Length: 3.211" (81.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.144" (3.6 mm)

Closed: 4.424" (112.3 mm)
Open: 8.688" (220.6 mm)
Weight: 4.2 oz. (119.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

SQUID™

Designed by Lucas Burnley in Orleans, Massachusetts



- On Blade Friction Grooves for Grip
- Low Profile Pocket Clip
- Lanyard Hole for Additional Keychain or Fob

2490

Blade: Length: 2.156" (54.76 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Silver Stonewashed
Thickness: 0.110" (2.7 mm)

Closed: 3.476" (88.29 mm)
Open: 5.701" (144.81 mm)
Weight: 3.5 oz. (99.2 g)
Handle: Stainless Steel w/Stonewash
Style: Folding Knife w/Frame Lock

SQUID™ BLACK STONEWASH

Designed by Lucas Burnley in Orleans, Massachusetts



- Black Stonewashed Finish
- On Blade Friction Grooves for Grip
- Low Profile Pocket Clip

2490KS

Blade: Length: 2.156" (54.76 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black Stonewashed
Thickness: 0.110" (2.7 mm)

Closed: 3.476" (88.29 mm)
Open: 5.701" (144.81 mm)
Weight: 3.5 oz. (99.2 g)
Handle: Stainless Steel w/Stonewash
Style: Folding Knife w/Frame Lock

BUKU™

Designed by Lucas Burnley in Orleans, Massachusetts



- Kukri Blade Style
- Silver Stonewashed Handle
- Low Profile Pocket Clip

2460

Blade: Length: 3.750" (95.2 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.144" (3.6 mm)
Closed: 4.856" (123.3 mm)
Open: 8.313" (211.1 mm)
Weight: 7.7 oz. (218.0 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

OBAKE™ SKOSHI

Designed by Lucas Burnley in Orleans, Massachusetts



- Cord-Wrapped Handle
- Individually Etched Ti-Nitride Blade
- Glass-Reinforced Nylon Sheath w/Skull Bead

2365

Blade: Length: 2.406" (61.1 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Gray Titanium Nitride w/
Etch Pattern
Thickness: 0.108" (2.7 mm)
Overall: 5.377" (136.6 mm)
Weight: 1.5 oz. (42.5 g)
Handle: Cord-Wrapped Handle
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord w/Skull Bead
Weight: 0.7 oz. (19.8 g)

OBAKE™

Designed by Lucas Burnley in Orleans, Massachusetts



- Cord-Wrapped Handle
- Individually Etched Ti-Nitride Blade
- Glass-Reinforced Nylon Sheath w/Skull Bead

2367

Blade: Length: 3.640" (92.5 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Gray Titanium Nitride w/
Etch Pattern
Thickness: 0.130" (3.3 mm)
Overall: 7.630" (193.8 mm)
Weight: 2.4 oz. (68 g)
Handle: Cord-Wrapped Handle
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord w/Skull Bead
Weight: 0.8 oz. (22.7 g)

Available in Clam Pack as 2367C

NEW

GUNGHO™

Designed by Tom Krein in Gentry, Arkansas



- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- G10 Handle with Stainless Steel Frame Lock

7740

Blade: Length: 2.784" (70.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.146" (3.7 mm)
Closed: 4.261" (108.2 mm)
Open: 7.000" (177.8 mm)
Weight: 4.7 oz. (133.2 g)
Handle: G10 Handle Scale on one side,
Stainless Steel on the other
Style: Folding Knife w/Frame Lock

RIPSNORT™

Designed by Philip Booth in Ithaca, Michigan



- Flipper Opening
- Black Handle w/Stainless Steel Accent
- Locking Liner

7270

Blade: Length: 2.831" (72.0 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.106" (2.7 mm)
Closed: 4.026" (102.3 mm)
Open: 6.938" (176.2 mm)
Weight: 6.0 oz. (170 g)
Handle: Black Handle w/Stainless Steel
Accent Inlay
Style: Folding Knife w/Locking Liner

SNARKY™

Designed by Philip Booth in Ithaca, Michigan



- Flipper Opening
- Black Handle w/Stainless Steel Accent
- Locking Liner

7280

Blade: Length: 3.249" (82.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.145" (3.7 mm)
Closed: 4.467" (113.5 mm)
Open: 7.750" (196.9 mm)
Weight: 5.8 oz. (156 g)
Handle: Black Handle w/Stainless Steel
Accent Inlay
Style: Folding Knife w/Locking Liner

SNICKER™

Designed by Philip Booth in Ithaca, Michigan



- Flipper Opener
- Locking Liner
- Glass-Reinforced Nylon Handle w/Carbon Fiber Texture

6415

Blade: Length: 1.846" (46.8 mm)
Edge: Plain
Steel: 420J2
Finish: Stonewash
Thickness: 0.106" (2.6 mm)
Closed: 2.938" (74.6 mm)
Open: 4.688" (119.0 mm)
Weight: 2.3 oz. (65.2 g)
Handle: Injection Molded Glass-Reinforced
Nylon
Style: Folding Knife w/Locking Liner

FULCRUM™ 2 COMPACT

Designed by Russ Kommer in Fargo, North Dakota



- Innovative Fulcrum™ Action Opening Mechanism
- Titanium Nitride Finish
- Glass-Reinforced Nylon Handle

7430

Blade: Length: 2.769" (70.3 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Titanium Nitride
Thickness: 0.111" (2.8 mm)
Closed: 3.854" (97.9 mm)
Open: 6.650" (168.9 mm)
Weight: 3.0 oz. (85.0 g)
Handle: Glass-Reinforced Nylon w/Stainless
Steel
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,513,045

FULCRUM™ 2

Designed by Russ Kommer in Fargo, North Dakota



- Innovative Fulcrum™ Action Opening Mechanism
- Titanium Nitride Finish
- Glass-Reinforced Nylon Handle

7435

Blade: Length: 3.180" (80.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Titanium Nitride
Thickness: 0.111" (2.8 mm)
Closed: 4.429" (112.5 mm)
Open: 7.645" (192.2 mm)
Weight: 4.7 oz. (133.0 g)
Handle: Glass-Reinforced Nylon w/
Stainless Steel
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,513,045

CALIGO™

Designed by TJ Schwarz in Boise, Idaho



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Black Oxide Blade Finish

6215

Blade: Length: 3.185" (80.9 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black Oxide
Thickness: 0.129" (3.3 mm)
Closed: 4.471" (113.6 mm)
Open: 7.625" (193.7 mm)
Weight: 3.4 oz. (96.0 g)
Handle: Black Anodized Aluminum Handle
w/Blue Pivot Ring
Style: Folding Knife w/Locking Liner

NEW

HYPERSPEED

Designed by MJ Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Black Oxide Blade Finish
- Glass-Reinforced Nylon Handle

7020

Blade: Length: 3.582" (91.0 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black Oxide
Thickness: 0.101" (2.57 mm)
Handle: Glass Reinforced Nylon
Open: 8.250" (209.55 mm)
Closed: 4.632" (117.65 mm)
Weight: 3.8 oz. (108 g)
Style: Folding Knife w/Locking Liner

NEW

FAST LANE™

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Black Stonewash Blade Finish
- Tough G10 Handle

7045

Blade: Length: 3.476" (88.29 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black Stonewash
Thickness: 0.116" (3.0 mm)
Handle: G10
Open: 7.938" (201.7 mm)
Closed: 4.449" (113.0 mm)
Weight: 4.1 oz. (116 g)
Style: Folding Knife w/Locking Liner

NEW**FLAT OUT™**

Designed by Matthew Lerch in Sussex, Wisconsin

**7016**
Blade:

Length: 3.570" (90.7 mm)
 Edge: Plain
 Steel: 8Cr13MoV
 Finish: Brushed Stainless + Satin
 Thickness: 0.122" (3.1 mm)

Handle:
 Open:
 Closed:
 Weight:
 Style:

Stainless Steel
 8.063" (204.8 mm)
 4.421" (112.3 mm)
 3.6 oz. (102 g)
 Folding Knife w/Frame Lock

- OutBurst® Assisted Opening
- High Carbon Stainless Steel Blade
- Frame Lock

NEW**UP & AT 'EM™**

Designed by Matthew Lerch in Sussex, Wisconsin

**7076**
Blade:

Length: 3.622" (92.0 mm)
 Edge: Plain
 Steel: 8Cr13MoV
 Finish: Brushed Stainless + Bead Blast
 Thickness: 0.121" (3.1 mm)

Handle:
 Open:
 Closed:
 Weight:
 Style:

Stainless Steel
 8.375" (212.8 mm)
 4.719" (119.9 mm)
 4.2 oz. (119 g)
 Folding Knife w/Frame Lock

- High Carbon Stainless Steel Blade
- Flipper Opening
- Frame Lock

DIRECTIVE™ TANTO

Designed by Matthew Lerch in Sussex, Wisconsin

**1062**
Blade:

Length: 3.614" (91.8 mm)
 Edge: Plain
 Steel: 8Cr14MoV
 Finish: Black Oxide
 Thickness: 0.148" (3.7 mm)

Closed:
 Open:
 Weight:
 Handle:
 Style:

4.829" (122.6 mm)
 8.375" (212.7 mm)
 4.8 oz. (136.0 g)
 Glass-Reinforced Nylon
 Folding Knife w/Locking Liner

- Flipper Opening
- Black Oxide Finish
- Black Two-Tone Glass-Reinforced Nylon Handle

DIRECTIVE™ DROP POINT

Designed by Matthew Lerch in Sussex, Wisconsin

**1063**
Blade:

Length: 3.624" (92.0 mm)
 Edge: Plain
 Steel: 8Cr14MoV
 Finish: Black Oxide
 Thickness: 0.136" (3.4 mm)

Closed:
 Open:
 Weight:
 Handle:
 Style:

4.828" (122.6 mm)
 8.438" (214.3 mm)
 4.4 oz. (124.7 g)
 Glass-Reinforced Nylon
 Folding Knife w/Locking Liner

- Flipper Opening
- Black Oxide Finish
- Black Two-Tone Glass-Reinforced Nylon Handle

MOXIE™ BLACK

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Black Corrosion Resistant Blade Finish

1100

Blade: Length: 3.290" (83.5 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black Oxide
Thickness: 0.100" (2.5 mm)
Closed: 4.230" (107.4 mm)
Open: 7.500" (190.5 mm)
Weight: 3.2 oz. (90.7 g)
Handle: EDM Finish – PP; Textured TPE
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

MOXIE™ GREY

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Dark Grey Corrosion Resistant Blade Finish

1102

Blade: Length: 3.290" (83.5 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Gray Titanium Nitride
Thickness: 0.100" (2.5 mm)
Closed: 4.230" (107.4 mm)
Open: 7.500" (190.5 mm)
Weight: 3.2 oz. (90.7 g)
Handle: EDM Finish – PP; Textured TPE
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

ENDORSER™

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Two-Tone G10 Handle

1105

Blade: Length: 3.180" (80.7 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.100" (2.5 mm)
Closed: 4.170" (105.9 mm)
Open: 7.310" (185.6 mm)
Weight: 3.2 oz. (90.7 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

ENDORSER™ BLACK

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Black Corrosion Resistant Blade Finish

1105K

Blade: Length: 3.180" (80.7 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black Oxide
Thickness: 0.100" (2.5 mm)
Closed: 4.170" (105.9 mm)
Open: 7.310" (185.6 mm)
Weight: 3.2 oz. (90.7 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

Available in Clam Pack as 1105KC

NEW**CEO**

Designed by Richard Rogers in Magdalena, New Mexico

**7096**

Blade: Length: 3.107" (79.0 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.086" (2.2 mm)
Handle: Glass Reinforced Nylon
Open: 7.625" (193.7 mm)
Closed: 4.448" (113.0 mm)
Weight: 2.1 oz. (59.5 g)
Style: Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- High Carbon Stainless Steel Blade
- Glass-Reinforced Nylon Handle

CUATRO™

Designed by Richard Rogers in Magdalena, New Mexico

**7090**

Blade: Length: 3.199" (81.3 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Bead Blast
Thickness: 0.126" (3.2 mm)
Closed: 4.515" (114.7 mm)
Open: 7.750" (196.8 mm)
Weight: 3.1 oz. (87.9 g)
Handle: Contoured G10
Style: Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Contoured G10 Handle for Secure Grip

MAVEN™

Designed by Richard Rogers in Magdalena, New Mexico

**6920**

Blade: Length: 3.684" (93.6 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Bead Blast
Thickness: 0.127" (3.3 mm)
Closed: 4.532" (115.1 mm)
Open: 7.938" (201.6 mm)
Weight: 4.8 oz. (136.1 g)
Handle: Contoured G10
Style: Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Contoured G10 Handle for Secure Grip

RADIC™

Designed by Ken Steigerwalt in Orangeville, Pennsylvania

**6040**

Blade: Length: 3.322" (84.4 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin & Bead Blast
Thickness: 0.126" (3.2 mm)
Closed: 4.348" (110.4 mm)
Open: 7.625" (193.7 mm)
Weight: 4.5 oz. (127.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

- OutBurst® Assisted Opening
- Thumb Stud Blade Deployment
- Satin Blade Finish

IGNITOR®

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Tough G10 Handle

6850

Blade: Length: 3.380" (85.8 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.110" (2.7 mm)
Closed: 4.250" (107.9 mm)
Open: 7.500" (190.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

IGNITOR® WITH VEFF SERRATIONS™

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Veff Serrations™

6855

Blade: Length: 3.380" (85.8 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.110" (2.7 mm)
Closed: 4.250" (107.9 mm)
Open: 7.500" (190.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028 and D559,939
Available in Clam Pack as 6855C

IGNITOR® T

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Tough G10 Handle™

6860

Blade: Length: 3.380" (85.8 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.110" (2.7 mm)
Closed: 4.250" (107.9 mm)
Open: 7.500" (190.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,918,028

IGNITOR® T WITH VEFF SERRATIONS™

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Veff Serrations™

6865

Blade: Length: 3.380" (85.8 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.110" (2.7 mm)
Closed: 4.250" (107.9 mm)
Open: 7.500" (190.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028 and D559,939
Available in Clam Pack as 6865C

JETTISON™

Designed by Robert Carter in Hillister, Texas



- Frame Lock
- Modified Sheep's Foot Blade
- Stonewash Handle Finish

6130

Blade: Length: 3.260" (82.8 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.126" (3.2 mm)
Closed: 4.521" (114.8 mm)
Open: 7.750" (196.8 mm)
Weight: 4.5 oz. (127.5 g)
Handle: Stonewash Stainless Steel
Style: Folding Knife w/Frame Lock

JETTISON™ COMPACT

Designed by Robert Carter in Hillister, Texas



- Modified Sheep's Foot Blade Style
- Titanium Handle
- Frame Lock

6120

Blade: Length: 2.028" (51.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.106" (2.7 mm)
Closed: 3.185" (80.9 mm)
Open: 5.197" (132.0 mm)
Weight: 1.3 oz. (36.9 g)
Handle: Stonewashed Titanium
Style: Folding Knife w/Frame Lock

REMEDY™

Designed by Liang Mah in Palm Bay, Florida



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Satin Finish

3720

Blade: Length: 3.572" (90.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.137" (3.4 mm)
Closed: 4.732" (120.1 mm)
Open: 8.313" (211.1 mm)
Weight: 5.4 oz. (153.0 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

NEW**OFFBEAT™ II**

Designed by Pat Crawford in West Memphis, Arkansas



- Crawford Lockback
- Satin Blade Finish
- Glass-Reinforced Nylon Handle

7760

Blade: Length: 3.237" (82.2 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.105" (2.7 mm)
Handle: Glass Reinforced Nylon
Open: 7.563" (192.1 mm)
Closed: 4.342" (110.3 mm)
Weight: 3.3 oz. (93.6 g)
Style: Folding Knife w/Crawford Lockback

OFFBEAT™

Designed by Pat Crawford in West Memphis, Arkansas



- Crawford Lockback
- Satin Blade Finish
- Stainless Steel Handle

7730

Blade: Length: 3.522" (89.5 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.109" (2.7 mm)
Closed: 4.483" (113.9 mm)
Open: 8.000" (203.2 mm)
Weight: 2.9 oz. (82.2 g)
Handle: Stainless Steel
Style: Folding Knife w/Lockback Safety

K.I.S.S.®

Designed by Ed Halligan in Ocean Springs, Mississippi



- K.I.S.S. - Keep. It. Super. Simple.
- Innovative Two-Piece Design: Blade and Frame
- Bead Blast Finish

5500

Blade: Length: 2.250" (57.1 mm)
Edge: Plain
Steel: 3Cr13
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 3.500" (88.9 mm)
Open: 5.750" (146.0 mm)
Weight: 2.3 oz. (65.2 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

K.I.S.S.® WITH TRIPLE POINT™ SERRATIONS

Designed by Ed Halligan in Ocean Springs, Mississippi



- K.I.S.S. - Keep. It. Super. Simple.
- Innovative Two-Piece Design: Blade and Frame
- Triple Point™ Serrations

5510

Blade: Length: 2.250" (57.1 mm)
Edge: Combination
Steel: 3Cr13
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 3.500" (88.9 mm)
Open: 5.750" (146.0 mm)
Weight: 2.3 oz. (65.2 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

Available in Clam Pack as 5510C

DELILAH'S P.E.C.K.™

Designed by Ed Halligan in Ocean Springs, Mississippi



- Innovative Two-Piece Design: Blade and Frame
- Bead Blast Finish
- P.E.C.K.—Precision. Engineered. Compact. Knife.

5520

Blade: Length: 1.750" (44.4 mm)
Edge: Plain
Steel: 3Cr13
Finish: Bead Blast
Thickness: 0.100" (2.5 mm)
Closed: 2.625" (66.6 mm)
Open: 4.250" (107.9 mm)
Weight: 0.9 oz. (25.5 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

NEW**AVANT™**

Designed by Eric Ochs in Sherwood, Oregon

**4620**
Blade:

Length: 3.175" (80.7 mm)

Edge: Plain

Steel: 8Cr14MoV

Finish: Satin

Thickness: 0.143" (3.6 mm)

Handle:

Carbon Fiber

Open:

7.500" (190.5 mm)

Closed:

4.312" (109.5 mm)

Weight:

5.4 oz

Style:

Folding Knife w/Locking Liner

- IKBS™ Ball Bearing Pivot System
- Satin Blade Finish and Brass Ti-Nitride Accents
- Carbon Fiber Handle in Black Woven Texture

NEW**BEV-EDGE™**

Designed by Eric Ochs in Sherwood, Oregon

**4630**

Blade:

Length: 2.542" (64.6 mm)

Edge: Plain

Steel: 8Cr13MoV

Finish: Stonewash

Thickness: 0.108" (2.7 mm)

Handle:

Stainless Steel Stonewash

Open:

6.063" (154.0 mm)

Closed:

3.530" (89.7 mm)

Weight:

3.8 oz. (108 g)

Style:

Folding Knife w/Frame Lock

- Stonewash Finish
- Bottle Opener
- Frame Lock

NEW**BEV-EDGE™ BLACK**

Designed by Eric Ochs in Sherwood, Oregon

**4635**

Blade:

Length: 2.489" (63.2 mm)

Edge: Plain

Steel: 8Cr13MoV

Finish: Black Stonewash

Thickness: 0.111" (2.8 mm)

Handle:

Black Stonewash

Open:

6.000" (152.4 mm)

Closed:

3.530" (89.7 mm)

Weight:

3.8 oz. (108 g)

Style:

Folding Knife w/Frame Lock

- Black Stonewash Finish
- Bottle Opener
- Frame Lock

LARGO™

Designed by Eric Ochs in Sherwood, Oregon

**5360**

Blade:

Length: 2.542" (64.6 mm)

Edge: Plain

Steel: 5Cr15MoV

Finish: Satin

Thickness: 0.107" (2.7 mm)

Closed:

3.576" (90.8 mm)

Open:

6.125" (155.7 mm)

Weight:

3.6 oz. (102 g)

Handle:

Brushed Stainless Finish

& Black Stonewash

Style:

Folding Knife w/Frame Lock

- OutBurst® Assisted Opening
- Bottle Opener
- Frame Lock

TERRESTRIAL™

Designed by Eric Ochs in Sherwood, Oregon



- IKBS™ Ball Bearing Pivot System
- Flipper Opening
- Satin Blade Finish

5370

Blade: Length: 3.355" (85.2 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.139" (3.5 mm)
Closed: 4.348" (110.4 mm)
Open: 7.688" (195.3 mm)
Weight: 4.3 oz. (122 g)
Handle: G10
Style: Folding Knife w/Locking Liner

DRIFTER



- Tough G10 Handle
- Gray Titanium Nitride Blade Finish
- Thumb Stud Blade Deployment

6450K

Blade: Length: 2.875" (73.0 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Gray Titanium Nitride
Thickness: 0.100" (2.5 mm)
Closed: 3.625" (92.0 mm)
Open: 6.500" (165.1 mm)
Weight: 2.4 oz. (68.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

DRIFTER STAINLESS HANDLE



- Satin Blade Finish
- Stainless Steel Handle
- Frame Lock Safety

6450S

Blade: Length: 2.875" (73.0 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Satin
Thickness: 0.100" (2.5 mm)
Closed: 3.625" (92.0 mm)
Open: 6.500" (165.1 mm)
Weight: 3.2 oz. (90.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

PAZODA™ 2



- Dark Gray Titanium Nitride Blade Finish
- Stainless Steel Handle
- Thumb Jimping on Blade for Optimum Cutting Control

6470

Blade: Length: 2.125" (53.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.100" (2.5 mm)
Closed: 3.000" (76.2 mm)
Open: 5.125" (130.1 mm)
Weight: 1.5 oz. (42.5 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

PAZODA™

- Dark Gray Titanium Nitride Blade Finish
- Stainless Steel Handle
- Thumb Jimping on Blade for Optimum Cutting Control

6480

Blade: Length: 2.625" (66.6 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.100" (2.5 mm)
Closed: 3.750" (95.2 mm)
Open: 6.500" (165.1 mm)
Weight: 3.1 oz. (87.9 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

DEVIATION™

Designed by Terry Renner in Palmetto, Florida



- IKBS™ Ball Bearing Pivot System
- Dual Blade Finish—Mirror and Satin
- Distinctive, Futuristic Blade Design

2392

Blade: Length: 3.100" (78.7 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Two-Tone
Thickness: 0.120" (3.1 mm)
Closed: 4.540" (115.3 mm)
Open: 7.630" (193.8 mm)
Weight: 6.0 oz. (170.0 g)
Handle: Stainless Steel w/Ti-Nitride Finish
Style: Folding Knife w/Locking Liner

SNAP LOCK™

Designed by Ed Van Hoy in Abingdon, Virginia



- Innovative Snap Lock™ Mechanism
- Bead Blast Finish
- Quick Release Paracord Lanyard

5102N

Blade: Length: 2.554" (64.8 mm)
Edge: Plain
Steel: 420J2
Finish: Bead Blast
Thickness: 0.124" (3.1 mm)
Closed: 4.207" (106.8 mm)
Open: 6.250" (158.7 mm)
Weight: 2.5 oz. (70.8 g)
Handle: 420J2
Style: Folding Knife w/Snap Lock™

SNAP LOCK™ WITH TRIPLE POINT™ SERRATIONS

Designed by Ed Van Hoy in Abingdon, Virginia



- Innovative Snap Lock™ Mechanism
- Bead Blast Finish
- Quick Release Paracord Lanyard

5112N

Blade: Length: 2.554" (64.8 mm)
Edge: Combination
Steel: 420J2
Finish: Bead Blast
Thickness: 0.124" (3.1 mm)
Closed: 4.207" (106.8 mm)
Open: 6.250" (158.7 mm)
Weight: 2.5 oz. (70.8 g)
Handle: 420J2
Style: Folding Knife w/Snap Loc™

DAKTYL™

Designed by Tom Hitchcock in Talent, Oregon



- Hole in One® Mechanism
- Slide Lock Innovation
- Bead Blast Finish

5151

Blade: Length: 3.050" (77.5 mm)
Edge: Plain
Steel: 420J2 Stainless Steel
Finish: Bead Blast
Thickness: 0.145" (3.7 mm)
Closed: 4.422" (112.3 mm)
Open: 6.813" (173.1 mm)
Weight: 2.4 oz. (68 g)
Handle: Stainless Steel
Style: Folding Knife w/Slide Lock

M16® - 03S CLASSIC

Designed by Kit Carson in Vine Grove, Kentucky



- Locking Liner
- Carson Flipper Opening
- Aluminum Handle

M16-03S

Blade: Length: 3.460" (88.0 mm)
Edge: Plain
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 4.650" (118.0 mm)
Open: 8.250" (210.0 mm)
Weight: 3.3 oz. (95.0 g)
Handle: 6061 Aluminum
Style: Folding Knife w/Locking Liner

M16® - 04S CLASSIC

Designed by Kit Carson in Vine Grove, Kentucky



- Locking Liner
- Carson Flipper Opening
- Aluminum Handle

M16-04S

Blade: Length: 3.900" (99.0 mm)
Edge: Plain
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.140" (3.5 mm)
Closed: 5.340" (136.0 mm)
Open: 9.310" (236.0 mm)
Weight: 5.5 oz. (155.0 g)
Handle: 6061 Aluminum
Style: Folding Knife w/Locking Liner

M16® - 02KS

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

M16-02KS

Blade: Length: 3.057" (77.6 mm)
Edge: Plain
Steel: 12C27 Sandvik
Finish: Black Oxide
Thickness: 0.117" (3.0 mm)
Closed: 4.299" (109.2 mm)
Open: 7.313" (185.7 mm)
Weight: 3.7 oz. (104.9 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M16® - 03KS

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

M16-03KS

Blade: Length: 3.552" (90.2 mm)
Edge: Plain
Steel: 12C27 Sandvik
Finish: Black Oxide
Thickness: 0.118" (3.0 mm)

Closed: 4.658" (118.3 mm)
Open: 8.250" (209.5 mm)
Weight: 3.8 oz. (107.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M16® - 04KS

Designed by Kit Carson in Vine Grove, Kentucky



- Carson Flipper Opening
- Frame Lock
- Stainless Steel Handle

M16-04KS

Blade: Length: 3.871" (98.3 mm)
Edge: Plain
Steel: 12C27 Sandvik
Finish: Black Oxide
Thickness: 0.134" (3.4 mm)

Closed: 5.337" (135.7 mm)
Open: 9.313" (236.5 mm)
Weight: 6.2 oz. (176.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M16® - 02Z TANTO

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

M16-02Z

Blade: Length: 3.000" (76.2 mm)
Edge: Plain
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)

Closed: 4.250" (107.9 mm)
Open: 7.375" (187.3 mm)
Weight: 3.6 oz. (102.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 12Z TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

M16-12Z

Blade: Length: 3.000" (76.2 mm)
Edge: Combination
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)

Closed: 4.250" (107.9 mm)
Open: 7.375" (187.3 mm)
Weight: 3.6 oz. (102.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 03Z SPEAR POINT

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

M16-03Z

Blade: Length: 3.500" (88.9 mm)
Edge: Plain
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 4.750" (120.6 mm)
Open: 8.250" (209.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 13Z SPEAR POINT WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

M16-13Z

Blade: Length: 3.500" (88.9 mm)
Edge: Combination
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 4.750" (120.6 mm)
Open: 8.250" (209.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-13ZC

M16® - 04Z TANTO LARGE

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

M16-04Z

Blade: Length: 3.875" (98.4 mm)
Edge: Plain
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.9 oz. (167.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 14Z TANTO LARGE WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

M16-14Z

Blade: Length: 3.875" (98.4 mm)
Edge: Combination
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.120" (3.0 mm)
Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.9 oz. (167.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 437,822

M16® - 01Z SPEAR POINT

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Glass-Reinforced Nylon Handle

M16-01Z

Blade: Length: 3.125" (79.3 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Bead Blast
Thickness: 0.080" (2.0 mm)

Closed: 4.000" (101.6 mm)
Open: 7.125" (180.9 mm)
Weight: 2.3 oz. (87.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 01KZ SPEAR POINT BLACK

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Black Corrosion Resistant EDP Coating
- Glass-Reinforced Nylon Handle

M16-01KZ

Blade: Length: 3.125" (79.3 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Black EDP Finish
Thickness: 0.080" (2.0 mm)

Closed: 4.000" (101.6 mm)
Open: 7.125" (180.9 mm)
Weight: 2.3 oz. (87.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-01KZC

M16® - 10Z TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle

M16-10Z

Blade: Length: 3.000" (76.2 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Bead Blast
Thickness: 0.080" (2.0 mm)

Closed: 4.000" (101.6 mm)
Open: 7.125" (180.9 mm)
Weight: 2.3 oz. (87.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 10KZ TANTO BLACK WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

M16-10KZ

Blade: Length: 3.000" (76.2 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Black EDP
Thickness: 0.080" (2.0 mm)

Closed: 4.000" (101.6 mm)
Open: 7.125" (180.9 mm)
Weight: 2.3 oz. (87.9 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-10KZC

M16® - 01S SPEAR POINT STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Carson Flipper Opening

M16-01S

Blade: Length: 3.060" (77.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Bead Blast
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)
Open: 7.130" (181.1 mm)
Weight: 2.6 oz. (73.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

Available in Clam Pack as M16-01SC

M16® - 01KS SPEAR POINT BLACK STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Black Corrosion Resistant EDP Coating

M16-01KS

Blade: Length: 3.060" (77.7 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black EDP
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)
Open: 7.130" (181.1 mm)
Weight: 2.6 oz. (73.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M16® - 10S TANTO WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Stainless Steel Handle
- Triple Point™ Serrations

M16-10S

Blade: Length: 3.060" (77.7 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Bead Blast
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)
Open: 7.000" (177.8 mm)
Weight: 2.6 oz. (73.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M16® - 10KS TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

M16-10KS

Blade: Length: 3.060" (77.7 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Black EDP
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)
Open: 7.000" (177.8 mm)
Weight: 2.6 oz. (73.7 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

Available in Clam Pack as M16-10KSC

M16® - 10KSF TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock w/Dual Hilt
- Triple Point™ Serrations
- Black Corrosion Resistant EDP Coating

M16-10KSF

Blade: Length: 2.940" (74.6 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Black EDP
Thickness: 0.098" (2.4 mm)

Closed: 4.000" (101.6 mm)
Open: 7.000" (177.8 mm)
Weight: 2.7 oz. (73.7 g)
Handle: Stainless Steel w/Dual Hilt
Style: Folding Knife w/Frame Lock

M21™ - 10KSF WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Frame Lock w/Dual Hilt
- Triple Point™ Serrations
- Black Oxide Blade Finish

M21-10KSF

Blade: Length: 3.134" (79.6 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.096" (2.4 mm)

Closed: 4.011" (101.8 mm)
Open: 7.188" (182.5 mm)
Weight: 2.8 oz. (79.3 g)
Handle: Stainless Steel
Style: Folding Knife w/Frame Lock

M21™ - 02G G10

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- G10 Handle

M21-02G

Blade: Length: 3.125" (79.3 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.120" (3.0 mm)

Closed: 4.250" (107.9 mm)
Open: 7.250" (184.1 mm)
Weight: 3.8 oz. (108.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M21™ - 12G G10 WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Veff Serrations™

M21-12G

Blade: Length: 3.125" (79.3 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.120" (3.0 mm)

Closed: 4.250" (107.9 mm)
Open: 7.250" (184.1 mm)
Weight: 3.8 oz. (108.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M21™ - 04G G10 LARGE

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- G10 Handle

M21-04G

Blade: Length: 3.875" (98.4 mm)
Edge: Plain
Steel: 8Cr14MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.9 oz. (167.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M21™ - 14G G10 LARGE WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Carson Flipper Opening
- Veff Serrations™

M21-14G

Blade: Length: 3.875" (98.4 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Dark Gray Titanium Nitride
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.9 oz. (167.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M4™ - 02

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- G10 Bolster w/White Bone Handle
- Satin Blade Finish

M4-02

Blade: Length: 3.250" (82.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.121" (3.0 mm)

Closed: 3.750" (95.2 mm)
Open: 7.000" (177.8 mm)
Weight: 3.3 oz. (93.6 g)
Handle: G10 Bolster w/White Bone
Style: Folding Knife w/Locking Liner

M4™ - 02S

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- LAWKS™ Safety
- Stainless Steel Bolster w/Red Stag Handle

M4-02S

Blade: Length: 3.250" (82.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.121" (3.0 mm)

Closed: 3.750" (95.2 mm)
Open: 7.000" (177.8 mm)
Weight: 3.3 oz. (93.6 g)
Handle: Stainless Steel Bolster w/Red Stag
Style: Folding Knife w/Locking Liner

M4™ - 02W

Designed by Kit Carson in Vine Grove, Kentucky



- OutBurst® Assisted Opening
- Locking Liner
- Stainless Steel Bolster w/Burl Wood Handle

M4-02W

Blade:	Length: 3.250" (82.5 mm) Edge: Plain Steel: 8Cr13MoV Finish: Satin Thickness: 0.121" (3.0 mm)
Closed:	3.750" (95.2 mm)
Open:	7.000" (177.8 mm)
Weight:	3.3 oz. (93.6 g)
Handle:	Stainless Steel Bolster w/Burl Wood
Style:	Folding Knife w/Locking Liner





HUNT & FISH

HOMEFRONT™ HUNTER

Designed by Ken Onion Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- Realtree® Xtra® Camo Pattern

K265CXP

Blade: Length: 3.539" (89.8 mm)
 Edge: Plain
 Steel: 1.4116 SS
 Finish: Satin
 Thickness: 0.135" (3.4 mm)
 Closed: 4.720" (119.8 mm)
 Open: 8.250" (209.5 mm)
 Weight: 4.3 oz. (122 g)
 Handle: Glass-Reinforced Nylon
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809
 *Realtree™ Xtra ©Jordan Outdoor Enterprises, Ltd.

HUMDINGER™

Designed by Ken Onion Kaneohe, Hawaii



- 65 Mn Carbon Steel Blade
- Black Corrosion Resistant Blade Finish
- Versatile Utility Sheath

K110KPP

Blade: Length: 5.973" (151.7 mm)
 Edge: Plain
 Steel: 65Mn Carbon Steel
 Finish: Black Corrosion Resistant
 Thickness: 0.180" (4.5 mm)
 Overall: 11.438" (290.5 mm)
 Weight: 9.4 oz. (266.4 g)
 Handle: Thermoplastic Polyurethane (TPU)
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: Polypropylene
 Weight: 5.7 oz. (161.5 g)

NEW

MONASHEE™

Designed by Russ Kommer in Fargo, North Dakota



- Field Strip Technology
- High Carbon Stainless Steel Blade
- Double Injection Molded Handle

2842

Blade: Length: 3.631" (92.2 mm)
 Edge: Plain
 Steel: 8Cr13MoV
 Finish: Satin
 Thickness: 0.126" (3.2 mm)
 Handle: TPR Thermoplastic Rubber
 Open: 8.875" (225.4 mm)
 Closed: 5.174" (131.4 mm)
 Weight: 4.8 oz. (136 g)
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

HOIST'N LOK® BIG GAME HOIST

Designed by Russ Kommer in Fargo, North Dakota



- Innovative, Patented, Secure, Cam Lock
- 4:1 Mechanical Pulley System
- Includes: Pulley, Gambrel, Rope

HOIST1

Specs: 1 6061 Aluminum Lobed Pulley Wheel
 CNC Machined Knurling on Pulley Wheel
 3 POM Plastic Pulley Wheels
 Pulley Housing: Length: 7.500" (19.0 cm)
 Width: 2.200" (5.6 cm)
 Depth: 1.800" (4.6 cm)
 Gambrel: Length: 25.000" (19.1 cm)
 Height: 6.380" (16.3 cm)
 Rod Diameter: 0.390" (1.0 cm)
 Weight: Pulley & Carabiner: 1 lb. 8 oz. (680.4 g)
 Capacity: 500 lbs. (226.8 kg)
 Includes: 2 Carabiners
 40 ft. (12.2 m) of 8mm Rope

U.S. Patent No. 8,596,615

HOIST'N LOK® TREE STAND HOIST

Designed by Russ Kommer in Fargo, North Dakota



- Innovative, Patented, Secure, Cam Lock
- Includes: Pulley, Extension Arm
- Strap, Ratchet, and Rope

HOIST2

Specs: 1 6061 Aluminum Lobed Pulley Wheel
CNC Machined Knurling on Pulley Wheel
6.5 ft. (1.9m) of Heavy Duty Nylon Ratchet Strap

Carbon Steel
Housing: Length: 7.500" (19.0 cm)
Width: 2.200" (5.6 cm)
Depth: 1.800" (4.5 cm)

Capacity: 100 lbs. (45.3 kg)

Includes: 1 Carabiner
45 ft. (13.7 m) of 6mm Rope

U.S. Patent No. 8,596,615



HUNT'N FISCH™

Designed by Larry Fischer in Boise, Idaho



- Spine Friction Grooves for Blade Control
- Multi-Colored G10 Handle
- High Quality Leather Sheath

2861

Blade: Length: 2.990" (75.9 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.130" (3.3 mm)

Overall: 7.250" (184.1 mm)

Weight: 3.6 oz. (102.0 g)

Handle: Multi-Layered G10 with Purple Fob

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Leather
Weight: 1.5 oz. (42.5 g)

100% of the CRKT® net profits of this knife go to the Pancreatic Cancer Action Network in memory of Larry Fischer. Visit www.pancan.org

MOSSBACK™ HUNTER

Designed by Tom Krein in Gentry, Arkansas



- Drop Point Blade Style
- Durable G10 Handle
- Useful Nylon Sheath w/Belt Loop

2831

Blade: Length: 3.193" (81.1 mm)
Edge: Plain
Steel: SK5
Finish: Black Powder Coat
Thickness: 0.124" (3.1 mm)

Overall: 7.250" (184.1 mm)

Weight: 4.4 oz. (125.0 g)

Handle: G10

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Nylon
Weight: 1.1 oz. (31.2 g)

MOSSBACK™ BIRD AND TROUT

Designed by Tom Krein in Gentry, Arkansas



- Lightweight
- Durable G10 Handle
- Useful Nylon Sheath w/Belt Loop

2832

Blade: Length: 2.851" (72.4 mm)
Edge: Plain
Steel: SK5
Finish: Black Powder Coat
Thickness: 0.090" (2.3 mm)

Overall: 6.562" (166.6 mm)

Weight: 2.0 oz. (56.7 g)

Handle: G10

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Nylon
Weight: 0.9 oz. (25.5 g)

CLARK FORK™ FILLET KNIFE

Designed by Ken Steigerwalt in Orangeville, Pennsylvania



- Innovative Tail Lock Safety Bar
- Blade Locks Securely Into Place
- Reinforced Nylon Sheath

3085

Blade: Length: 10.940" (277.9 mm)
 Edge: Plain
 Steel: 5Cr13MoV
 Finish: Satin
 Thickness: 0.060" (1.5 mm)
 Closed: 7.130" (181.0 mm)
 Open: 10.940" (280.0 mm)
 Weight: 1.8 oz. (51.0 g)
 Handle: Glass-Reinforced Nylon w/Plastic Insert
 Style: Folding Knife w/Tail Lock
 Sheath: Material: Reinforced Nylon
 Weight: 0.300 oz. (8.5 g)

U.S. Patent Pending

BIG EDDY™

Designed by Russ Kommer in Fargo, North Dakota



- Triple Point Serrations™
- Top Side Hollow Grind
- Flat Bottom Grind Lifts the Fillet
- Sheath w/Gut Cleaning Spoon Feature

3008N

Blade: Length: 6.880" (174.7 mm)
 Edge: Combination
 Steel: 5Cr13
 Finish: Satin
 Thickness: 0.080" (2.0 mm)
 Overall: 12.060" (306.3 mm)
 Weight: 3.4 oz. (96.4 g)
 Handle: TPR Thermoplastic
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: PP | Polypropylene
 Weight: 1.8 oz. (51.0 g)

BIG EDDY™ II

Designed by Russ Kommer in Fargo, North Dakota



- Triple Point Serrations™
- Top Side Hollow Grind
- Flat Bottom Grind Lifts the Fillet
- Sheath w/Gut Cleaning Spoon Feature

3010N

Blade: Length: 9.063" (230.2 mm)
 Edge: Combination
 Steel: 5Cr13
 Finish: Satin
 Thickness: 0.081" (2.1 mm)
 Overall: 14.250" (362.0 mm)
 Weight: 3.9 oz. (110.5 g)
 Handle: Black Polypropylene
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: Black Polypropylene
 Weight: 2.10 oz. (59.5 g)



A woman with long hair, wearing a red and black plaid shirt and denim shorts, is walking on a beach at sunset. She is carrying a large piece of driftwood over her shoulder and holding an axe in her right hand. The sun is low on the horizon, creating a warm, golden glow and reflecting on the water. The word "OUTDOOR" is written in a white, cursive font across the middle of the image.

OUTDOOR

HVAS™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Field Strip Technology
- Tough Glass-Reinforced Nylon Handle
- Locking Liner

2817

Blade: Length: 3.339" (84.8 mm)
Edge: Plain
Steel: 1.4116 SS
Finish: Satin
Thickness: 0.126" (3.2 mm)
Closed: 4.525" (114.9 mm)
Open: 7.875" (200.0 mm)
Weight: 3.7 oz. (104.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

BATUM™ COMPACT

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot Blade Deployment
- Satin Blade Finish
- Black G10 w/Stonewash Stainless Steel Handle

5451

Blade: Length: 2.452" (62.2 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.147" (3.7 mm)
Closed: 3.708" (94.1 mm)
Open: 6.188" (157.1 mm)
Weight: 3.6 oz. (102.0 g)
Handle: G10; 2Cr13 SS
Style: Folding Knife w/Frame Lock

BATUM™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Thumb Slot Blade Deployment
- Satin Blade Finish
- Black G10 w/Stonewash Stainless Steel Handle

5453

Blade: Length: 3.158" (80.2 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.187" (4.7 mm)
Closed: 4.772" (121.2 mm)
Open: 5.938" (150.8 mm)
Weight: 6.9 oz. (195.6 g)
Handle: G10; 2Cr13 SS
Style: Folding Knife w/Frame Lock

KUK™

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Full Tang Kukri Inspired Recurve Blade
- 65 Mn Carbon Steel with Black Powder Coat Finish
- Tough Glass-Reinforced Nylon Handle

2742

Blade: Length: 10.563" (268.3 mm)
Edge: Plain
Steel: 65Mn Carbon Steel
Finish: Black Powder Coat
Thickness: 0.139" (3.5 mm)
Overall: 15.875" (403.2 mm)
Weight: 14.7 oz. (416.0 g)
Handle: Glass-Reinforced Nylon
Style: Fixed Blade Knife w/Sheath
Sheath: Material: 1680D Weaved Polyester

WOODS NOBO™ T-HAWK

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Outdoor Axe w/Beard

2732

Blade: Length: 3.471" (88.1 mm)
Edge: Plain
Steel: 1055 Carbon Steel
Finish: Hammer Finish
Thickness: 0.460" (11.6 mm)
Overall: 19.130" (485.9 mm)
Weight: 1 lbs. 9.4 oz. (720.1 g)
Handle: Tennessee Hickory

WOODS CHOGAN™ T-HAWK

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Axe w/Hammerhead

2730

Blade: Length: 4.210" (106.9 mm)
Edge: Axe w/Hammer
Steel: 1055 Carbon Steel
Finish: Hammer Finish
Thickness: 0.520" (13.2 mm)
Overall: 19.130" (485.9 mm)
Weight: 2 lbs. 1.4 oz. (947 g)
Handle: Tennessee Hickory

WOODS KANGEE™ T-HAWK

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Hot Forged 1055 Carbon Steel
- Tennessee Hickory Handle
- Axe w/Spike

2735

Blade: Length: 4.210" (106.9 mm)
Edge: Axe w/Spike
Steel: 1055 Carbon Steel
Finish: Hammer Finish
Thickness: 0.400" (13.2 mm)
Overall: 19.130" (485.9 mm)
Weight: 1 lbs. 15.7 oz. (899 g)
Handle: Tennessee Hickory

PACK AXE

Designed by Elmer Roush in Brasstown, North Carolina



- Compact Pack Axe
- Hot Forged 1060 High Carbon Steel
- Tennessee Hickory Handle

2748

Blade: Length: 2.920" (74.4 mm)
Edge: Axe
Steel: 1060 Carbon Steel
Finish: Hammer Finish
Thickness: 0.830" (21.2 mm)
Overall: 11.250" (285.6 mm)
Weight: 1 lbs. 2.3 oz. (518 g)
Handle: Tennessee Hickory

Forged By War® program details on page 7.



MINIMALIST® BLACK DROP POINT

Designed by Alan Folts in Melbourne, Florida



- Black Stonewash Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2384K

Blade: Length: 2.160" (54.8 mm)
Edge: Plain
Steel: 5Cr15Mov
Finish: Black Stonewash
Thickness: 0.105" (2.6 mm)
Overall: 5.221" (132.6 mm)
Weight: 1.7 oz. (48.2 g)
Handle: G10
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord
Weight: 0.6 oz. (17.0 g)

MINIMALIST® WHARNCLIFFE

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2385

Blade: Length: 2.000" (50.8 mm)
Edge: Plain
Steel: 5Cr15MoV
Finish: Bead Blast
Thickness: 0.100" (2.5 mm)
Overall: 5.000" (127.0 mm)
Weight: 1.1 oz. (31.2 g)
Handle: Polished Resin Infused Fiber
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord
Weight: 0.5 oz. (14.2 g)

MINIMALIST® TANTO

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2386

Blade: Length: 2.125" (53.9 mm)
Edge: Plain
Steel: 5Cr15MoV
Finish: Bead Blast
Thickness: 0.110" (2.7 mm)
Overall: 5.130" (130.3 mm)
Weight: 1.6 oz. (45.4 g)
Handle: Polished Resin Infused Fiber
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord
Weight: 0.5 oz. (14.2 g)

MINIMALIST® BOWIE

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2387

Blade: Length: 2.125" (53.9 mm)
Edge: Plain
Steel: 5Cr15MoV
Finish: Bead Blast
Thickness: 0.110" (2.7 mm)
Overall: 5.130" (130.3 mm)
Weight: 1.6 oz. (45.4 g)
Handle: Polished Resin Infused Fiber
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Lanyard: Black Paracord
Weight: 0.5 oz. (14.2 g)

Available in Clam Pack as 2387C

KERAMIN™

Designed by Alan Folts in Melbourne, Florida



- Extreme, Needle Sharp, Blade Tip
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2389

Blade: Length: 2.310" (58.6 mm)
 Edge: Plain
 Steel: 5Cr15MoV
 Finish: Bead Blast
 Thickness: 0.120" (3.0 mm)
 Overall: 4.780" (121.4 mm)
 Weight: 1.7 oz. (48.2 g)
 Handle: Polished Resin Infused Fiber
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
 Lanyard: Black Paracord
 Weight: 0.5 oz. (14.2 g)

Available in Clam Pack as 2389C

S.P.E.W.™ (SMALL. POCKET. EVERYDAY. WHARNCLIFFE.)

Designed by Alan Folts in Melbourne, Florida



- Bead Blast Blade Finish
- Compact Utility Neck Knife
- Glass-Reinforced Nylon Sheath

2388

Blade: Length: 3.000" (76.2 mm)
 Edge: Plain
 Finish: Bead Blast
 Steel: 5Cr15MoV
 Thickness: 0.100" (2.5 mm)
 Overall: 6.250" (158.7 mm)
 Weight: 3.0 oz. (85.0 g)
 Handle: Two-Tone G10
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
 Lanyard: Black Paracord
 Weight: 1.1 oz. (31.2 g)

Available in Clam Pack as 2388C

IOTA™

Designed by Tom Stokes in Williamsburg, Virginia



- Lightweight Spoon/Fork Combination
- Bottle Opener
- Can Opener

9085

Overall: Length: 3.205" (81.4 mm)
 Weight: 0.6 oz. (17.0 g)
 Material: 2Cr13 Stainless Steel

*Carabiner is non-load bearing.



9085K: Black

EAT'N TOOL®

Designed by Liang Mah in Palm Bay, Florida




- Lightweight Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener

SPECS

Overall: Length: 4.000" (101.6 mm)
 Weight: 1.5 oz. (42.5 g)
 Material: 3Cr13 Stainless Steel


*Carabiner is non-load bearing.



9100C: Silver
 Clam Pack 9100C



9100FC: Fuchsia
 Clam Pack 9100FC



9100KC: Black
 Clam Pack 9100KC



9100TC: Tangerine
 Clam Pack 9100TC

EAT'N TOOL® TITANIUM

Designed by Liong Mah in Palm Bay, Florida



- Lightweight Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener

9100TI

Overall: Length: 4.000" (101.6 mm)
 Weight: 0.6 oz. (17.0 g)
 Material: TA1 Ti

*Carabiner is non-load bearing.

EAT'N TOOL® XL

Designed by Liong Mah in Palm Bay, Florida



- Spoon/Fork Combination
- Flat Screwdriver, 6,8,10mm Hex
- Bottle Opener, GI Style Can Opener

SPECS

Overall: Length: 6.130" (155.7 mm)
 Weight: 2.7 oz. (76.5 g)
 Material: 3Cr13

*Carabiner is non-load bearing.

9110C: Silver
 Clam Pack 9110C

9110KC: Black
 Clam Pack 9110KC

BEAR CLAW™ BLUNT TIP WITH TRIPLE POINT™ SERRATIONS

Designed by Russ Kommer in Fargo, North Dakota




- Triple Point™ Serrations
- Molded Handle w/Palm Swell for Grip
- Positive Locking System Secures Knife in Sheath

2510

Blade: Length: 2.375" (60.3 mm)
 Edge: Combination
 Steel: AUS 4
 Finish: Bead Blast
 Thickness: 0.130" (3.3 mm)
 Overall: 5.750" (146.0 mm)
 Weight: 3.2 oz. (90.7 g)
 Handle: Glass-Reinforced Nylon
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
 Weight: 1.1 oz. (31.2 g)





SURVIVAL

PERSEVERE™

Designed by Chuck Cook in Dundee, Oregon



- Axe Head Survival System
- Black Powder Coated Finish
- Glass Filled Nylon Pins
- Black Cord with Tie Bead
- Woven Sheath with Belt Loop

2211
Blade:

Length: 5.416" (137.6 mm)
Edge: Flat Grind
Steel: 65Mn Carbon Steel
Finish: Powder Coat
Thickness: 0.160" (4.1 mm)

Weight:


6.8 oz. (193 g)

Sheath:

Material: Woven Nylon
Weight: 1.75 oz. (50 g)

MAH-CHETE™

Designed by Liong Mah in Palm Bay, Florida



- Walnut Wood Handle
- Upswept Handle Clearance for Extended Use
- Reinforced Nylon Sheath

3100
Blade:

Length: 17.440" (443.0 mm)
Edge: Plain
Steel: 1075 Carbon Steel
Finish: Hammer Finish and Satin
Thickness: 0.180" (4.6 mm)
Overall: 17.440" (443.0 mm)
Weight: 1 lb. 3.2 oz. (544.3 g)
Handle: Walnut
Style: Fixed Blade Knife w/Sheath

Sheath:

Material: Reinforced Nylon w/
Polypropylene Liner
Weight: 5.0 oz. (142.0 g)

CHANCEINHELL™ MACHETE

Designed by Ken Onion in Kaneohe, Hawaii



- Black Corrosion Resistant Blade Finish
- Football Texture Handle Grip
- Reinforced Nylon Sheath

K910KKP

Blade:

Length: 12.000" (304.8 mm)
Edge: Plain
Steel: 65Mn Carbon Steel
Finish: Bead Blast w/Black Powder Coat
Thickness: 0.100" (2.5 mm)
Overall: 17.880" (454.2 mm)
Weight: 1 lb. 4 oz. (597.0 g)
Handle: PP Core & TPR Overmold w/
Textured Grip
Style: Fixed Blade Knife w/Sheath

Sheath:

Material: Reinforced Nylon
Weight: 6.1 oz. (173.0 g)

HALFACHANCE™ PARANG

Designed by Ken Onion in Kaneohe, Hawaii



- Black Corrosion Resistant Blade Finish
- Football Texture Handle Grip
- Reinforced Nylon Sheath

K920KKP

Blade:

Length: 14.000" (355.6 mm)
Edge: Plain
Steel: 65Mn Carbon Steel
Finish: Bead Blast w/Black Powder Coat
Thickness: 0.100" (2.5 mm)
Overall: 19.500" (495.3 mm)
Weight: 1 lb. 4.4 oz. (578.3 g)
Handle: PP Core & TPR Overmold w/
Textured Grip
Style: Fixed Blade Knife w/Sheath

Sheath:

Material: Reinforced Nylon
Weight: 6.1 oz. (173.0 g)

Available in Clam Pack as K920KKPC

SPARK'N SHARP™ FIRE STARTER

Designed by Tom Stokes in Williamsburg, Virginia



- Fire Starter
- Field Sharpener
- Quick Release Lanyard

9081

Length: 2.800" (71.1 mm)
 Width: 0.860" (21.8 mm)
 Weight: 1.3 oz. (589.7 g)
 Material: Glass-Reinforced Nylon Housing
 Tungsten Carbide Blade Sharpener
 Magnesium Rod Fire Starter





MULTI-TOOL

NEW**TWIST & FIX™ TORX AND HEX TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Torx - T10, T15, T20, T25, T30
- Hex - 3/32, 1/8, 9/64, 5/32, 3/16
- Option to disengage single tools from the barrel for use in tight spaces

9901

Material: Stainless Steel
 Overall: 4.131" (104.9 mm)
 Weight: 7.0 oz. (198 g)
 Style: Multi-Tool

NEW**TWIST & FIX™ SCREWDRIVER TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Flat Drivers - 1/16, 3/32, 7/64
- Philip Drivers - PH00, PH0, PH1
- Option to disengage single tools from the barrel for use in tight spaces

9902

Material: Stainless Steel
 Overall: 3.383" (85.9 mm)
 Weight: 2.2 oz. (62.4 g)
 Style: Multi-Tool

NEW**TWIST & FIX™ KNIFE REPAIR TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- Torx T5, T6, T7, T8, T9, T10
- Option to disengage single tools from the barrel for use in tight spaces

9903

Material: Stainless Steel
 Overall: 3.384" (84.6 mm)
 Weight: 2.2 oz. (62.4 g)
 Style: Multi-Tool

NEW**TWIST & FIX™ SOCKET TOOL**

Designed by Ryan Glasgow in Portland, Oregon



- SAE Socket - 1/4, 5/16, 7/16
- Metric Socket - 6mm, 8mm, 10mm
- Option to disengage single tools from the barrel for use in tight spaces

9904

Material: Stainless Steel
 Overall: 5.585" (141.8 mm)
 Weight: 13.8 oz. (391.2 g)
 Style: Multi-Tool

NEW

KNIFE MAINTENANCE TOOL

Designed by Tom Stokes in Williamsburg, Virginia



- T6 and T8 Torx
- Tungsten Carbide Field Sharpener
- Ceramic Honing Edge

9704

Length: 2.702" (68.6 mm)
 Weight: 2.2 oz. (62.7 g)
 Handle: Glass-Reinforced Nylon

GET-A-WAY® DRIVER - HEX

Designed by Tom Stokes in Williamsburg, Virginia



- Driver w/Hex Bits
- Oxygen Bottle Valve Wrench
- LED Light

9094

Driver w/Hex
 Bits: 1 Small Flat, 1 Medium Flat, 1 Small Phillips,
 1 Medium Phillips

Length: 3.750" (95.0 mm)
 Thickness: 0.500" (13.0 mm)
 Wrenches: Hex Bit, 10mm, Oxygen Bottle
 Weight: 1.9 oz. (54 g)
 Handle: Glass-Reinforced Nylon
 Batteries: Two CR927 3V Lithium

Patents Pending.
 *Carabiner is non-load bearing.

GET-A-WAY® DRIVER - TORX®

Designed by Tom Stokes in Williamsburg, Virginia



- Driver w/Torx® Bits
- Oxygen Bottle Valve Wrench
- LED Light

9095

Knife Maintenance Kit Driver w/Torx®
 Bits: Nos. T5, T6, T8, T10

Length: 3.750" (95.0 mm)
 Thickness: 0.500" (13.0 mm)
 Wrenches: Hex Bit, 10mm, Oxygen Bottle
 Weight: 1.9 oz. (54 g)
 Handle: Glass-Reinforced Nylon
 Batteries: Two CR927 3V Lithium

Patents Pending.
 *Carabiner is non-load bearing.

TECHNICIAN™

Designed by Glenn Klecker in Silverton, Oregon



- One Hand Opening Knife Blade
- Standard ¼" Bit Driver
- Folding Chisel/Scraper - Great for Scraping Gaskets

9201

Open: Pliers: 7.000" (177.8 mm)
 Closed: 4.453" (113.1 mm)
 Weight: 11.8 oz. (335 g)

Knife Blade
 Length: 2.584" (65.6 mm)
 Thickness: 0.097" (2.5 mm)
 Finish: Satin

Features: Standard ¼" Bit Driver, Bottle
 Opener, Wire Stripper/Line Cutter
 Belt Cutter, Telescoping Magnetic
 Pick Up Tool, Feeler Gauge .080" -
 .020", Needle Nose Pliers

Handle: G10
 Style: Multi-Tool

BIVY™

Designed by Hans Florine in Lafayette, California



- Spring Assisted Pliers
- One Handed Opening Multi-Tool
- Knife, Phillips, Flat Screwdriver, Marlinspike

9250

Open: Pliers: 6.030" (153.1 mm)
Blade: 7.060" (179.3 mm)
Closed: 4.120" (104.6 mm)
Weight: 7.7 oz. (218 g)

Knife Blade
Length: 2.920" (74.1 mm)
Thickness: 0.090" (2.3 mm)
Finish: Satin
Steel: 5Cr15MoV

Features: Spring Assisted Opening Pliers
Pliers Actuated by Slide Button
Screwdrivers Flat | Phillips
Marlinspike

Handle: 1060 Al
Style: Multi-Tool w/Locking Liner

GUPPIE®

Designed by Launce Barber in Richmond, Virginia



- Adjustable Wrench
- Bit Drivers, Bottle Opener, w/LED Light
- Blade Show Award – "Best Buy of the Year"

9070

Open: 5.500" (139.7 mm)
Closed: 3.500" (88.9 mm)
Weight: 4.1 oz. (116.0 g)

Blade Length: 2.000" (50.8 mm)
Edge: Plain
Steel: 2Cr13

Handle: Stainless Steel
Style: Slip Joint

Bit Carrier
Weight: 1.2 oz. (34.0 g)
Batteries: 2 CR927 3V Lithium

U.S. Patent Nos. D576,002 and 6,223,372
Available in Clam Pack as 9070C
*Carabiner is non-load bearing

GUPPIE® BLACK

Designed by Launce Barber in Richmond, Virginia



- Bottle Opener
- Emergency Paracord
- Carabiner* for Keychain or Gear Loop

9070K

Open: 5.500" (139.7 mm)
Closed: 3.500" (88.9 mm)
Weight: 4.1 oz. (116.0 g)

Blade Length: 2.000" (50.8 mm)
Edge: Plain
Steel: 2Cr13
Finish: Black Oxide

Handle: Stainless Steel
Style: Slip Joint

Bit Carrier
Weight: 1.2 oz. (34.0 g)
Batteries: 2 CR927 3V Lithium

U.S. Patent Nos. D576,002 and 6,223,372
*Carabiner is non-load bearing

PRYMA™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Pry bar section on front of tool can be used for prying, opening boxes, scraping
- Bottle Opener
- Multi-Wrench - 1/4 inch, 3/8, 5/16, 7/16 wrench

9011

Length: 3.235" (82.2 mm)
Width: 1.445" (36.7 mm)
Weight: 0.9 oz. (150.0 g)
Material: Stainless Steel
Finish: Black Stonewashed
Feature: Prybar, Flat Screwdriver
Bottle Opener, Multi-Wrench
Glass Breaker

*non-load bearing carabiner for carry options

K.E.R.T.™ (KEYRING. EMERGENCY. RESCUE. TOOL.)

Designed by Ray Kirk in Tahlequah, Oklahoma



- Keychain Micro-Tool
- Seat Belt Strap Cutter w/Vinyl Slip Sheath
- Bottle Opener, Flat Screwdriver, Wrenches

2055Seat Belt Strap Cutter, Oxygen Tank Wrench,
1/4" Wrench, Bottle Opener, Flat Screwdriver

Length: 2.480" (63.0 mm)
 Thickness: 0.100" (2.5 mm)
 Material: 8Cr13MoV
 Weight: 0.8 oz. (23 g)

CRKT® MICRO TOOL & KEYCHAIN SHARPENER

Designed by Tom Stokes in Williamsburg, Virginia



- Seat Belt Strap Cutter
- Field Sharpener
- Bottle Opener

9096Field Sharpener, Seat Belt Strap Cutter
Flat Screw Driver, Bottle Opener

Length: 3.375" (86.0 mm)
 Thickness: 0.600" (17.0 mm)
 Material: Glass-Reinforced Nylon
 Stainless Steel
 Weight: 0.6 oz. (17 g)

EXITOOL®

Designed by Russ Kommer in Fargo, North Dakota



- Emergency Seat Belt Strap Cutter
- Tungsten Carbide Side Window Breaker
- LED Light. Clips Directly onto Seat Belt

9030

Length: 2.750" (69.8 mm)
 Weight: 1.6 oz. (45.4 g)
 Handle: Black Glass-Reinforced Nylon
 Feature: Seat Belt Strap Cutter
 Tungsten Carbide Window Breaker
 LED Flashlight
 Battery: 3V CR2032 Lithium

U.S. Patent Nos. D642,444 and D642,445





TACTICAL

NEW

PROVOKE™

Designed by Joe Caswell Newbury Park, California



- Kinematic™
- D2 Blade Steel
- Aluminum Handle

4040

Blade: Length: 2.410" (61.2 mm)
 Edge: Plain
 Steel: D2
 Finish: Titanium Nitride (TiNi)
 Thickness: 0.209" (5.3 mm)

Handle: 6061 T6 Aluminum
 Open: 7.250" (184.2 mm)
 Closed: 4.968" (126.2 mm)
 Weight: 6.1 oz. (173 g)
 Style: Folding Knife w/Kinematic™

Patent Pending

NEW

DU HOC™

Designed by Austin McGlaun in Columbus, Georgia



- SK5 High Carbon Steel Blade
- Tough G10 Handle
- Reinforced Nylon Sheath w/ MOLLE Compatible Gear Clip



2630

Blade: Length: 5.095" (129.4 mm)
 Edge: Plain
 Steel: SK5 Carbon Steel
 Finish: Black Powder Coating
 Thickness: 0.202" (5.1 mm)

Overall: 9.625" (244.5 mm)
 Weight: 9.3 oz. (264 g)
 Handle: G10
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
 Weight: 1.9 oz (53.9 g)

Forged By War® program details on page 8.

RAKKASAN™

Designed by Austin McGlaun in Columbus, Georgia



- Black Powder Coat Blade Finish
- Tough G10 Handle
- Kydex® Sheath w/Paracord



1520

Blade: Length: 4.894" (124.3 mm)
 Edge: Plain
 Steel: SK5 Carbon Steel
 Finish: Powder Coating
 Thickness: 0.147" (3.7 mm)

Overall: 10.438" (265.1 mm)
 Weight: 9.2 oz. (260.8 g)
 Handle: G10
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Kydex®
 Weight: 1.9 oz (53.8 g)

Forged By War® program details on page 8.

KYDEX® is a registered trademark of Kleerdex Company, LLC.

CLEVER GIRL™

Designed by Austin McGlaun in Columbus, Georgia



- Upswept Blade in Black Powder Coat
- Tough G10 Handle w/Exceptional Grip
- Gear Compatible Sheath w/MOLLE Compatible Gear Clip



2709

Blade: Length: 4.600" (116.8 mm)
 Edge: Plain
 Steel: SK5
 Finish: Black Powder Coat
 Thickness: 0.158" (4.0 mm)

Overall: 10.125" (257.2 mm)
 Weight: 6.3 oz. (179.0 g)
 Handle: G10
 Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
 Weight: 1.6 oz. (45.4 g)

Forged By War® program details on page 8.

SEPTIMO™

Designed by Jeremy Valdez in Tampa, Florida



- Veff Serration™
- Flipper Opening
- Black Oxide Blade Finish
- Locking Liner

**FORGED BY
WAR****7050**

Blade: Length: 3.622" (91.9 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Black Oxide
Thickness: 0.127" (3.2 mm)

Closed: 4.553" (115.6 mm)
Open: 8.188" (207.9 mm)
Weight: 4.7 oz. (133 g)
Handle: Aluminum w/TPR Inlays
Style: Folding Knife w/Locking Liner

Forged By War® program details on page 8.

U.S. Patent No. D559,939

RASP™

Designed by Darrin William Siros in Fayetteville, North Carolina



- Stonewash Finish
- Flipper Opening or Thumb Stud Blade Deployment
- Frame Lock

**FORGED BY
WAR****2081**

Blade: Length: 3.671" (93.2 mm)
Edge: Plain
Steel: AUS 8
Finish: Stonewash
Thickness: 0.126" (3.2 mm)

Closed: 5.050" (128.3 mm)
Open: 8.750" (222.3 mm)
Weight: 5.6 oz. (158 g)
Handle: Stonewash
Style: Folding Knife w/Frame Lock

Forged By War® program details on page 8.

SiWi™

Designed by Darrin William Siros in Fayetteville, North Carolina



- Compact Fixed Blade
- SK5 Carbon Steel Blade
- Black Powder Coat Blade Finish

**FORGED BY
WAR****2082**

Blade: Length: 3.341" (84.9 mm)
Edge: Plain
Steel: SK5 Carbon
Finish: Black Powder Coating
Thickness: 0.200" (5.1 mm)

Overall: 7.438" (188.9 mm)
Weight: 5.6 oz. (142 g)
Handle: G10
Style: Fixed Blade w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Weight: 3.4 oz. (96.4 g)

Forged By War® program details on page 8.

NEW**CIMBRI™**

Designed by Elmer Roush in Brasstown, North Carolina



- Hot Forged 1055 Carbon Steel
- Black Magnesium Phosphate Coating
- Tennessee Hickory Handle

**FORGED BY
WAR****2747**

Blade: Length: 4.094" (104.0 mm)
Edge: Axe w/Beard
Steel: 1055 Carbon Steel
Finish: Black Magnesium Phosphate
Thickness: 1.258" (32.0 mm)

Overall: 26.000" (660.4 mm)
Weight: 2 lb. 0.8 oz. (929.9 g)
Handle: Tennessee Hickory

Aftermarket leather sheath available.

Forged By War® program details on page 8.

FREYR™

Designed by Elmer Roush in Brasstown, North Carolina



- Hot Forged 1055 Carbon Steel
- Prominent Useful Beard Design
- Tennessee Hickory Handle



2746

Blade: Length: 4.520" (115.0 mm)
Edge: Axe Steel
Steel: 1055 Carbon Steel
Finish: Magnesium Phosphate Coating
Thickness: 1.180" (30.1 mm)

Overall: Length: 16.000" (406.4 mm)

Weight: 1 lbs. 12.7 oz. (813 g)

Handle: Tennessee Hickory

Forged By War® program details on page 8.

TECPATL™

Designed by Michael R. Rodriguez in Fayetteville, North Carolina



- Black Powder Coat w/Sugar Skull Laser Marking
- Multiple Hand Deployment Options
- Kydex® Sheath w/Spring Loaded MOLLE Compatible Gear Clip



2261

Blade: Length: 3.375" (85.7 mm)
Edge: Plain
Steel: SK5 Carbon Steel
Finish: Black Powder Coat
Thickness: 0.203" (5.1 mm)

Overall: 5.813" (147.6 mm)

Weight: 5.6 oz. (158.7 g)

Handle: Stainless Steel

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Kydex
Weight: 0.8 oz. (22.6 g)

Forged By War® program details on page 8.

KYDEX® is a registered trademark of Kleardex Company, LLC.

CST COMBAT STRIPPING TOOL

Designed by Kelly Rodriguez in Fayetteville, North Carolina



- Utility Blade for Cutting Fabric During Emergency Situations
- Oxygen Wrench
- Built In Measuring Scale



9860

Blade: Length: 2.125" (53.9 mm)
Edge: Plain
Steel: Feather Safety Razor Blade; SS
Finish: Satin
Thickness: 0.005" (0.1 mm)

Overall: 8.000" (203.2 mm)

Weight: 1.5 oz. (42.5 g)

Handle: Glass-Reinforced Nylon

Style: Fixed Blade Knife w/Sheath

Sheath: Material: Weaved Polyester
Weight: 1.6 oz. (45.3 g)

Features: Replacement Blade Included In Woven Polyester MOLLE Gear Compatible Sheath

Forged By War® program details on page 8.

BIRLER™

Designed by Elmer Roush in Brasstown, North Carolina



- Compact Pack Axe
- 1055 Carbon Steel
- Tennessee Hickory Handle



2745

Blade: Length: 5.165" (131.2 mm)
Edge: Axe
Steel: 1055 Carbon
Finish: Silver Clear
Thickness: 1.113" (28.3 mm)

Overall: Length: 16.000" (406.4 mm)

Weight: 10.3 oz. (292.0 g)

Handle: Tennessee Hickory

Forged By War® program details on page 8.

GÖKEN™

Designed by James Williams in Encinitas, California



- Field Strip Technology
- Modified Clip Point Blade Style
- Black Powder Coat Finish for Corrosion Resistance

2920

Blade: Length: 3.693" (93.8 mm)
Edge: Plain
Steel: 1.4116 SS
Finish: EDP Coating
Thickness: 0.136" (3.5 mm)
Closed: 4.854" (123.3 mm)
Open: 8.563" (217.5 mm)
Weight: 4.2 oz. (119 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

SHIZUKA NOH KEN™

Designed by James Williams in Encinitas, California



- Modified Clip Point Blade Style
- Locking Liner
- G10 Handle w/Frame Lock

2926

Blade: Length: 3.625" (92.0 mm)
Edge: Plain
Steel: AUS 8
Finish: Black Corrosion Resistant Coating
Thickness: 0.150" (3.8 mm)
Closed: 4.550" (115.6 mm)
Open: 8.250" (209.5 mm)
Weight: 4.2 oz. (119.0 g)
Handle: G10
Style: Folding Knife w/Frame Lock

HEIHO™

Designed by James Williams in Encinitas, California



- OutBurst® Assisted Opening
- Locking Liner
- G10 Handle

2900

Blade: Length: 3.125" (79.3 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.122" (3.0 mm)
Closed: 4.000" (101.6 mm)
Open: 7.000" (177.8 mm)
Weight: 3.6 oz. (102.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

HEIHO™ WITH VEFF SERRATIONS™

Designed by James Williams in Encinitas, California



- OutBurst® Assisted Opening
- Locking Liner
- Veff Serrations™

2901

Blade: Length: 3.125" (79.3 mm)
Edge: Combination
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.122" (3.0 mm)
Closed: 4.000" (101.6 mm)
Open: 7.000" (177.8 mm)
Weight: 3.6 oz. (102.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent No. D559,939

OTANASHI NOH KEN™

Designed by James Williams in Encinitas, California



- Modified Clip Point Blade Style
- Locking Liner
- G10 Handle w/Textured Grip

2906

Blade: Length: 4.520" (114.8 mm)
 Edge: Plain
 Steel: AUS 8
 Finish: Black Corrosion Resistant Coating
 Thickness: 0.160" (4.0 mm)
 Closed: 6.400" (162.5 mm)
 Open: 10.130" (257.3 mm)
 Weight: 6.4 oz. (181.0 g)
 Handle: G10
 Style: Folding Knife w/Frame Lock

HISSATSU™ FOLDER

Designed by James Williams in Encinitas, California



- OutBurst® Assisted Opening
- Automated Liner Safety
- Glass-Reinforced Nylon Handle

2903

Blade: Length: 3.875" (98.4 mm)
 Edge: Plain
 Steel: AUS 8
 Finish: Black Corrosion Resistant Coating
 Thickness: 0.160" (4.0 mm)
 Closed: 5.000" (127.0 mm)
 Open: 8.750" (222.2 mm)
 Weight: 5.8 oz. (164.0 g)
 Handle: Glass-Reinforced Nylon
 Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

HISSATSU™ FIXED BLADE BLACK

Designed by James Williams in Encinitas, California



- Black Non-Reflective EDP Blade Finish
- Textured Rubber Handle Grip w/Polypropylene Core
- Glass-Reinforced MOLLE Compatible Sheath

2907K

Blade: Length: 7.125" (180.9 mm)
 Edge: Plain
 Steel: 440A
 Finish: Black EDP
 Thickness: 0.200" (5.0 mm)
 Overall: 12.250" (311.1 mm)
 Weight: 8.0 oz. (227.0 g)
 Handle: Polypropylene Core w/Textured Rubber Grip
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: Glass-Reinforced Nylon
 Weight: 3.6 oz. (102.0 g)

SAKIMORI™

Designed by James Williams in Encinitas, California



- Full Tang, Dual Grind, Premium High Carbon Steel Blade
- Traditional Style Cord-Wrapped Handle
- Kydex® Sheath w/MOLLE Compatible Convertible Belt Clip System

2913N

Blade: Length: 5.760" (146.3 mm)
 Edge: Plain
 Steel: O1 Tool Steel
 Finish: Satin
 Thickness: 0.240" (6.0 mm)
 Overall: 10.500" (266.7 mm)
 Weight: 9.1 oz. (258.0 g)
 Handle: Cord-Wrapped
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: Kydex®
 Weight: 3.4 oz. (96.4 g)

U.S. Patent No. 7,007,352

SHINBU™

Designed by James Williams in Encinitas, California



- Full Tang, Dual Grind, Premium High Carbon Steel Blade
- Traditional Style Cord-Wrapped Handle
- Kydex® Sheath w/MOLLE Compatible Convertible Belt Clip System

2915N

Blade: Length: 9.250" (234.9 mm)
Edge: Plain
Steel: YK-30
Finish: Satin
Thickness: 0.233" (5.9 mm)

Overall: 14.750" (374.7 mm)
Weight: 13.3 oz. (377.0 g)
Handle: Cord-Wrapped
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Kydex®
Weight: 6.7 oz. (190.0 g)

U.S. Patent No. 7,007,352

HISSHOU®

Designed by James Williams in Encinitas, California



- Full Tang, Dual Grind, Premium High Carbon Steel Blade
- Traditional Style Cord-Wrapped Handle
- Kydex® Sheath w/MOLLE Compatible Convertible Belt Clip System

2910N

Blade: Length: 13.000" (330.2 mm)
Edge: Plain
Steel: YK-30
Finish: Satin
Thickness: 0.260" (6.6 mm)

Overall: 18.380" (466.9 mm)
Weight: 16.4 oz. (464.9 g)
Handle: Cord-Wrapped
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Kydex®
Weight: 6.7 oz. (190.0 g)

U.S. Patent No. 7,007,352

WILLIAMS TACTICAL KEY

Designed by James Williams in Encinitas, California



- Personal Defense Key Tool
- Well Balanced Handle with Secure Grip
- Philip Screwdriver

9705

Length: 3.567" (90.6 mm)
Weight: 1.1 oz. (30.0 g)
Material: 3Cr13
Finish: Tumbled
Features: Personal Defense key Tool,
Philip Screwdriver

WILLIAMS TACTICAL PEN II

Designed by James Williams in Encinitas, California



- 6061 Aircraft Grade Aluminum
- Fischer Space Pen® Ink Cartridge for Smooth Writing at any Angle or Temperature
- Low Profile

TPENWP

Length: 5.938" (150.8 mm)
Diameter: 0.589" (15.0 mm)
Weight: 1.4 oz. (39.7 g)
Finish: Non-Reflective Black Anodized
Handle: 6061 Aluminum
Refill: Fisher Space Pen® Refill #PR4

WILLIAMS TACTICAL PEN

Designed by James Williams in Encinitas, California



- 6061 Aluminum
- Black Non-Reflective Finish
- Low Profile

TPENWK

Length: 6.000" (152.4 mm)
 Weight: 1.2 oz. (34.0 g)
 Finish: Non-Reflective Black Anodized
 Handle: 6061 Aluminum
 Refill: Fisher Space Pen® Refill #PR4

**HOMEFRONT™ TACTICAL**

Designed by Ken Onion in Kaneohe, Hawaii



- Field Strip Technology
- Field Strip lets you easily disassemble your knife for cleaning without tools
- 1.4116 Blade Steel w/Glass-Reinforced Nylon Handle

K260KKS

Blade: Length: 3.427" (87.0 mm)
 Edge: Combination
 Steel: 1.4116 SS
 Finish: EDP Coating
 Thickness: 0.138" (3.5 mm)
 Closed: 4.684" (118.9 mm)
 Open: 8.125" (206.3 mm)
 Weight: 4.3 oz. (121.9 g)
 Handle: Glass-Reinforced Nylon
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 9,586,328 & 9,597,809

FORESIGHT™

Designed by Ken Onion in Kaneohe, Hawaii



- IKBS™ Ball Bearing Pivot System
- Black Titanium Nitride Finish
- Grooved Aluminum Handle for Exceptional Grip

K220KKP

Blade: Length: 3.500" (88.9 mm)
 Edge: Plain
 Steel: AUS 8
 Finish: Black Titanium Nitride
 Thickness: 0.160" (4.0 mm)
 Closed: 5.170" (131.3 mm)
 Open: 8.690" (220.7 mm)
 Weight: 6.3 oz. (179.0 g)
 Handle: Aluminum
 Style: Folding Knife w/Locking Liner

TIGHE BREAKER™

Designed by Brian Tighe of Ridgeville, Ontario, Canada



- Black Stonewash Finish
- Lightweight Skeletonized Paracord-Wrapped Handle
- Injection Molded Sheath w/Belt Loop for Multiple Carry Options

1110

Blade: Length: 4.266" (108.3 mm)
 Edge: Plain
 Steel: 8Cr13MoV
 Finish: Stonewash
 Thickness: 0.145" (3.6 mm)
 Overall: 8.688" (220.6 mm)
 Weight: 3.5 oz. (99.2 g)
 Handle: Cord-Wrapped Handle
 Style: Fixed Blade Knife w/Sheath
 Sheath: Material: Glass-Reinforced Nylon
 Weight: 2.2 oz. (62.3 g)

STRAFE™

Designed by Lucas Burnley in Orleans, Massachusetts



- Stonewash Finish
- Injection Molded Handle
- Glass-Reinforced Nylon Sheath w/J-Hook Accessory

1210

Blade: Length: 4.612" (117.1 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Stonewash
Thickness: 0.184" (4.6 mm)
Overall: 9.500" (241.3 mm)
Weight: 6.5 oz. (184.2 g)
Handle: Glass-Reinforced Nylon
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon

Weight: 1.5 oz. (42.5 g)

SCRUB™

Designed by Corey Brewer in LaFayette, Alabama



- Lightweight Compact Fixed Blade
- SK5 Carbon Steel
- Magnesium Phosphate Corrosion Resistant Coating

2712

Blade: Length: 3.939" (100.1 mm)
Edge: Plain
Steel: SK5 Carbon
Finish: Magnesium Phosphate Coating
Thickness: 0.115" (2.9 mm)
Overall: 7.375" (187.3 mm)
Weight: 2.6 oz. (74 g)
Handle: Cord-Wrapped
Style: Fixed Blade Knife w/Sheath

Sheath: Glass-Reinforced Nylon

RUNE™

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- Black Powder Coating
- Glass-Reinforced Nylon Handle
- MOLLE Compatible Glass-Reinforced Nylon Sheath w/Buckle Strap

2737

Blade: Length: 6.688" (169.8 mm)
Edge: Axe Edge w/Beard
Steel: SK5 Carbon Steel
Finish: Black
Thickness: 0.243" (6.1 mm)
Overall: 12.000" (304.8 mm)
Weight: 24 oz. (680.3 g)
Handle: Glass-Reinforced Nylon
Style: Compact Tactical Axe

Sheath: Material: Glass-Reinforced Nylon
Weight: 4.7 oz. (133.2 g)

CHOGAN™ T-HAWK

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- SK5 Carbon Steel w/Hammer
- Glass-Reinforced Nylon Handle w/Textured Grip
- MOLLE Compatible Kydex® Sheath w/Buckle Strap

2720

Blade: Length: 2.930" (74.4 mm)
Edge: Axe Front Dual Plain Edge w Hammer
Steel: SK5 Carbon Steel
Finish: Black Powder Coat
Thickness: 0.230" (5.8 mm)
Overall: 14.000" (355.6 mm)
Weight: 1lb. 8.6 oz. (697.4 g)
Handle: Glass-Reinforced Nylon w/EDM Finish
Style: Fixed Blade w/Sheath

Sheath: Material: Kydex® / MOLLE Compatible
Weight: 3.6 oz. (102.0 g)

KANGEE™ T-HAWK

Designed by Ryan Johnson of RMJ Tactical in Chattanooga, Tennessee



- SK5 Carbon Steel w/Spike
- Glass-Reinforced Nylon Handle with Textured Grip
- MOLLE Compatible Kydex® Sheath w/Buckle Strap

2725

Blade: Length: 2.930" (74.4 mm)
Edge: Axe Front Dual Plain Edge w/ Spike
Steel: SK5 Carbon Steel
Finish: Black Powder Coat
Thickness: 0.230" (5.8 mm)
Overall: 13.750" (349.2 mm)
Weight: 1lb. 8.4 oz. (691.7 g)
Handle: Glass-Reinforced Nylon w/EDM Finish
Style: Fixed Blade w/Sheath

Sheath: Material: Kydex® / MOLLE Compatible
Weight: 3.6 oz. (102.0 g)

THUNDER STRIKE™

Designed by Pat and Wes Crawford in West Memphis, Arkansas



- Black Corrosion Resistant Blade Coating
- Cord-Wrapped Handle
- Gear Compatible Sheath w/J-Hook Clip

2032

Blade: Length: 2.830" (71.8 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black
Thickness: 0.140" (3.5 mm)
Overall: 7.440" (188.9 mm)
Weight: 3.6 oz. (102.0 g)
Handle: Cord-Wrapped Stainless Steel
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon/
J-Hook, MOLLE Compatible
Weight: 1.4 oz. (40.0 g)

STING™

Designed by A.G. Russell in Rogers, Arkansas



- Black Corrosion Resistant Coating
- Dual Edge 1050 Hot Forged Carbon Steel
- Glass-Reinforced Nylon Sheath

2020

Blade: Length: 3.197" (81.0 mm)
Edge: Dual Plain
Steel: 1050
Finish: Black Powder Coat
Thickness: 0.137" (3.4 mm)
Overall: 6.850" (173.9 mm)
Weight: 3.9 oz. (111.0 g)
Handle: Hot Forged 1050 Carbon Steel
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Nylon w/Glass-Reinforced
Nylon Insert
Weight: 2.4 oz. (68.0 g)

SHRILL™

Designed by Matthew Lerch in Sussex, Wisconsin



- Dual Edge Titanium Nitride Finish Blade
- Polished Resin Infused Fiber Handle Overlays
- High Quality Leather Sheath w/Boot Clip

2075

Blade: Length: 4.769" (121.1 mm)
Edge: Dual Plain
Steel: 8Cr13MoV
Finish: Titanium Nitride
Thickness: 0.152" (3.8 mm)
Overall: 8.688" (220.7 mm)
Weight: 4.3 oz. (122.0 g)
Handle: Full Tang w/Polished Resin Infused
Fiber Overlay
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Leather
Weight: 2.2 oz. (62.4 g)

FIRE SPARK™

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Locking Liner

1050

Blade: Length: 3.875" (98.4 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Satin
Thickness: 0.121" (3.0 mm)
Closed: 4.750" (120.6 mm)
Open: 8.630" (219.2 mm)
Weight: 5.3 oz. (150.0 g)
Handle: Aluminum w/G10 Inlay
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028

FIRE SPARK™ BLACK

Designed by Matthew Lerch in Sussex, Wisconsin



- OutBurst® Assisted Opening
- Fire Safe® Thumb Stud Actuation
- Locking Liner

1050K

Blade: Length: 3.875" (98.4 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.121" (3.0 mm)
Closed: 4.750" (120.6 mm)
Open: 8.630" (219.2 mm)
Weight: 5.3 oz. (150.0 g)
Handle: Aluminum w/G10 Inlay
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,918,028

COPACETIC™

Designed by Larry Hanks in Smith Valley, Nevada



- Flipper Opening
- Black Oxide Finish
- Black Glass-Reinforced Nylon w/Textured TPE

2620

Blade: Length: 3.054" (77.5 mm)
Edge: Plain
Steel: 8Cr13MoV
Finish: Black Oxide
Thickness: 0.115" (2.9 mm)
Closed: 4.551" (115.6 mm)
Open: 7.625" (193.6 mm)
Weight: 4.7 oz. (133.2 g)
Handle: Polypropylene with Glass Fiber;
Thermoplastic Elastomer
Style: Folding Knife w/Locking Liner

M16® - 04A AUTOMATIC

Designed by Kit Carson in Vine Grove, Kentucky



- 100% Made in the USA
- Push Button Automatic Opening w/Patented Safety
- Lightweight Black Anodized Aluminum Handle

M16-04A

Blade: Length: 4.000" (101.6 mm)
Edge: Plain
Steel: CPM 154
Finish: Black Matte DLC Coating
Thickness: 0.160" (4.0 mm)
Closed: 5.310" (134.8 mm)
Open: 9.250" (234.9 mm)
Weight: 5.0 oz. (142.0 g)
Handle: 6061 Type III Anodized Aluminum
Style: Folding Knife w/Button Lock

U.S. Patent No. 5,822,866 under license from Mentor Group, LLC.
The M16-04A is only available through authorized distributors.

The sale of automatic knives is Federally regulated. Always check permissibility within your state or locality as non-Federal personal may be precluded from ownership or use by state laws.

M16® - 14T TITANIUM TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Carson Flipper and Titanium Handle

M16-14T

Blade: Length: 3.990" (101.3 mm)
Edge: Combination
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.140" (3.5 mm)
Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.7 oz. (162.0 g)
Handle: Titanium
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 12ZLEK TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

M16-12ZLEK

Blade: Length: 3.000" (76.2 mm)
Edge: Combination
Steel: AUS 8
Finish: Black Titanium Nitride
Thickness: 0.118" (2.9 mm)
Closed: 4.375" (111.1 mm)
Open: 7.310" (185.6 mm)
Weight: 3.6 oz. (102.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.

M16® - 13ZLEK SPEAR POINT WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

M16-13ZLEK

Blade: Length: 3.375" (85.7 mm)
Edge: Combination
Steel: AUS 8
Finish: Black Titanium Nitride
Thickness: 0.118" (2.9 mm)
Closed: 4.875" (123.8 mm)
Open: 8.250" (209.5 mm)
Weight: 3.7 oz. (105.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.

Available in Clam Pack as M16-13ZLEKC

M16® - 14ZLEK TANTO LARGE WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

M16-14ZLEK

Blade: Length: 3.750" (95.2 mm)
Edge: Combination
Steel: AUS 8
Finish: Black Titanium Nitride
Thickness: 0.138" (3.5 mm)
Closed: 5.500" (139.7 mm)
Open: 9.250" (235.0 mm)
Weight: 6.2 oz. (176.0 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822 and D678,456.

Available in Clam Pack as M16-14ZLEKC

M16® - 13SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

M16-13SFG

Blade: Length: 3.500" (88.9 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Black Titanium Nitride
Thickness: 0.120" (3.0 mm)

Closed: 4.750" (120.6 mm)
Open: 8.250" (209.5 mm)
Weight: 4.0 oz. (113.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939
Available in Clam Pack as M16-13SFGC

M16® - 14SFG SPECIAL FORCES TANTO LARGE WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

M16-14SFG

Blade: Length: 3.990" (101.3 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Black Titanium Nitride
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.9 oz. (167.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939
Available in Clam Pack as M16-14SFGC

M16® - 14SF SPECIAL FORCES TANTO LARGE WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point Serrations™
- Dual Hilt Blade Guard w/Aluminum Handle

M16-14SF

Blade: Length: 3.990" (101.3 mm)
Edge: Combination
Steel: AUS 8
Finish: Black Titanium Nitride
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 5.7 oz. (162.0 g)
Handle: Aluminum
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M21™ - 14SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Veff Serrations™
- Dual Hilt Blade Guard w/G10 Handle

M21-14SFG

Blade: Length: 3.990" (101.3 mm)
Edge: Combination
Steel: 8Cr14MoV
Finish: Black Titanium Nitride
Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 6.1 oz. (173.0 g)
Handle: G10
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M21™ - 14SF SPECIAL FORCES TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Dual Hilt Blade Guard w/Aluminum Handle

M21-14SF

Blade: Length: 3.990" (101.3 mm)
 Edge: Combination
 Steel: AUS 8
 Finish: Black Titanium Nitride
 Thickness: 0.140" (3.5 mm)

Closed: 5.375" (136.5 mm)
 Open: 9.250" (234.9 mm)
 Weight: 5.7 oz. (162.0 g)
 Handle: Aluminum
 Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 13DSFG SPECIAL FORCES DESERT TANTO WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

M16-13DSFG

Blade: Length: 3.500" (88.9 mm)
 Edge: Combination
 Steel: 8Cr14MoV
 Finish: Tan Titanium Nitride
 Thickness: 0.120" (3.0 mm)

Closed: 4.750" (120.6 mm)
 Open: 8.250" (209.5 mm)
 Weight: 4.0 oz. (113.0 g)
 Handle: G10
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M16® - 14DSFG SPECIAL FORCES DESERT TANTO LARGE WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

M16-14DSFG

Blade: Length: 3.875" (98.4 mm)
 Edge: Combination
 Steel: 8Cr14MoV
 Finish: Tan Titanium Nitride
 Thickness: 0.140" (3.5 mm)

Closed: 5.250" (133.3 mm)
 Open: 9.250" (234.9 mm)
 Weight: 5.9 oz. (167.0 g)
 Handle: G10
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M21™ - 14DSFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Titanium Nitride Blade Finish
- Veff Serrations™

M21-14DSFG

Blade: Length: 3.990" (101.3 mm)
 Edge: Combination
 Steel: 8Cr14MoV
 Finish: Tan Titanium Nitride
 Thickness: 0.140" (3.5 mm)

Closed: 5.250" (133.3 mm)
 Open: 9.250" (234.9 mm)
 Weight: 6.1 oz. (173.0 g)
 Handle: G10 w/Dual Hilt
 Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D559,939

M16® - 13ZM DESERT SPEAR POINT WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle w/Carson Flipper

M16-13ZM

Blade: Length: 3.500" (88.9 mm)
Edge: Combination
Steel: AUS 4
Finish: Bead Blast
Thickness: 0.100" (2.5 mm)
Closed: 4.750" (120.6 mm)
Open: 8.250" (209.5 mm)
Weight: 3.5 oz. (99.2 g)
Handle: Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

M16® - 14ZSF DESERT TANTO WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Glass-Reinforced Nylon Handle w/Dual Hilt

M16-14ZSF

Blade: Length: 3.990" (101.4 mm)
Edge: Combination
Steel: AUS 8
Finish: Bead Blast
Thickness: 0.140" (3.5 mm)
Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 6.3 oz. (179.0 g)
Handle: Glass-Reinforced Nylon w/Dual Hilt
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-14ZSFC

M16® - 14D DESERT TANTO COPPER WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Aluminum Handle w/Carson Flipper

M16-14D

Blade: Length: 3.990" (101.4 mm)
Edge: Combination
Steel: AUS 8
Finish: Copper Titanium Nitride
Thickness: 0.140" (3.5 mm)
Closed: 5.375" (136.5 mm)
Open: 9.250" (234.9 mm)
Weight: 6.3 oz. (179.0 g)
Handle: Aluminum
Style: Folding Knife w/Locking Liner

U.S. Patent No. 7,437,822

Available in Clam Pack as M16-14DC

BEAR CLAW™ E.R.

Designed by Russ Kommer in Fargo, North Dakota



- Blunt Tip w/Triple Point™ Serrations
- Mirror Polish Blade Finish
- Emergency Orange Glass-Reinforced Nylon Handle

2510ER

Blade: Length: 2.375" (60.3 mm)
Edge: Blunt Tip w/Triple Point™ Serrations
Steel: AUS 4
Finish: Mirror Polish
Thickness: 0.130" (3.3 mm)
Overall: 5.750" (146.0 mm)
Weight: 3.4 oz. (96.4 g)
Handle: ER Orange Glass-Reinforced Nylon
Style: Fixed Blade Knife w/Sheath

Sheath: Material: Glass-Reinforced Nylon
Weight: 1.1 oz. (31.2 g)

M16™- 14ZER EMERGENCY RESCUE TANTO LARGE WITH TRIPLE POINT™ SERRATIONS

Designed by Kit Carson in Vine Grove, Kentucky



- Automated Liner Safety
- Triple Point™ Serrations
- Seat Belt Strap Cutter and Tungsten Carbide Window Breaker

M16-14ZER

Blade: Length: 3.750" (95.2 mm)
Edge: Combination
Steel: AUS 8
Finish: Satin
Thickness: 0.138" (3.5 mm)
Closed: 5.500" (139.7 mm)
Open: 9.250" (234.9 mm)
Weight: 6.2 oz. (176.0 g)
Handle: ER Orange Glass-Reinforced Nylon
Style: Folding Knife w/Locking Liner

U.S. Patent Nos. 7,437,822, D678,456

TRENCHER™



- Saw Blade + Beveled Edge for Cutting
- Reinforced Steel Tip for Prying
- Three-Position Head w/Threaded Locking Collar
- Gear Compatible Sheath

9750

Spade: Length: 7.875" (200.0 mm)
Edge: Dual Combination
Steel: 1050 Carbon Steel
Finish: Black Coating
Thickness: 0.080" (2.0 mm)
Overall: 27.188" (690.6 mm)
Weight: 3 lbs. 6 oz. (1653.0 g)
Handle: Carbon Steel, Polypropylene, Nylon
Style: Spade w/Threaded Cylinder Lock + Sheath
Sheath: Material: Nylon
Weight: 7.0 oz. (198.4 g)

SNAILOR™

Designed by Jesper Voxnaes in Loegstrup, Denmark



- Bottle Opener
- Keychain Tool
- Zipper Pull Tab

9006

Steel: 304 SS
Finish: Sandblast
Overall Length: 2.844" (72.2 mm)
Weight: 1.2 oz. (34.0 g)

NATHAN'S KNIFE KIT

Designed by Nathan and Glenn Klecker in Silverton, Oregon



- Wood Knife Kit
- Teach Knife Safety and Responsibility
- Family Craft Project Recommended for Kids 7 and Up

1032

Blade: Length: 3.250" (82.5 mm)
Material: Beechwood
Overall: 8.000" (203.2 mm)
Weight: 1.8 oz. (51.0 g)
Handle: Beechwood
Style: Folder w/Lockback Safety

● AMICUS™ COMPACT	42
● AMICUS™ COMPACT	42
● AUX™	44
● AUX™ FOLDER	44
● AVANT™	54
● BATUM™	70
● BATUM™ COMPACT	70
● BEAR CLAW™ BLUNT TIP WITH TRIPLE POINT™ SERRATIONS	74
● BEAR CLAW™ E.R.	97
● BEV-EDGE™	54
● BEV-EDGE™ BLACK	54
● BIG EDDY™	68
● BIG EDDY™ II	68
● BIRLER™	86
● BIVY™	81
● BOMBASTIC™	33
● BOMBASTIC™ BLACK WITH TRIPLE POINT™ SERRATIONS	34
● BUKU™	45
● CALIGO™	47
● CARNUFEX™	38
● CEO	50
● CHANCEINHELL™ MACHETE	76
● CHOGAN™ T-HAWK	91
● CIMBRI™	85
● CLARK FORK™ FILLET KNIFE	68
● CLEVER GIRL™	84
● COPACETIC™	93
● CRKT™ MICRO TOOL & KEYCHAIN SHARPENER	82
● CROSSBONES	37
● CST COMBAT STRIPPING TOOL	86
● CUATRO™	50
● DAKTYL™	57
● DELILAH'S P.E.C.K.™	53
● DEVIATION™	56
● DIRECTIVE™ DROP POINT	48
● DIRECTIVE™ TANTO	48
● DRIFTER	55
● DRIFTER STAINLESS HANDLE	55
● DRIP TIGHE™	40
● DU HOC™	84
● EAT'N TOOL®	73
● EAT'N TOOL® TITANIUM	74
● EAT'N TOOL® XL	74
● ENDORSER™	49
● ENDORSER™ BLACK	49
● EROS™	35
● EROS™ FLAT HANDLE LARGE	35
● EXITOOL®	82
● FAST LANE™	47
● FIRE SPARK™	93
● FIRE SPARK™ BLACK	93
● FLAT OUT™	48
● FORESIGHT™	90
● FOSSIL™	39
● FOSSIL™ BLACK COMPACT	38
● FOSSIL™ BLACK WITH VEFF SERRATIONS™	38
● FOSSIL™ COMPACT	39
● FOSSIL™ COMPACT WITH VEFF SERRATIONS™	38
● FOSSIL™ WITH VEFF SERRATIONS™	39
● FREYR™	86
● FULCRUM™ 2	47
● FULCRUM™ 2 COMPACT	46
● GET-A-WAY® DRIVER - HEX	80
● GET-A-WAY® DRIVER - TORX®	80
● GÖKEN™	87

● GRAPHITE™	43
● GRAPHITE™ WITH VEFF FLAT TOP SERRATIONS®	43
● GUNGHO™	45
● GUPPIE®	81
● GUPPIE® BLACK	81
● GUSSET™	34
● HALFACHANCE™ PARANG	76
● HEIHO™	87
● HEIHO™ WITH VEFF SERRATIONS™	87
● HELICAL™	32
● HELICAL™ BLACK WITH D2 BLADE STEEL	32
● HI JINX™ Z	34
● HISSATSU™ FIXED BLADE BLACK	88
● HISSATSU™ FOLDER	88
● HISSHOU®	89
● HOIST'N LOK® BIG GAME HOIST	66
● HOIST'N LOK® TREE STAND HOIST	67
● HOMEFRONT™	32
● HOMEFRONT™ EDC	33
● HOMEFRONT™ HUNTER	66
● HOMEFRONT™ TACTICAL	90
● HOOTENANNY™	35
● HUMDINGER™	66
● HUNT'N FISCH™	67
● HVAS™	70
● HYPERSPEED	47
● IGNITOR®	51
● IGNITOR® T	51
● IGNITOR® T WITH VEFF SERRATIONS™	51
● IGNITOR® WITH VEFF SERRATIONS™	51
● IOTA™	73
● JETTISON™	52
● JETTISON™ COMPACT	52
● JUMBONES	36
● K.E.R.T.™ (KEYRING. EMERGENCY. RESCUE. TOOL.)	82
● K.I.S.S.®	53
● K.I.S.S.® WITH TRIPLE POINT™ SERRATIONS	53
● KANGEE™ T-HAWK	92
● KERAMIN™	73
● KNIFE MAINTENANCE TOOL	80
● KUK™	70
● LARGO™	54
● M16® - 01KS SPEAR POINT BLACK STAINLESS STEEL HANDLE	61
● M16® - 01KZ SPEAR POINT BLACK	60
● M16® - 01S SPEAR POINT STAINLESS STEEL HANDLE	61
● M16® - 01Z SPEAR POINT	60
● M16® - 02KS	57
● M16® - 02Z TANTO	58
● M16® - 03KS	58
● M16® - 03S CLASSIC	57
● M16® - 03Z SPEAR POINT	59
● M16® - 04A AUTOMATIC	93
● M16® - 04KS	58
● M16® - 04S CLASSIC	57
● M16® - 04Z TANTO LARGE	59
● M16® - 10KS TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	61
● M16® - 10KSF TANTO BLACK WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	62
● M16® - 10KZ TANTO BLACK WITH TRIPLE POINT™ SERRATIONS	60
● M16® - 10S TANTO WITH TRIPLE POINT™ SERRATIONS STAINLESS STEEL HANDLE	61
● M16® - 10Z TANTO WITH TRIPLE POINT™ SERRATIONS	60
● M16® - 12Z TANTO WITH TRIPLE POINT™ SERRATIONS	58
● M16® - 12ZLEK TANTO WITH TRIPLE POINT™ SERRATIONS	94

● M16 [®] - 13DSFG SPECIAL FORCES DESERT TANTO WITH VEFF SERRATIONS™	96	● RIPPLE™ ALUMINUM.....	36
● M16 [®] - 13SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™	95	● RIPSNOT™	46
● M16 [®] - 13Z SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	59	● RUNE™	91
● M16 [®] - 13ZLEK SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	94	● S.P.E.W.™ (SMALL. POCKET. EVERYDAY. WHARNCLIFFE.)	73
● M16 [®] - 13ZM DESERT SPEAR POINT WITH TRIPLE POINT™ SERRATIONS	97	● SAKIMORI™	88
● M16 [®] - 14D DESERT TANTO COPPER WITH TRIPLE POINT™ SERRATIONS	97	● SCRUB™	91
● M16 [®] - 14DSFG SPECIAL FORCES DESERT TANTO LARGE WITH VEFF SERRATIONS™	96	● SEISMIC™	37
● M16 [®] - 14SF SPECIAL FORCES TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	95	● SEISMIC™ BLACK WITH VEFF SERRATIONS™	37
● M16 [®] - 14SFG SPECIAL FORCES TANTO LARGE WITH VEFF SERRATIONS™	95	● SEPTIMO™	85
● M16 [®] - 14T TITANIUM TANTO WITH TRIPLE POINT™ SERRATIONS	94	● SHENANIGAN™ Z	36
● M16 [®] - 14Z TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	59	● SHINBU™	89
● M16 [®] - 14ZLEK TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	94	● SHIZUKA NOH KEN™	87
● M16 [®] - 14ZSF DESERT TANTO WITH TRIPLE POINT™ SERRATIONS	97	● SHRILL™	92
● M16 [®] - 14ZER EMERGENCY RESCUE TANTO LARGE WITH TRIPLE POINT™ SERRATIONS	98	● SIWI™	85
● M21™ - 02G G10	62	● SKETCH™	43
● M21™ - 04G G10 LARGE	63	● SLACKER™	32
● M21™ - 10KSF WITH TRIPLE POINT™ SERRATIONS	62	● SNAILOR™	98
● M21™ - 12G G10 WITH VEFF SERRATIONS™	62	● SNAP LOCK™	56
● M21™ - 14DSFG SPECIAL FORCES DROP POINT WITH VEFF SERRATIONS™	96	● SNAP LOCK™ WITH TRIPLE POINT SERRATIONS	56
● M21™ - 14G G10 LARGE WITH VEFF SERRATIONS™	63	● SNARKY™	46
● M21™ - 14SFG SPECIAL FORCES TANTO WITH VEFF SERRATIONS™	95	● SNICKER™	46
● M21™ - 14SF SPECIAL FORCES TANTO WITH TRIPLE POINT™ SERRATIONS	96	● SPARK'N SHARP™ FIRE STARTER	77
● M4™ - 02S	63	● SQUID™	44
● M4™ - 02W	64	● SQUID™ BLACK STONEWASH	44
● M4™ - 02	63	● STING™	92
● MAH-CHETE™	76	● STRAFE™	91
● MAVEN™	50	● SWINDLE™ FLAT HANDLE	35
● MINIMALIST® BLACK DROP POINT	72	● SWINDLE™ GROOVED HANDLE	36
● MINIMALIST® BOWIE	72	● TECHNICIAN™	80
● MINIMALIST® TANTO	72	● TECPATL™	86
● MINIMALIST® WHARNCLIFFE	72	● TERRESTRIAL™	55
● MONASHEE™	66	● THUNDER STRIKE™	92
● MOSSBACK™ BIRD AND TROUT	67	● TIGER BREAKER™	90
● MOSSBACK™ HUNTER	67	● TIGHE TAC™ TWO CLIP POINT	40
● MOXIE™ BLACK	49	● TIGHE TAC™ TWO TANTO	40
● MOXIE™ GREY	49	● TRENCHER™	98
● NATHAN'S KNIFE KIT	98	● TWIST & FIX™ EYEGLASS TOOL	79
● NIRK™ TIGHE	41	● TWIST & FIX™ KNIFE REPAIR TOOL	79
● NIRK™ TIGHE 2	40	● TWIST & FIX™ SOCKET TOOL	79
● OBAKE™	45	● TWIST & FIX™ TORX AND HEX TOOL	79
● OBAKE™ SKOSHI	45	● UP & AT™ EM™	48
● OFFBEAT™	53	● VIZZLE™	42
● OFFBEAT™ II	52	● WILLIAMS TACTICAL KEY	89
● OTANASHI NOH KEN™	88	● WILLIAMS TACTICAL PEN	90
● OUTRAGE™	34	● WILLIAMS TACTICAL PEN II	89
● PACK AXE	71	● WILLIWAW™	42
● PAZODA™	56	● WOODS CHOGAN™ T-HAWK	71
● PAZODA™ 2	55	● WOODS KANGEE™ T-HAWK	71
● PERSEVERE™	76	● WOODS NOBO™ T-HAWK	71
● PILAR®	41	● XOC™	37
● PILAR® LARGE	41		
● PILAR® LARGE WITH G10 HANDLE	41		
● PREQUEL™	43		
● PROVOKE™	84		
● PROWESS™	33		
● PROWESS™ BLACK WITH TRIPLE POINT™ SERRATIONS	33		
● PRYMA™	81		
● RADIC™	50		
● RAIKIRI™	39		
● RAKKASAN™	84		
● RASP™	85		
● REMEDY™	52		

LIFETIME WARRANTY

This warranty covers any defects in materials or workmanship. If one of our knives ever breaks or fails because of material or manufacturing defect, we'll replace the knife.

This warranty runs as long as you own your knife. Coverage ends if you sell or otherwise transfer the knife to someone else, or if your CRKT® knife is modified in any way.

This warranty does not cover breakage or failure due to misuse of the knife. Knives as good as ours rarely break or fail because of a defect. Usually they break or fail from what we call "tool abuse"—using them for unsuitable tasks like prying or pounding. Therefore, blade tip breakage is not covered by our warranty. Use of a knife for any purpose other than cutting voids the warranty. So please match the tool to the task, and use your knife only for cutting. The knife will last longer, and you'll be safer too. This warranty does not cover failure of mechanisms due to your failure to properly maintain them.

Misuse of your knife can cause serious injury or even death. It can also cause your knife to break or fail and the warranty will not apply. Failure to properly maintain your knife also may cause its mechanisms not to function properly, which could result in injury to you or damage to the knife.

Finally, consequential and incidental damages are not recoverable under this warranty. Some states do not allow the exclusion or limitation of consequential damages, so this exclusion or limitation may not apply to you.

Limited Accessory Warranty

CRKT® accessories, including deployment systems, carry systems, and sharpeners, have a one-year limited warranty against defects in material or manufacturing.

Limited Electronics Warranty

The electronic portion of CRKT® products, including LED systems, are covered by a 90-day limited warranty from the date of purchase to the original purchaser. Warranty claims must be accompanied by proof of purchase.

SPECIFICATIONS

Colors and textures in all product images are as close as reproduction processes permit. Variations may occur in finishing processes such as anodizing and titanium nitride coating, G10, and in other natural materials such as leather, bone, and wood.

We recommend you visit your local retailer and/or reference online videos and multiple product images and angles to view CRKT® products under the best possible lighting conditions to ensure complete satisfaction. Blade lengths in this catalog are measured according to the American Knife and Tool Institute Guidelines. Specifications on products are subject to change without notice and can also be viewed on CRKT.com.

The Columbia River Knife & Tool name, Columbia River Knife & Tool logo, CRKT name, CRKT logo, Confidence in Hand, CRKT Confidence in Hand logo, Deadbolt, Kinematic, IKBS, OutBurst, Fire Safe, ExiTool, Fire Spark, Eat'N Tool, Ignitor, Minimalist, Hisshou, Guppie, Pazoda, For Those Who Serve, When Seconds Matter, Sting, K.I.S.S., P.E.C.K., M4, M16, M21, Bear Claw, Big Eddy, Triple-Point Serrations, Veff Serrations, Veff Flat Top Serrations, Hissatsu, Heiho, Graphite, Clark Fork, My Tighe, NIRK Tighe, S.P.E.W., Shenanigan, Eros, Swindle, Endorser, K.E.R.T., Otanashi Noh Ken, Shinbu, Sakimori, Chogan, Kangee, Foresight, Moxie, Obake, Keramin, Fossil, Spark'N Sharp, ChanceinHell, Halfachance, Hootenanny, Squid, Deviation, Hoist'N Lok, Hunt'N Fisch, Mah-Chete, Shizuka noh Ken, Thunder Strike, Shrill, Buku, Clever Girl, Birler, Civet, Mossback, Tighe Tac, Amicus, Jettison, Fulcrum, Iota, Bivy, Outrage, Trencher, Homefront, Directive, Amicus, Jettison, Snailor, Tighe Breaker, Aux, Strafe, Rakkasan, Tecpatl, Nobo, Rune, Snap Lock, Snicker, Hi Jinx, Copacetic, Remedy, Batum, Carnufex, Humdinger, Gusset, Bombastic, Pilar, Vizzle, Raikiri, HVAS, Goken, Persevere, Offbeat, Williwaw, Cuatro, Maven, Largo, Terrestrial, Caligo, Radic, KUK, Rasp, SiWi, Freyr, Scrub, Technician, Pryma, Ripsnort, Snarky, Daktyl, Drip Tighe, Prowess, Sketch, Septimo, Gungho, Du Hoc, Slacker, Helical, XOC, Seismic, Prequel, Fast Lane, Flat Out, Up & At 'Em, Avant, Bev-Edge, Monashee, Du Hoc, Provoke, Cimbri, Twist & Fix, are trademarks of Columbia River Knife & Tool or their licensees. Kydex® is a trademark of Kleerdex Company. VELCRO® is a registered trademark of Velcro Industries. B.V. Principal Product Photography: Pedersen Studios, Cathedral Park Place, Portland, OR. Selected Lifestyle Photography: Blue Collar Agency, Creative Director Tom Lehmann. Printed on recycled paper. Copyright 2019 CRKT®, Columbia River Knife & Tool®. All Rights Reserved.



Columbia River Knife & Tool

18348 SW 126TH PLACE | TUALATIN, OR 97062 USA
TEL: 503.685.5015 | 800.891.3100 | FAX: 503.682.9680
CRKT.com



CRKT IS A PROUD MEMBER OF THE AMERICAN KNIFE & TOOL INSTITUTE.
KEEPING KNIVES IN AMERICAN LIVES SINCE 1998.

22 VISTA VIEW LN, CODY, WY 82414 | AKTI.ORG